

| No.   | TPO no. | Species      | Height               | Trunk diameter                                          | Radial crown spread                                     | Crown break | Crown clearance | Age class   | Physio -logy | Structure   | Comments                                                                                                                                                                                                                                                      | Category  |
|-------|---------|--------------|----------------------|---------------------------------------------------------|---------------------------------------------------------|-------------|-----------------|-------------|--------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 8     |         | Crack willow | 14m                  | 415mm                                                   | N 0m<br>E 3m<br>SE 8m<br>S 9m<br>SW 8m<br>W 7m          | 2m          | S 1m            | Semi-mature | Average      | Indifferent | self-seeded specimen, located centrally in water logged ditch; canopy entirely offset from base; contributes to boundary screening; inessential component of the landscape.                                                                                   | C<br>(12) |
| 9     |         | Crack willow | 14m                  | 415mm est.                                              | N 8m<br>E 8m<br>SE 8.5m<br>S 7.5m<br>SW 7m<br>W 7m      | 2m          | S 2m            | Semi-mature | Average      | Indifferent | Off-site tree; contributes to boundary screening.                                                                                                                                                                                                             | B<br>(2)  |
| 10    |         | English oak  | 15m                  | 865mm est.                                              | N 8m<br>E 6m<br>SE 7m<br>S 7.25m<br>S W 7.75m<br>W 7.5m | 2.5m        | S 2.25m         | Mature      | Average      | Moderate    | Single trunk; prominent buttress roots to S; asymmetrical crown; field boundary indicator; not in keeping with the character of the area; no characteristics of veteranisation, e.g. significant age, decay, hollowing, retrenchment, fungal fruiting bodies. | B<br>(12) |
| 11    |         | Goat willow  | 8m                   | 10 stems @ 120mm est.                                   | 6.5m                                                    | 0.75m       | 1m              | Semi-mature | Average      | Poor        | Small self-seeded specimen; multi-stemmed from base; tight compression forks with evidence of included bark; unremarkable tree of very limited merit.                                                                                                         | C<br>(1)  |
| 12-13 |         | Goat willow  | #T12 6.5m<br>#T13 7m | #T12 12 stems @ 110mm est.<br>#T13 18 stems @ 80mm est. | 5m                                                      | 0.5m        | 1m              | Semi-mature | Average      | Poor        | Small self-seeded specimens; tight compression forks with evidence of included bark; unremarkable trees of very limited merit.                                                                                                                                | C<br>(1)  |
| 14    |         | English oak  | 8m                   | 240mm est.                                              | 4m                                                      | 2m          | S 1.5m          | Semi-mature | Average      | Moderate    | Small self-seeded specimen; inessential component of the group in which it stands.                                                                                                                                                                            | C<br>(12) |
| 15    |         | Ash          | 10m                  | 225mm est.                                              | 3.75m                                                   | 2m          | 2m              | Semi-mature | Average      | Moderate    | Small self-seeded specimen; of moderate quality, but currently of low value due to small size; inessential component of the group in which it stands.                                                                                                         | C<br>(1)  |

| No. | TPO no.      | Species     | Height | Trunk diameter              | Radial crown spread                                 | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Category   |
|-----|--------------|-------------|--------|-----------------------------|-----------------------------------------------------|-------------|-----------------|-------------|---------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 16  | 1491-2014-T8 | English oak | 24m    | 1040mm                      | N 8.75m<br>E 11.5m<br>S 9.5m<br>W 7m<br>NW 7.25m    | 6m          | N 2m            | Mature      | Average       | Indifferent | Prominent buttress roots S; historic drainage N; single trunk; asymmetrical crown as suppressed by adjacent specimens; SE stem at 8m dominant and forms majority of crown; NW stem sub dominant; historic pruning wound at 8m at main bifurcation; significant component of group in which it stands; contributes to boundary screening; not in keeping with the character of the area.                                                                                                                                                  | B<br>(12)  |
| 17  | 1491-2014-T9 | English oak | 19m    | 555mm                       | N 6.75m<br>E 4.25m<br>S 6.5m<br>W 6.25m<br>NW 5.75m | 2.5m        | N 6m            | Semi-mature | Average       | Indifferent | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; significant component of group in which it stands; contributes to boundary screening; in keeping with the character of the area.                                                                                                                                                                                                                              | B<br>(12)  |
| 18  | 1491-2014-T5 | English oak | 18.5m  | 945mm                       | N 5.5m<br>NE 6.25m<br>E 8.25m<br>S 8.5m<br>W 9.5m   | 2m          | N 6m            | Mature      | Below average | Indifferent | Prominent buttress roots; single trunk; wounding on E side of trunk from ground level up to approx. 4.5m; internal heartwood exposed; no evidence of extensive decay currently present; wound approx. 650mm wide and equates to circa 45% of trunk circumference; significant dieback on apical and N canopy limbs; N lateral limb at 6m growing N dead with habitat holes; S and W canopy remain of average physiology; field boundary indicator; significant component of group in which it stands; contributes to boundary screening. | C<br>(123) |
| 19  | 1491-2014-T4 | Ash         | 14.75m | 610mm                       | N 0m<br>E 3.5m<br>S 5.75m<br>SW 5m<br>W 4m          | 4m          | N 6m            | Semi-mature | Average       | Poor        | Single trunk; significant tear-out wound in upper crown; one-sided crown; contributes to boundary screening; inessential component of the landscape.                                                                                                                                                                                                                                                                                                                                                                                     | C<br>(12)  |
| 20  |              | Ash         | 15.5m  | 2 stems @<br>310mm<br>360mm | N 6m<br>E 4.5m<br>S 3m<br>W 6.5m                    | 3m          | N 2m            | Semi-mature | Average       | Indifferent | Multi-stemmed from base with tensile unions; wounding on S trunk; asymmetrical crown as suppressed by adjacent specimens; contributes to boundary screening.                                                                                                                                                                                                                                                                                                                                                                             | B<br>(2)   |
| 21  | 1491-2014-T3 | English oak | 19.5m  | 1095mm<br>ivy               | N 6.25m<br>E 5.75m<br>S 6.75m<br>W 6.75m            | 3.5m        | NE 2m           | Mature      | Average       | Good        | Prominent buttress roots; single trunk; field boundary indicator; essential component of the group in which it stands; good example of species; contributes to boundary screening; no characteristics of veteranisation, e.g. significant age, decay, hollowing, retrenchment, fungal fruiting bodies.                                                                                                                                                                                                                                   | A<br>(12)  |

| No.   | TPO no.                                      | Species             | Height                                                   | Trunk diameter                                                                      | Radial crown spread                                      | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                           | Category  |
|-------|----------------------------------------------|---------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------|-------------|-----------------|-------------|---------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 22-23 | #T22<br>1491-2014-T1<br>#T23<br>1491-2014-T2 | Field maple         | #T22<br>14.5m<br>#T23<br>14.5m                           | 350mm est.<br>#T22<br>325mm<br>#T22<br>260mm<br>#T22<br>280mm<br>#T23<br>320mm est. | 6m                                                       | 1.5m        | N 1m            | Semi-mature | Average       | Indifferent | Multi-stemmed from base; animal damage on trunks; part of aerodynamic group with meshing crowns providing companion shelter; contributes to boundary screening; inessential components of the wider landscape.                                                                                                                                                                                                                     | C<br>(12) |
| 24    |                                              | English oak         | 14.5m                                                    | 435mm est.                                                                          | N 7.5m<br>NE 7.25m<br>E 6.25m<br>SE 2m<br>S 6.5m<br>W 7m | 2m          | NE 1m           | Semi-mature | Average       | Indifferent | Single trunk; asymmetrical crown; part of aerodynamic group with meshing crowns providing companion shelter; significant component of group in which it stands; contributes to boundary screening.                                                                                                                                                                                                                                 | B<br>(2)  |
| 25    |                                              | Hybrid black poplar | 18m                                                      | 430mm                                                                               | 2.5m                                                     | 2m          | 2m              | Semi-mature | Average       | Poor        | Single trunk; cavity and decay at base, from ground up to 2.5m on N side; of short-term potential; unremarkable tree of very limited merit.                                                                                                                                                                                                                                                                                        | U         |
| 26-29 |                                              | Aspen               | #T26<br>21m<br>#T27<br>21m<br>#T28<br>21m<br>#T29<br>21m | #T26<br>390mm<br>#T27<br>390mm<br>#T28<br>375mm<br>#T29<br>425mm                    | 6.25m                                                    | 2.75m       | 2m              | Semi-mature | Average       | Indifferent | Small self-seeded specimens; contributes to woodland density; inessential components of group in which they stand.                                                                                                                                                                                                                                                                                                                 | C<br>(12) |
| 30    | 1491-2014-T12                                | English oak         | 19m                                                      | 1110mm                                                                              | N 13.5m<br>E 12m<br>S 12m<br>W 11m                       | 3.75m       | N 2.5m          | Mature      | Average       | Moderate    | Prominent buttress roots; fungal fruiting bodies on N buttress roots; unidentifiable; differences in tone when buttress roots tapped with acoustic hammer suggest internal defects from ground up to 2m localised; wide dominant canopy; significant component of group in which it stands; no significant characteristics of veteranisation, e.g. hollowing, water pockets, extensive hollowing and decay or canopy retrenchment. | A<br>(23) |
| 31    |                                              | English oak         | 14m                                                      | 510mm                                                                               | N 5.5m<br>E 7.25m<br>S 7.5m<br>W 7.75m                   | 2m          | N 2m            | Semi-mature | Average       | Good        | Prominent buttress roots; significant component of group in which it stands; contributes to woodland density; inessential component of wider landscape.                                                                                                                                                                                                                                                                            | B<br>(12) |

| No. | TPO no. | Species     | Height | Trunk diameter                   | Radial crown spread                                | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                | Category |
|-----|---------|-------------|--------|----------------------------------|----------------------------------------------------|-------------|-----------------|-------------|---------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 32  |         | English oak | 19m    | 550mm                            | N 3m<br>E 6m<br>S 8.25m<br>W 6.5m                  | 3.5m        | 2m              | Semi-mature | Average       | Moderate    | Prominent buttress roots; significant component of group in which it stands; contributes to woodland density; inessential component of wider landscape.                                                                 | B (2)    |
| 33  |         | English oak | 17.5m  | 320mm                            | N 2.5m<br>E 5.25m<br>S 7.25m<br>W 3m               | 2.25m       | 1.5m            | Semi-mature | Average       | Indifferent | Prominent buttress roots; significant component of group in which it stands; contributes to woodland density; inessential component of wider landscape.                                                                 | B (2)    |
| 34  |         | English oak | 18m    | 2 stems @ 420mm                  | N 0.5m<br>E 7.5m<br>SE 7.75m<br>S 6.75m<br>W 5.75m | 2m          | 2m              | Semi-mature | Average       | Indifferent | Prominent buttress roots; significant component of group in which it stands; contributes to woodland density; inessential component of wider landscape.                                                                 | B (2)    |
| 35  |         | English oak | 20m    | 670mm                            | N 8.25m<br>E 6m<br>S 7.5m<br>W 7m<br>NW 7.75m      | 2.5m        | 3m              | Semi-mature | Average       | Indifferent | Prominent buttress roots; asymmetrical crown; meshing canopy providing companion shelter; significant component of group in which it stands; contributes to woodland density; inessential component of wider landscape. | B (12)   |
| 36  |         | English oak | 17m    | 740mm                            | N 8.25m<br>E 9.5m<br>S 10m<br>W 4.5m<br>NW 8m      | 3.25m       | 1.25m           | Semi-mature | Average       | Indifferent | Prominent buttress roots; asymmetrical crown; meshing canopy providing companion shelter; significant component of group in which it stands; contributes to woodland density; inessential component of wider landscape. | B (12)   |
| 37  |         | English oak | 14.5m  | 470mm<br>485mm                   | N 8.25m<br>E 7.25m<br>S 4.25m<br>W 5.75m           | 2.5m        | N 2.5m          | Semi-mature | Average       | Indifferent | Prominent buttress roots; twin-stemmed from 1m; tensile union; asymmetrical crown as suppressed by adjacent specimens; contributes to woodland density.                                                                 | B (2)    |
| 38  |         | English oak | 18m    | 470mm<br>560mm                   | N 5.5m<br>E 6.5m<br>S 6m<br>W 6.75m                | 2.5m        | N 1.25m         | Semi-mature | Average       | Indifferent | Prominent buttress roots; twin-stemmed from 1m; tensile union; asymmetrical crown as suppressed by adjacent specimens; contributes to woodland density.                                                                 | B (2)    |
| 39  |         | Grey poplar | 18m    | 445mm                            | 5.75m                                              | 2m          | N 2.5m          | Semi-mature | Average       | Moderate    | Prominent buttress roots; single trunk; significant component of group in which it stands; contributes to woodland density; inessential component of the wider landscape.                                               | B (12)   |
| 40  |         | English oak | 20m    | 275mm<br>295mm<br>505mm<br>755mm | 9.25m                                              | 2.75m       | N 2m            | Mature      | Average       | Indifferent | Prominent buttress roots; multi-stemmed from base; significant component of group in which it stands; contributes to woodland density; inessential component of the wider landscape.                                    | B (12)   |

| No.   | TPO no.      | Species        | Height                              | Trunk diameter                         | Radial crown spread                  | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                      | Category   |
|-------|--------------|----------------|-------------------------------------|----------------------------------------|--------------------------------------|-------------|-----------------|-------------|---------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 41    |              | Grey poplar    | 17.5m                               | 305mm                                  | N 4m<br>E 3m<br>S 2m<br>W 3m         | 2.75m       | N 1.25m         | Semi-mature | Average       | Indifferent | Prominent buttress roots; tall and drawn up; part of aerodynamic group with meshing crowns providing companion shelter; contributes to woodland density.                                                      | C<br>(12)  |
| 42    |              | English oak    | 21m                                 | 815mm                                  | N 9.5m<br>E 10.5m<br>S 9m<br>W 8.25m | 3.75m       | N 2m            | Semi-mature | Average       | Moderate    | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; significant component of group in which it stands; contributes to woodland density.                           | B<br>(12)  |
| 43    | 1491-2014-G4 | Ash            | 20m                                 | 600mm est.                             | N 6.5m<br>E 4m<br>S 4m<br>W 5m       | 8m          | N 8m            | Mature      | Below average | Indifferent | Off-site tree; significant component of group in which it stands; contributes to woodland density; storm damage in crown; animal holes on trunk.                                                              | C<br>(123) |
| 44    | 1491-2014-G4 | English oak    | 19.75m                              | 475mm est.                             | N 7.25m<br>E 4m<br>S 5m<br>W 6.5m    | 6m          | N 5m            | Semi-mature | Average       | Indifferent | Field boundary indicator; prominent buttress roots; adjacent to ditch; contributes to boundary screening.                                                                                                     | B<br>(12)  |
| 45    | 1491-2014-G4 | English oak    | 19.5m                               | 515mm ivy est.                         | N 8.5m<br>E 8m<br>S 7m<br>W 5m       | 4.5m        | N 6m            | Semi-mature | Average       | Moderate    | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; contributes to boundary screening. | B<br>(12)  |
| 46    |              | Common alder   | 13m                                 | 2 stems @ 285mm                        | N 4.75m<br>E 0m<br>S 3m<br>W 6m      | 2.5m        | W 2m            | Semi-mature | Average       | Poor        | Twin-stemmed from 1m; tight compression fork with evidence of included bark; one-sided crown as suppressed by adjacent specimens; inessential component of the group in which it stands.                      | C<br>(1)   |
| 47-49 |              | Horse chestnut | #T47 9m<br>#T48 12.5m<br>#T49 12.5m | #T47 305mm<br>#T48 450mm<br>#T49 350mm | 4.5m                                 | 1.5m        | 1.5m            | Semi-mature | Average       | Indifferent | Small ornamental trees; evidence of bleeding canker; inessential component of the landscape; unremarkable trees of very limited merit.                                                                        | C<br>(12)  |
| 50    |              | Sycamore       | 10m                                 | 285mm                                  | 4m                                   | 1.25m       | 1.75m           | Semi-mature | Average       | Indifferent | Small ornamental tree; of moderate quality, but currently of low value due to small size; inessential component of the landscape.                                                                             | C<br>(1)   |
| 51    |              | English oak    | 7m                                  | 260mm                                  | N 5m<br>E 5.75m<br>S 4m<br>W 3m      | 2m          | E 1.5m          | Semi-mature | Average       | Moderate    | Small self-seeded specimen; of moderate quality, but currently of low value due to small size; edge tree of wooded copse.                                                                                     | C<br>(1)   |
| 52    |              | Goat willow    | 15m                                 | 2 stems @ 325mm 415mm                  | N 5.5m<br>E 6.5m<br>S 6m<br>W 4m     | 2m          | E 1m            | Semi-mature | Average       | Poor        | Tight compression forks with evidence of included bark; storm damage in crown; edge tree of wooded copse; inessential component of the landscape.                                                             | C<br>(12)  |

| No.   | TPO no. | Species      | Height                       | Trunk diameter                                  | Radial crown spread                              | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Category  |
|-------|---------|--------------|------------------------------|-------------------------------------------------|--------------------------------------------------|-------------|-----------------|-------------|---------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 53    |         | English oak  | 25m                          | 955mm                                           | N 6.75m<br>E 11.5m<br>S 7.25m<br>W 8.5m          | 4m          | E 3m            | Semi-mature | Below average | Moderate    | Prominent buttress roots; single trunk; tight compression fork with evidence of included bark at crown break; lack of pronounced 'elephant ears', union acute though sheltered from prevailing winds; significant component of group in which it stands; readily visible from internal views; shorter than average shoot extents, maybe associated with waterlogging in area.                                                                             | B<br>(12) |
| 54    |         | Crack willow | 21.5m                        | 705mm                                           | N 2m<br>NE 6m<br>E 7m<br>SE 11m<br>S 12m<br>W 4m | 6.5m        | E 1.5m          | Semi-mature | Average       | Poor        | Prominent buttress root SW, with mechanical wounding; single trunk; one-sided crown as suppressed by adjacent specimens; significant component of group in which it stands; edge tree of wooded copse; readily visible from internal views; inessential component of the landscape.                                                                                                                                                                       | C<br>(12) |
| 55-56 |         | Crack willow | #T55<br>15.5m<br>#T56<br>19m | #T55<br>425mm<br>#T56 2<br>stems @<br>335mm     | 6.75m                                            | 3m          | 2m              | Semi-mature | Below average | Poor        | Small self-seeded specimens; drawn-up and mutually suppressed; wounding on trunks; internal heartwood exposed; multiple fungal fruiting bodies of <i>Ganoderma applanatum</i> on trunks; edge trees of wooded copse; significant components of group in which they stand; inessential component of the landscape, due to topography and lower level on which they stand.                                                                                  | U         |
| 57-58 |         | Crack willow | #T57<br>19m<br>#T58<br>19m   | #T57<br>545mm<br>#T58<br>670mm<br>#T58<br>405mm | N 10m<br>NE 5m<br>E 9.5m<br>S 4.75m<br>W 4m      | 3m          | 2m              | Semi-mature | Average       | Poor        | Self-seeded specimens; drawn-up and mutually suppressed; wounding on trunks; internal heartwood exposed; multiple fungal fruiting bodies of <i>Ganoderma applanatum</i> on trunks; edge trees of wooded copse; significant components of group in which they stand; inessential components of the landscape, due to topography and lower level on which they stand; extended E lateral limbs end weighted and at risk of failure in storm weather events. | C<br>(12) |
| 59    |         | English oak  | 20.5m                        | 300mm<br>525mm<br>445mm                         | N 8m<br>E 7m<br>S 4m<br>W 8m<br>NW 9.5m          | 2.75m       | NW<br>2.25m     | Mature      | Average       | Indifferent | Prominent buttress roots; multi-stemmed from 1m, with acute, yet tensile unions; asymmetrical crown as suppressed by adjacent specimens; significant component of group in which it stands; contributes to woodland density.                                                                                                                                                                                                                              | B<br>(12) |
| 60    |         | English oak  | 16.5m                        | 555mm                                           | N 8.25m<br>E 7.75m<br>SE 5.25m<br>S 2m<br>W 3.5m | 3m          | E 2m            | Semi-mature | Low           | Indifferent | Animal damage near base; internal heartwood exposed; bark necrosis and detachment, E side from ground up to 5m, approx. 425mm wide; equates to approx. 33% of trunk circumference; shorter than average shoot extents; significant component of group in which it stands; contributes to woodland density.                                                                                                                                                | C<br>(1)  |
| 61    |         | English oak  | 14m                          | 425mm                                           | N 1m<br>E 7m<br>S 6.75m<br>W 1.75m               | 3m          | E 2m            | Semi-mature | Average       | Indifferent | Single trunk; asymmetrical crown as suppressed by adjacent specimens; contributes to woodland density; edge tree of wooded copse; in keeping with the character of the area.                                                                                                                                                                                                                                                                              | B<br>(2)  |

| No.   | TPO no. | Species             | Height                                                         | Trunk diameter                                                   | Radial crown spread                      | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                        | Category  |
|-------|---------|---------------------|----------------------------------------------------------------|------------------------------------------------------------------|------------------------------------------|-------------|-----------------|-------------|---------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 62-65 |         | Hybrid black poplar | #T62<br>18.5m<br>#T63<br>25.5m<br>#T64<br>29.5m<br>#T65<br>30m | #T62<br>365mm<br>#T63<br>415mm<br>#T64<br>670mm<br>#T65<br>595mm | N 4.25m<br>E 9.5m<br>S 4.5m<br>W 5.5m    | 4m          | E 2m            | Semi-mature | Average       | Moderate    | Prominent buttress roots; single trunks; drawn-up and mutually suppressed; aerodynamic group with meshing crowns providing companion shelter; significant component of group in which it stands; readily visible from internal views.                                                                                           | B<br>(12) |
| 66    |         | English oak         | 13m                                                            | 360mm                                                            | N 2m<br>E 7m<br>SE 8m<br>S 6m<br>W 1.75m | 2.5m        | E 2.5m          | Semi-mature | Average       | Indifferent | Many non-occluded pruning wounds on trunk; one-sided crown as suppressed by adjacent specimens; edge tree of wooded copse; inessential component of the group in which it stands.                                                                                                                                               | C<br>(12) |
| 67-69 |         | Lombardy poplar     | #T67<br>24.5m<br>#T68<br>28m<br>#T69<br>19.5m                  | #T67<br>370mm<br>#T68<br>540mm<br>#T69<br>405mm                  | 4m                                       | 2.5m        | 2.5m            | Semi-mature | Average       | Indifferent | Row of closely growing specimens; drawn-up and mutually suppressed; aerodynamic group with meshing crowns providing companion shelter; readily visible from internal views; contributes to wooded belt density.                                                                                                                 | B<br>(12) |
| 70    |         | Common alder        | 13.5m                                                          | 485mm                                                            | N 5m<br>E 4.25m<br>S 4.75m<br>W 4.25m    | 2m          | S 1.5m          | Semi-mature | Average       | Indifferent | Prominent buttress roots; single trunk; forks into four stems at 1.5m; unions currently acute, but lack of extensive bark to bark contact; edge tree of wooded copse; contributes to woodland density; better quality specimen within group in which it is found.                                                               | B<br>(2)  |
| 71    |         | English oak         | 16.5m                                                          | 515mm                                                            | N 4m<br>E 6.25m<br>S 6.5m<br>W 5.5m      | 2.75m       | E 1.25m         | Semi-mature | Average       | Good        | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; significant component of group in which it stands; edge tree of wooded copse; contributes to woodland density; readily visible from internal views; contributes to woodland density; in keeping with the character of the area. | B<br>(12) |
| 72    |         | Crack willow        | 9m                                                             | 625mm est.                                                       | 4.75m                                    | 2m          | 1m              | Mature      | Average       | Poor        | Storm damage in crown; snapped out at 3.5m; inessential component of the group in which it stands.                                                                                                                                                                                                                              | U         |
| 73    |         | English oak         | 17m                                                            | 435mm                                                            | N 4.75m<br>E 2m<br>S 5m<br>W 5.5m        | 5m          | 6m              | Semi-mature | Average       | Moderate    | Prominent buttress roots; single trunk; asymmetrical crown as historically suppressed by adjacent specimen to SE; significant component of group in which it stands; contributes to woodland density; in keeping with the character of the area.                                                                                | B<br>(12) |
| 74    |         | Silver birch        | 15.5m                                                          | 425mm                                                            | N 5m<br>E 2.75m<br>S 2.75m<br>W 5.75m    | 3m          | 3.5m            | Semi-mature | Below average | Indifferent | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; dieback at branch tips; slightly sparsely foliated; contributes to wooded tree belt density; inessential component of the landscape.                                                                                            | C<br>(12) |

| No. | TPO no. | Species      | Height | Trunk diameter | Radial crown spread                          | Crown break | Crown clearance | Age class   | Physio -logy | Structure   | Comments                                                                                                                                                                                                                                                                                                    | Category  |
|-----|---------|--------------|--------|----------------|----------------------------------------------|-------------|-----------------|-------------|--------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 75  |         | English oak  | 15.5m  | 505mm          | N 7.25m E 5m<br>S 4.5m W 7m                  | 2.25m       | N 3.5m          | Semi-mature | Average      | Moderate    | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; significant component of group in which it stands; contributes to wooded tree belt density; readily visible from internal views. | B<br>(12) |
| 76  |         | Common alder | 14m    | 315mm          | N 3m E 1m<br>S 2m W 3.25m                    | 1.75m       | NW 2m           | Semi-mature | Average      | Moderate    | Small self-seeded specimen; of moderate quality, but currently of low value due to small size; asymmetrical crown as suppressed by adjacent specimens; inessential component of the landscape.                                                                                                              | C<br>(12) |
| 77  |         | English oak  | 17.5m  | 395mm          | N 3.5m E 5.25m<br>SE 7.25m S 2.5m<br>W 4.25m | 3m          | E 5m            | Semi-mature | Average      | Moderate    | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; significant component of group in which it stands; contributes to wooded tree belt density; readily visible from internal views. | B<br>(12) |
| 78  |         | English oak  | 17.5m  | 455mm          | N 3.25m E 4m<br>SE 8.25m S 6.5m<br>W 3.5m    | 3m          | SE 2m           | Semi-mature | Average      | Moderate    | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; significant component of group in which it stands; contributes to wooded tree belt density; readily visible from internal views. | B<br>(12) |
| 79  |         | Crack willow | 12m    | 295mm<br>230mm | N 0m E 7.75m<br>SE 10m S 2m<br>W 0m          | 1.5m        | E 2.25m         | Semi-mature | Average      | Poor        | Small self-seeded specimen; canopy entirely offset from base; edge tree of wooded copse; inessential component of the group in which it stands.                                                                                                                                                             | C<br>(12) |
| 80  |         | Crack willow | 8m     | 345mm          | N 2m E 6.5m<br>SE 5.5m S 1m<br>W 0m          | 2m          | E 1.5m          | Semi-mature | Average      | Indifferent | Uprooted tree, partially lying on ground; 'harping'; inessential component of the group in which it stands.                                                                                                                                                                                                 | C<br>(1)  |
| 81  |         | Crack willow | 15.5m  | 404mm<br>est.  | 6m                                           | 4m          | 5m              | Semi-mature | Average      | Indifferent | Storm damage and tear out at base; storm damage in crown; unremarkable tree of very limited merit.                                                                                                                                                                                                          | C<br>(12) |
| 82  |         | English oak  | 18.5m  | 500mm          | N 3m E 8.75m<br>SE 9.5m S 5.5m<br>W 3m       | 3.25m       | E 2.5m          | Semi-mature | Average      | Moderate    | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; significant component of group in which it stands; edge tree of wooded copse; readily visible from internal views.                                                                                          | B<br>(12) |

| No. | TPO no. | Species     | Height | Trunk diameter | Radial crown spread                               | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                 | Category  |
|-----|---------|-------------|--------|----------------|---------------------------------------------------|-------------|-----------------|-------------|---------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 83  |         | English oak | 16m    | 260mm<br>430mm | N 6m<br>E 2.25m<br>S 2.5m<br>W 7.5m               | 3m          | 3m              | Semi-mature | Below average | Indifferent | Prominent buttress roots; subdominant stem at 1m SW supporting snapped out crack willow limb at 4m; asymmetrical crown as suppressed by adjacent specimens; significant component of group in which it stands; edge tree of wooded copse.                | B<br>(2)  |
| 84  |         | English oak | 16.5m  | 375mm          | N 3m<br>E 4m<br>SE 5m<br>S 5.5m<br>W 4m           | 3m          | E 5m            | Semi-mature | Average       | Indifferent | Asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; edge tree of wooded copse.                                                                                            | B<br>(2)  |
| 85  |         | Aspen       | 16m    | 290mm          | N 5m<br>E 6m<br>SE 6.25m<br>S 7m<br>W 2m          | 3m          | E 4m            | Semi-mature | Average       | Indifferent | Self-seeded specimen; drawn-up and suppressed; part of aerodynamic group with meshing crowns providing companion shelter; edge tree of wooded copse; inessential component of the landscape.                                                             | B<br>(2)  |
| 86  |         | English oak | 21.5m  | 635mm          | N 9m<br>E 8.25m<br>SE 11.5m<br>S 6m<br>W 5.25m    | 2m          | E 2m            | Semi-mature | Average       | Indifferent | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; notable E lateral limb at 2m on trunk forms main E canopy extent; edge tree of wooded copse; significant component of group in which it stands.          | B<br>(12) |
| 87  |         | English oak | 22.5m  | 595mm          | N 4.5m<br>E 5.75m<br>SE 11m<br>S 11m<br>W 2.75m   | 3m          | E 2.75m         | Semi-mature | Average       | Moderate    | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; edge tree of wooded copse; significant component of group in which it stands. | B<br>(12) |
| 88  |         | English oak | 22m    | 720mm          | 8.25m                                             | 6m          | 4m              | Semi-mature | Average       | Moderate    | Dominant canopy; significant component of group in which it stands; contributes to woodland density.                                                                                                                                                     | B<br>(12) |
| 89  |         | English oak | 18m    | 555mm          | N 7.5m<br>E 7.25m<br>SE 7.75m<br>S 7.5m<br>W 7.5m | 3m          | 3.25m           | Semi-mature | Average       | Moderate    | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; significant component of group in which it stands; contributes to woodland density.                                                                      | B<br>(12) |
| 90  |         | English oak | 12m    | 310mm          | N 3m<br>E 4m<br>SE 6.5m<br>S 6.75m<br>W 5m        | 2.75m       | SE 2m           | Semi-mature | Average       | Indifferent | Asymmetrical crown as suppressed by adjacent specimens; suppressed crown as overtopped by adjacent specimens; inessential component of the group in which it stands; unremarkable tree of very limited merit.                                            | C<br>(12) |

| No. | TPO no.       | Species      | Height | Trunk diameter                          | Radial crown spread                          | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                          | Category  |
|-----|---------------|--------------|--------|-----------------------------------------|----------------------------------------------|-------------|-----------------|-------------|---------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 91  |               | Crack willow | 23m    | 525mm                                   | N 6.75m<br>E 3m<br>S 1m<br>W 7m              | 8m          | N 8m            | Mature      | Average       | Poor        | Largest individual within a collection of self seeded specimens; drawn-up and suppressed; asymmetrical crown as suppressed by adjacent specimens; animal habitat holes on trunk; contributes to woodland density.                                                                                 | C<br>(12) |
| 92  |               | Hazel        | 7m     | 10 stems @ 85mm est.<br>4 stems @ 120mm | 4.75m                                        | 1m          | W 1m            | Semi-mature | Average       | Indifferent | Multi-stemmed from base; adjacent to ditch; tight compression forks with evidence of included bark; understorey specimen; edge tree of wooded copse.                                                                                                                                              | C<br>(12) |
| 93  |               | Crack willow | 23.5m  | 515mm<br>785mm                          | 9.25m                                        | 5m          | W 5m            | Mature      | Average       | Indifferent | Prominent buttress roots; twin-stemmed from 1m; tensile union; storm damage and tear-outs in crown; dominant crown; significant component of group in which it stands; contributes to woodland density; edge tree of wooded copse.                                                                | B<br>(12) |
| 94  |               | Aspen        | 18m    | 410mm                                   | 5.75m                                        | 5m          | 5m              | Semi-mature | Average       | Moderate    | Prominent buttress roots; single trunk; dominant crown; part of aerodynamic group with meshing crowns providing companion shelter; inessential component of the landscape; set against backdrop of taller and established specimens.                                                              | B<br>(2)  |
| 95  | 1491-2014-T26 | English oak  | 20m    | 835mm ivy                               | N 8.5m<br>E 7.25m<br>S 9m<br>W 9m            | 1.5m        | NE 5m           | Mature      | Below average | Moderate    | Single trunk; asymmetrical crown as suppressed by adjacent specimens; notably reduced shoot extension growths; slightly sparsely foliated; readily visible from adjacent development; in keeping with the character of the area.                                                                  | B<br>(12) |
| 96  | 1491-2014-T25 | English oak  | 21m    | 755mm                                   | N 8m<br>E 7.25m<br>S 10.5m<br>W 9.5m         | 4m          | E 4m            | Semi-mature | Average       | Moderate    | Prominent buttress roots; located directly adjacent to ditch; single trunk; asymmetrical crown as suppressed by adjacent specimens; dominant crown; essential component of the group in which it stands; readily visible from adjacent development.                                               | A<br>(2)  |
| 97  | 1491-2014-A1  | English oak  | 19m    | 430mm                                   | N 4.5m<br>NE 9.5m<br>E 9.25m<br>S 3m<br>W 5m | 5m          | E 4m            | Semi-mature | Average       | Indifferent | Single trunk; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; significant component of group in which it stands; contributes to wooded tree belt density; member of a group of trees forming a linear feature. | B<br>(2)  |
| 98  | 1491-2014-A1  | English oak  | 18m    | 330mm                                   | N 4m<br>E 7m<br>S 3m<br>W 7m                 | 6m          | E 6m            | Semi-mature | Average       | Indifferent | Single trunk; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; contributes to boundary screening; significant component of group in which it stands.                                                            | B<br>(2)  |
| 99  |               | English oak  | 15.5m  | 605mm                                   | N 8m<br>E 7.5m<br>S 6.75m<br>W 8m            | 3m          | N 2m            | Semi-mature | Average       | Moderate    | Prominent buttress roots; single trunk; field boundary indicator; contributes to boundary screening; member of a group of trees forming a linear feature along a boundary; significant component of group in which it stands.                                                                     | B<br>(12) |

| No. | TPO no.       | Species     | Height | Trunk diameter                   | Radial crown spread                            | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                | Category  |
|-----|---------------|-------------|--------|----------------------------------|------------------------------------------------|-------------|-----------------|-------------|---------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 100 |               | English oak | 20.5m  | 610mm                            | N 8.25m<br>E 4.25m<br>S 8m<br>W 9m             | 3.5m        | N 2m            | Semi-mature | Average       | Moderate    | Prominent buttress roots; single trunk; field boundary indicator; contributes to boundary screening; member of a group of trees forming a linear feature along a boundary; significant component of group in which it stands.                                                                                                                                                                                           | B<br>(12) |
| 101 |               | English oak | 19.5m  | 385mm<br>300mm<br>515mm<br>400mm | N 9.5m<br>E 9.25m<br>S 7m<br>W 6.75m           | 2.25m       | N 2.25m         | Mature      | Average       | Indifferent | Prominent buttress roots; multi-stemmed from 1m with tensile unions; field boundary indicator; contributes to boundary screening; member of a group of trees forming a linear feature along a boundary; significant component of group in which it stands.                                                                                                                                                              | B<br>(12) |
| 102 |               | English oak | 15m    | 380mm                            | N 6m<br>E 6.25m<br>S 4m<br>W 1m                | 1.5m        | NE 2.25m        | Semi-mature | Average       | Indifferent | Small self-seeded specimen; one-sided crown as suppressed by adjacent specimens; inessential component of the group in which it stands.                                                                                                                                                                                                                                                                                 | C<br>(12) |
| 103 | 1493-2014-T5  | English oak | 16m    | 335mm<br>520mm                   | N 7m<br>E 7m<br>S 9m<br>W 7m                   | 1.5m        | N 2.5m          | Semi-mature | Average       | Indifferent | Prominent buttress roots; twin stemmed from base; field boundary indicator; contributes to boundary screening; readily visible from adjacent development; significant component of group in which it stands.                                                                                                                                                                                                            | B<br>(12) |
| 104 | 1493-2014-G8  | English oak | 22m    | 905mm                            | N 11.75m<br>E 4.5m<br>S 12m<br>W 10m           | 2m          | N 2m            | Mature      | Average       | Moderate    | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; significant component of group in which it stands; dominant crown; contributes to boundary screening; member of a group of trees forming a linear feature along a boundary.                                                                  | A<br>(2)  |
| 105 | 1493-2014-G8  | English oak | 21.5m  | 715mm                            | N 8.75m<br>E 7.5m<br>S 6m<br>W 2m              | 3m          | N 2.75m         | Semi-mature | Below average | Indifferent | Prominent buttress roots; twin-stemmed from 2m; tight compression fork with evidence of early onset of included bark; early onset of small epicormic growth on major structural branches within inner canopy, suggestive of reduced physiological function; contributes to boundary screening; significant component of group in which it stands; member of a group of trees forming a linear feature along a boundary. | B<br>(2)  |
| 106 | 1493-2014-G8  | English oak | 19m    | 680mm                            | N 9m<br>NE 9.75m<br>E 9.75m<br>S 7.25m<br>W 3m | 1.5m        | N 2m            | Semi-mature | Average       | Indifferent | Prominent buttress roots; asymmetrical open crown as suppressed by adjacent specimens; contributes to boundary screening; significant component of group in which it stands; member of a group of trees forming a linear feature along a boundary.                                                                                                                                                                      | B<br>(2)  |
| 107 | 1493-2014-T16 | English oak | 20.5m  | 855mm                            | N 7.75m<br>E 8.75m<br>S 9.5m<br>W 7m           | 4m          | N 1.5m          | Semi-mature | Average       | Good        | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; dominant crown; significant component of group in which it stands; member of a group of trees forming a linear feature along a boundary; readily visible from adjacent development; good example of the species; contributes to boundary screening; field boundary indicator.                                           | A<br>(12) |

| No. | TPO no.       | Species     | Height | Trunk diameter                                         | Radial crown spread                                          | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Category   |
|-----|---------------|-------------|--------|--------------------------------------------------------|--------------------------------------------------------------|-------------|-----------------|-------------|---------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 108 | 1493-2014-T15 | English oak | 19.5m  | 1125mm                                                 | N 9.75m<br>NE 9m<br>E 3.75m<br>S 11.5m<br>W 8.75m<br>NW 8.5m | 3.75m       | N 1m            | Mature      | Average       | Moderate    | Prominent buttress roots; decay between buttress roots; no differences in tone when lower trunk tapped with acoustic hammer; single trunk; significant component of group in which it stands; historic storm damage in crown; asymmetrical crown as suppressed by adjacent specimens; notable scaffold limb to SW at 4m; contributes to boundary screening; field boundary indicator; readily visible from adjacent development.                                                                                               | A<br>(123) |
| 109 | 1493-2014-T14 | English oak | 17.5m  | 955mm                                                  | N 5m<br>NE 8m<br>E 8.5m<br>SE 9.25m<br>S 9m<br>W 7.75m       | 2.5m        | N 2m            | Mature      | Below average | Moderate    | Prominent buttress roots; trunk damage W from ground up to 1m; bark death and internal heartwood exposed; no significant differences in tone when lower trunk tapped with acoustic hammer; asymmetrical crown as suppressed by adjacent specimens; notably reduced shoot extension growths; slightly sparsely foliated; significant component of group in which it stands; contributes to boundary screening; readily visible from adjacent development; member of a group of trees forming a linear feature along a boundary. | B<br>(2)   |
| 110 |               | Ash         | 15m    | 2 stems @<br>270mm<br>220mm<br>240mm<br>200mm<br>320mm | N 8.25m<br>E 7.25m<br>S 5.75m<br>W 4m                        | 2.25m       | N 1.75m         | Semi-mature | Average       | Poor        | Multi-stemmed from base; tight compression forks with evidence of included bark; drawn-up and suppressed; asymmetrical crown as suppressed by adjacent specimens; no evidence of ash dieback; contributes to boundary screening; readily visible from adjacent development.                                                                                                                                                                                                                                                    | C<br>(12)  |
| 111 |               | Ash         | 17m    | 445mm                                                  | N 2m<br>E 2.75m<br>S 5m<br>SW 4m<br>W 3m                     | 4m          | 6m              | Semi-mature | Below average | Poor        | Single trunk; fungal fruiting bodies of <i>Inonotus hispidus</i> on trunk; animal habitat holes on trunk; inessential component of the group in which it stands; unremarkable tree of very limited merit.                                                                                                                                                                                                                                                                                                                      | U          |
| 112 |               | English oak | 12m    | 835mm                                                  | N 4m<br>E 6m<br>SE 6.5m<br>S 6.75m<br>SW 6.75m<br>W 5m       | 2m          | S 2m            | Mature      | Below average | Indifferent | Prominent buttress roots; single trunk; apical die-back; shorter than average shoot extents; field boundary indicator; significant component of group in which it stands; contributes to boundary screening; ditch on S side of trunk.                                                                                                                                                                                                                                                                                         | B<br>(2)   |
| 113 |               | English oak | 14m    | 505mm                                                  | N 5m<br>E 5m<br>S 6.75m<br>W 7.25m                           | 2m          | S 1.75m         | Semi-mature | Average       | Indifferent | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; significant component of group in which it stands; contributes to boundary screening; of moderate quality, but currently of low value due to small size; ditch on S side of trunk.                                                                                                                                                                                                                                             | B<br>(2)   |

| No.     | TPO no. | Species     | Height                 | Trunk diameter                                     | Radial crown spread                                                  | Crown break | Crown clearance | Age class   | Physio -logy  | Structure   | Comments                                                                                                                                                                                                                                                                             | Category  |
|---------|---------|-------------|------------------------|----------------------------------------------------|----------------------------------------------------------------------|-------------|-----------------|-------------|---------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 114     |         | English oak | 17.5m                  | 1045mm                                             | N 8.5m<br>E 8.25m<br>S 7.75m<br>SW 8.25m<br>W 8.5m                   | 2m          | S 1m            | Mature      | Below average | Indifferent | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; field boundary indicator; significant component of group in which it stands; slightly sparsely foliated; shorter than average shoot extents at apical top; ditch on S side of trunk. | B<br>(12) |
| 115-116 |         | Aspen       | #T115 18m<br>#T116 18m | #T115 445mm<br>#T116 380mm                         | N 2m<br>E 5m<br>S 6m<br>SW 7m<br>W 5m                                | 3m          | S 2.25m         | Semi-mature | Average       | Indifferent | Prominent buttress roots; single trunks; aerodynamic group with meshing crowns providing companion shelter; field boundary indicator; contributes to boundary screening.                                                                                                             | B<br>(2)  |
| 117     |         | English oak | 18m                    | 495mm                                              | N 3.75m<br>E 3.25m<br>S 9.25m<br>SW 9.5m<br>W 3m                     | 2.25m       | S 2.5m          | Semi-mature | Average       | Indifferent | Prominent buttress roots; single trunk; notable asymmetrical crown S as suppressed by adjacent specimens; significant component of group in which it stands; part of aerodynamic group with meshing crowns providing companion shelter; contributes to boundary screening.           | B<br>(2)  |
| 118     |         | English oak | 16m                    | 435mm est.                                         | N 6m<br>E 6.75m<br>S 6.5m<br>W 6m                                    | 4m          | S 4m            | Semi-mature | Average       | Indifferent | Single trunk; twin stemmed goat willow growing adjacent to N trunk; dominant crown; significant component of group in which it stands; contributes to boundary screening.                                                                                                            | B<br>(12) |
| 119     |         | English oak | 15.5m                  | 605mm                                              | N 6.75m<br>NE 6.25m<br>E 5.5m<br>SE 4m<br>S 6.25m<br>SW 6m<br>W 6.5m | 3m          | S 5m            | Semi-mature | Average       | Moderate    | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; dominant crown; significant component of group in which it stands; contributes to boundary screening.                                                                                | B<br>(12) |
| 120     |         | Bird cherry | 17.5m                  | 445mm                                              | N 6.75m<br>NE 6.5m<br>E 6m<br>S 6.5m<br>W 5m<br>NW 6.75m             | 4m          | S 2.25m         | Semi-mature | Average       | Moderate    | Prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; significant component of group in which it stands; contributes to boundary screening.                     | B<br>(12) |
| 121     |         | Ash         | 16.5m                  | 385mm<br>355mm<br>425mm<br>375mm<br>400mm<br>430mm | N 6.5m<br>E 7m<br>S 7.25m<br>W 5.75m                                 | 2m          | SW 1m           | Over-mature | Below average | Poor        | Prominent buttress roots, with animal wounding; decay of buttress roots; multi-stemmed from base; cavities and decal at base; fungal fruiting bodies of Daldinia concentrica on trunk; readily visible from internal views; inessential component of the landscape.                  | C<br>(12) |

| No.     | TPO no. | Species     | Height                     | Trunk diameter             | Radial crown spread                                     | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                  | Category |
|---------|---------|-------------|----------------------------|----------------------------|---------------------------------------------------------|-------------|-----------------|-------------|---------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 122     |         | English oak | 12m                        | 400mm est.                 | N 8.5m<br>E 7.25m<br>S 3m<br>W 6.25m                    | 2m          | W 2m            | Semi-mature | Average       | Moderate    | Off-site tree; asymmetrical crown as suppressed by adjacent specimens; significant component of group in which it stands; contributes to boundary screening.                                                              | B (12)   |
| 123     |         | English oak | 13m                        | 335mm est.                 | N 2m<br>E 3m<br>S 6m<br>W 3.25m                         | 2.25m       | W 4m            | Semi-mature | Average       | Indifferent | Off-site tree; contributes to boundary screening; inessential component of the landscape.                                                                                                                                 | B (2)    |
| 124-125 |         | English oak | #T124 17.5m<br>#T125 17.5m | #T124 590mm<br>#T125 600mm | N 9.5m<br>E 10m<br>SE 9m<br>S 8m<br>SW 8m<br>W 8.75m    | 2m          | S 2m            | Semi-mature | Average       | Indifferent | Off-site trees; contributes to boundary screening.                                                                                                                                                                        | B (12)   |
| 126     |         | English oak | 23m                        | 835mm                      | N 9.5m<br>E 7.5m<br>SE 5m<br>S 9.75m<br>SW 9m<br>W 8.5m | 4m          | S 3m            | Mature      | Average       | Moderate    | Off-site tree; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; contributes to boundary screening; readily visible from internal views. | B (12)   |
| 127     |         | English oak | 21m                        | 1315mm                     | N 12m<br>E 12m<br>SE 11m<br>S 11.5m<br>SW 11m<br>W 9m   | 5m          | S 2m            | Mature      | Average       | Good        | Off-site tree; prominent buttress roots; single trunk; dominant crown; contributes to boundary screening; significant component of group in which it stands; readily visible from internal views.                         | A (12)   |
| 128     |         | English oak | 19m                        | 1200mm est.                | 11.5m                                                   | 4m          | 5m              | Mature      | Average       | Moderate    | Off-site tree; large dominant tree on edge of road.                                                                                                                                                                       | A (23)   |

| No. | TPO no. | Species     | Height | Trunk diameter | Radial crown spread                                                         | Crown break | Crown clearance | Age class   | Physio -logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Category  |
|-----|---------|-------------|--------|----------------|-----------------------------------------------------------------------------|-------------|-----------------|-------------|--------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 129 |         | English oak | 27m    | 1850mm         | N 13.25m<br>NE 11m<br>E 12.5m<br>S 14.5m<br>SW 13.5m<br>W 14.5m<br>NW 12.5m | 4m          | W 2m            | Mature      | Average      | Good        | Prominent buttress roots; cavity between buttress roots SW side between buttress roots; internal heartwood exposed, though lack of decay present; small cavity on W side of trunk between buttress roots, penetration of 300mm achieved; no significant differences in tone when buttress roots or lower trunk sounded with acoustic mallet; single trunk; historic storm damage and limb tear-out on trunk, W side at approx. 4m; notable occlusion wood seen; storm damage E side of canopy, x2 scaffold limbs over Commonfield Lane at approx. 6m & 8m; wide spreading dominant canopy with tensile unions; slightly reduce shoot extension length at apical extents; slight die-back within N canopy quadrant; readily visible from internal and external views; significant component of the local landscape; no notable characteristics of veteranisation, e.g. significant decay, hollowing, canopy retrenchment, water pockets or fungal fruiting bodies.                                                                                                    | A<br>(12) |
| 130 |         | English oak | 15m    | 525mm ivy est. | N 6m<br>E 6m<br>S 6.5m<br>SW 6.5m<br>W 7m                                   | 2.75m       | W 2.75m         | Semi-mature | Average      | Moderate    | Field boundary indicator, adjacent to road; inspection of base impeded by closed panel board fence, road and understorey; asymmetrical crown as suppressed by adjacent specimens; contributes to boundary screening; in keeping with the character of the area.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | B<br>(12) |
| 131 |         | Wild cherry | 11m    | 265mm est.     | N 3.5m<br>E 3.25m<br>S 3.5m<br>W 3.75m                                      | 3m          | W 3.75m         | Semi-mature | Average      | Indifferent | Small self-seeded specimen; contributes to boundary screening; inessential component of the landscape.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | C<br>(12) |
| 132 |         | English oak | 20m    | 1645mm         | N 8.25m<br>E 12m<br>S 9m<br>SW 8m<br>W 6.75m<br>NW 9.75m                    | 2.75m       | W 3.5m          | Mature      | Average      | Moderate    | Prominent buttress roots; decay of buttress roots W side; on sounding with acoustic mallet, slight differences in tone denoted suggestive of some decay; small cavities between buttress roots on NW and S sides; penetration of 200mm achieved; very muted differences in tone when N side of trunk sounded with acoustic mallet from ground up to 1.5m; suggestive of compartmentalised decay; tree appears twin stemmed; historically acute union with reaction wood bulge from ground level up to 3m on W and E sides; union tensile; two codominant stems; small cavities forming at sites of previous small dia. natural limb loss; wide spreading dominant canopy; SW canopy quadrant shows above average deadwood; slightly reduced shoot extension length in apical extents; wide spreading dominant canopy; readily visible from internal and external views; significant component of the wider landscape; no notable characteristics of veteranisation, e.g. significant decay, hollowing, canopy retrenchment, water pockets or fungal fruiting bodies. | A<br>(12) |
| 133 |         | Ash         | 16m    | 800mm est.     | 2m                                                                          | 5m          | 8m              | Over-mature | Dead         | Indifferent | Standing dead monolith.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | U         |

| No. | TPO no.       | Species      | Height | Trunk diameter | Radial crown spread                                        | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                                  | Category |
|-----|---------------|--------------|--------|----------------|------------------------------------------------------------|-------------|-----------------|-------------|---------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 134 | 1493-2014-T55 | English oak  | 19.5m  | 1105mm         | N 7m<br>NE 6.5m<br>E 6.5m<br>S 7.75m<br>W 9.25m            | 4m          | N 4m            | Mature      | Average       | Moderate    | Off-site tree; prominent buttress roots; single trunk; asymmetrical crown as suppressed by adjacent specimens; significant component of group in which it stands; member of a group of trees forming a linear feature along a boundary; contributes to boundary screening.                                                                                                                                                                | A (2)    |
| 135 | 1493-2014-T56 | English oak  | 18m    | 640mm          | N 7.75m<br>NE 8.25m<br>E 8.25m<br>S 8m<br>SW 9m<br>W 8m    | 3m          | N 3.5m          | Semi-mature | Average       | Moderate    | Prominent buttress roots; single trunk; twin-stemmed from 3m, showing a tensile U shaped union; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; contributes to boundary screening; significant component of group in which it stands; readily visible from adjacent development; member of a group of trees forming a linear feature along a boundary. | B (12)   |
| 136 | 1493-2014-T57 | Roble beech  | 19m    | 655mm          | N 8.5m<br>NE 8m<br>E 7m<br>S 8.25m<br>W 6.75m              | 2.5m        | N 1.5m          | Semi-mature | Average       | Indifferent | Prominent buttress roots; single trunk; twin-stemmed from 2.5m, showing a tensile union; asymmetrical crown as suppressed by adjacent specimens; significant component of group in which it stands; contributes to boundary screening; readily visible from adjacent development; member of a group of trees forming a linear feature along a boundary.                                                                                   | B (12)   |
| 137 | 1493-2014-T58 | English oak  | 18.5m  | 1190mm         | N 9.75m<br>NE 11m<br>E 11.5m<br>S 11m<br>W 10m<br>NW 10.5m | 4m          | N 4m            | Mature      | Average       | Moderate    | Off-site tree; prominent buttress roots; single trunk; contributes to boundary screening; significant component of group in which it stands; member of a group of trees forming a linear feature along a boundary.                                                                                                                                                                                                                        | A (23)   |
| 138 | 1493-2014-T59 | English oak  | 17m    | 810mm          | N 5.5m<br>NE 6.25m<br>E 7m<br>S 6.75m<br>W 5.75m           | 3.75m       | N 3m            | Mature      | Average       | Moderate    | Off-site tree; prominent buttress roots; single trunk; contributes to boundary screening; significant component of group in which it stands; member of a group of trees forming a linear feature along a boundary.                                                                                                                                                                                                                        | A (2)    |
| 139 |               | Silver birch | 12m    | 320mm          | 3.75m                                                      | 1.5m        | 1m              | Semi-mature | Average       | Moderate    | Off-site tree; ornamental tree; contributes to boundary screening; readily visible from adjacent development.                                                                                                                                                                                                                                                                                                                             | B (12)   |
| 140 | 1493-2014-T60 | English oak  | 16m    | 820mm          | N 6m<br>E 6.5m<br>S 7m<br>W 6.5m                           | 3m          | N 2m            | Mature      | Below average | Indifferent | Off-site tree; storm damage in crown; decay in upper canopy; contributes to boundary screening; member of a group of trees forming a linear feature along a boundary.                                                                                                                                                                                                                                                                     | B (2)    |
| 141 | 1493-2014-T61 | English oak  | 17.5m  | 870mm          | N 8.5m<br>E 7m<br>S 6m<br>W 4m                             | 3m          | N 3.5m          | Mature      | Below average | Indifferent | Off-site tree; storm damage in crown; decay in upper canopy; contributes to boundary screening; member of a group of trees forming a linear feature along a boundary.                                                                                                                                                                                                                                                                     | B (2)    |

| No. | TPO no. | Species     | Height | Trunk diameter | Radial crown spread                                        | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                              | Category  |
|-----|---------|-------------|--------|----------------|------------------------------------------------------------|-------------|-----------------|-------------|---------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 142 |         | Ash         | 6m     | 200mm          | 2.5m                                                       | 2m          | N 2m            | Semi-mature | Below average | Indifferent | Evidence of ash dieback; unremarkable tree of very limited merit.                                                                                                                                                                                                                     | U         |
| 143 |         | English oak | 16m    | 470mm          | N 1m<br>E 5m<br>S 5m<br>W 1m                               | 6m          | W 8m            | Semi-mature | Average       | Indifferent | Off-site tree; drawn-up specimen with Height/Diameter ratio greater than 50: at risk of failure if companion shelter removed; one-sided crown as suppressed by adjacent specimens; contributes to boundary screening; inessential component of the landscape.                         | C<br>(12) |
| 144 |         | English oak | 15m    | 550mm          | N 9.5m<br>E 7.75m<br>S 7m<br>SW 5m<br>W 6m<br>NW 6m        | 2.5m        | W 3m            | Semi-mature | Average       | Indifferent | Field boundary indicator; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; contributes to boundary screening; significant component of group in which it stands.                                    | B<br>(2)  |
| 145 |         | English oak | 22.5m  | 820mm ivy      | N 7.75m<br>E 8.5m<br>S 8m<br>W 7.5m<br>NW 6.5m             | 3m          | W 2.75m         | Mature      | Average       | Indifferent | Prominent buttress roots; located adjacent to historic bund; significant component of group in which it stands; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; contributes to boundary screening. | B<br>(12) |
| 146 |         | Ash         | 22.5m  | 820mm          | N 8.75m<br>E 9m<br>S 7m<br>SW 10.5m<br>W 8.25m<br>NW 9.25m | 5m          | W 5m            | Mature      | Average       | Indifferent | Prominent buttress roots; single trunk; dominant crown; significant component of group in which it stands; contributes to boundary screening; no evidence of ash dieback; storm damage in crown; 8m NW, internal heartwood for 1.2m length, est. 150mm wide.                          | B<br>(12) |
| 147 |         | English oak | 22m    | 400mm ivy      | N 9.5m<br>E 5m<br>S 4m<br>W 7m<br>NW 8m                    | 3m          | W 2m            | Semi-mature | Average       | Indifferent | Contributes to boundary screening; significant component of group in which it stands.                                                                                                                                                                                                 | B<br>(2)  |
| 148 |         | English oak | 23m    | 970mm          | N 9.5m<br>E 11m<br>S 11m<br>W 9.5m<br>NW 8.5m              | 3m          | W 3m            | Mature      | Average       | Moderate    | Prominent buttress roots; dominant canopy; significant component of group in which it stands; field boundary tree, lining Commonfield Road; in keeping with the character of the area.                                                                                                | B<br>(12) |
| 149 |         | English oak | 18m    | 805mm          | N 8.5m<br>E 8m<br>S 8m<br>W 8.5m<br>NW 7.75m               | 2m          | W 4m            | Mature      | Average       | Moderate    | Prominent buttress roots; dominant canopy; significant component of group in which it stands; field boundary tree, lining Commonfield Road; in keeping with the character of the area.                                                                                                | B<br>(12) |

| No.        | TPO no. | Species     | Height         | Trunk diameter                                  | Radial crown spread                             | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                   | Category |
|------------|---------|-------------|----------------|-------------------------------------------------|-------------------------------------------------|-------------|-----------------|-------------|---------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 150 - 150a |         | Field maple | 14.5m<br>14.5m | 2 stems @335mm est.<br>2 stems @ 295mm est. ivy | N 7m<br>E 3.5m<br>S 3m<br>W 5m                  | 4m          | 2.5m            | Semi-mature | Average       | Indifferent | Two trees, appearing off-site on S side of ditch edge, atop which they both grow; both trees twin stemmed; 150a, tight compression fork with bark to bark contact; drawn-up and mutually suppressed; meshing canopies forming an aerodynamic group and providing companion shelter; contributes to boundary screening; significant components of group in which they stand; inessential components of the wider landscape. | B (2)    |
| 151        |         | English oak | 9.5m           | 390mm ivy est.<br>400mm ivy est.                | N 5.6m<br>E 6.2m<br>SE 6.4m<br>S 5.7m<br>W 2.3m | 3m          | 2m              | Mature      | Average       | Moderate    | Twin stemmed from base; full basal inspection prevented by dense ivy cover and boundary fence; ivy covered trunks; tensile unions throughout crown; no significant defects observed; readily visible from road; contributes to boundary screening.                                                                                                                                                                         | C (2)    |
| 152        |         | English oak | 19m            | 690mm est.                                      | N 8.7m<br>E 7.9m<br>S 8m<br>W 6.1m              | 2m          | 1m              | Mature      | Average       | Moderate    | Off-site tree; base growing around broken concrete post; single trunk; tensile unions throughout crown; minor deadwood throughout crown, consistent with age and species; no significant defects observed; situated in adjacent property's garden; contributes to boundary screening; dominant crown; significant component of group in which it stands; hidden in the majority of long directed public view.              | B (1)    |
| 153        |         | Beech       | 9m             | 315mm est.                                      | N 5.1m<br>E 3.7m<br>S 4.1m<br>W 2.8m            | 2.5m        | 2m              | Semi-mature | Average       | Moderate    | Off-site tree; cavity at base 125mm diameter with signs of internal decay; historically pruned back from field leaving wounds approx. 75mm and 150mm at 2m; tensile unions throughout crown; asymmetrical crown as suppressed by adjacent specimens; no significant defects observed; contributes to boundary screening; hidden in the majority of long directed public view.                                              | C (1)    |
| 154        |         | Beech       | 7.5m           | 380mm est.                                      | N 4.1m<br>E 4.4m<br>S 4.9m<br>W 5m              | 1m          | 2m              | Semi-mature | Average       | Indifferent | No significant defects observed at base; tight compression fork between co-dominant leaders at 2m; minor deadwood throughout crown, consistent with age and species; tensile unions throughout crown; contributes to boundary screening; hidden in the majority of long directed public view.                                                                                                                              | C (1)    |
| 155        |         | Field maple | 10m            | 250mm<br>285mm<br>245mm                         | N 5.5m<br>E 5.3m<br>S 5.6m<br>W 5.5m            | 1m          | 1m              | Mature      | Average       | Indifferent | Multi-stemmed from base; cavity at base of W stem 100mm in diameter with signs of decay; partially ivy covered trunk; crossing and rubbing branches throughout structure; drawn up and mutually suppressed stems; contributes to boundary screening; hidden in the majority of public view.                                                                                                                                | C (2)    |

| No.     | TPO no.       | Species             | Height                                                                  | Trunk diameter                                                                                                   | Radial crown spread                  | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Category |
|---------|---------------|---------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------|-----------------|-------------|---------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 156-160 |               | Ash                 | #T156 15.5m<br>#T157 15.5m<br>#T158 15.5m<br>#T159 15.5m<br>#T160 16.5m | #T156 260mm ivy<br>#T157 300mm ivy est.<br>#T158 200mm ivy<br>#T159 2 stems @ 420mm ivy<br>#T160 7 stems @ 230mm | 7m                                   | 2m          | 1m              | Mature      | Below average | Indifferent | T159 and T160 twin/ multi-stemmed from base; T160 crown made up of regenerative epicormic growth from heavily decayed trunk from 1m; mostly ivy covered specimens; T159 showing acute yet tensile union at base; aerodynamic group with meshing crowns providing companion shelter; most trees in group wounded near base by mechanical damage; all showing signs of 'Ash Die-back'; minor dieback at branch tips consistent with 'Ash Die-back'; significant components of the group in which they stand; contributes to boundary screening; hidden in the majority of long directed public view. | C (2)    |
| 161     | 1490-2014-T24 | English oak         | 15m                                                                     | 900mm ivy                                                                                                        | N 7.6m<br>E 7.4m<br>S 7.2m<br>W 7.7m | 3m          | 4.5m            | Over-mature | Below average | Moderate    | No significant defects observed at base; heavily ivy-covered; tight compression fork with evidence of included bark at crown break with substantial natural brace 1m above union; above average dead wood in crown; slightly sparsely foliated; notably reduced shoot extension growths; of moderate quality and low landscape value; dominant crown; contributes to boundary screening; hidden in the majority of long directed public view.                                                                                                                                                      | C (1)    |
| 162-164 |               | Hybrid black poplar | #T162 20m<br>#T163 20m<br>#T164 17m                                     | #T162 475mm<br>#T163 660mm<br>#T164 310mm                                                                        | 7.6m                                 | 2.5m        | 2m              | Mature      | Average       | Moderate    | Prominent buttress roots; cavity at base of T163 extending 2m up trunk and 175mm across at widest point; tensile unions throughout crowns; T164 drawn up; part of aerodynamic group with meshing crowns providing companion shelter; single trunk specimens; significant components of the group in which they stand; hidden in the majority of long directed public view; contributes to boundary screening.                                                                                                                                                                                      | C (2)    |
| 165     |               | Ash                 | 12m                                                                     | 230mm ivy<br>200mm ivy<br>220mm ivy<br>200mm<br>380mm ivy                                                        | N 6.1m<br>E 5.9m<br>S 3.3m<br>W 4.5m | 1m          | 1.5m            | Mature      | Below average | Indifferent | Multi-stemmed from base; evidence of bacterial canker on trunks; heavily ivy-covered; sound main unions; drawn up trunks; significant component of group in which it stands; hidden in the majority of long directed public view; contributes to boundary screening.                                                                                                                                                                                                                                                                                                                               | C (2)    |

| No. | TPO no. | Species     | Height | Trunk diameter          | Radial crown spread                  | Crown break | Crown clearance | Age class | Physio -logy  | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                             | Category |
|-----|---------|-------------|--------|-------------------------|--------------------------------------|-------------|-----------------|-----------|---------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 166 |         | English oak | 14m    | 265mm ivy<br>530mm ivy  | N 2m<br>E 3.8m<br>S 5.6m<br>W 5.3m   | 2m          | 3m              | Mature    | Average       | Indifferent | Twin stemmed from 0.5m; ivy covered trunk and main scaffolds; tensile unions throughout crown; minor deadwood throughout crown, consistent with age and species; asymmetrical crown as suppressed by adjacent specimens; significant component of group in which it stands; hidden in the majority of long directed public view; contributes to boundary screening.                                                                  | C<br>(2) |
| 168 |         | English oak | 21.7m  | 860mm                   | N 8.2m<br>E 8.7m<br>S 9.8m<br>W 8.1m | 4m          | 2m              | Mature    | Average       | Moderate    | Prominent buttress roots; trunk bifurcation at 4m; deadwood up to 150mm in diameter, est.; minor deadwood throughout crown, consistent with age and species; well formed, dominant spreading crown; well formed tensile unions throughout crown; no significant defects observed; significant component of the landscape of the field in which it stands but hidden in the majority of public view.                                  | B<br>(1) |
| 169 |         | Field maple | 13m    | 305mm<br>285mm<br>345mm | N 5m<br>E 4.4m<br>S 6.2m<br>W 6.3m   | 1.5m        | 2m              | Mature    | Below average | Indifferent | Multi-stemmed from base; cavities 1.5m in height and 100mm across at widest points on all 3 trunks from base on SE side; squirrel damage in crown; minor deadwood throughout crown, consistent with age and species; part of mid-storey of section of ancient woodland; of low landscape value; hidden in the majority of public view; insignificant component of group in which it stands.                                          | C<br>(1) |
| 170 |         | English oak | 18m    | 725mm                   | N 8.1m<br>E 8.5m<br>S 8.3m<br>W 9m   | 3m          | 2.5m            | Mature    | Average       | Moderate    | Small cavity at base on W side with minor internal decay; prominent buttress root to S; single trunk beginning to lean slightly to S at 5m; minor deadwood throughout crown, consistent with age and species; tensile unions throughout crown; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                               | B<br>(1) |
| 171 |         | English oak | 17m    | 575mm                   | N 6.1m<br>E 6m<br>S 2m<br>W 7.2m     | 2.5m        | 2m              | Mature    | Average       | Moderate    | Prominent buttress roots; well formed unions throughout crown; minor deadwood throughout crown, consistent with age and species; minor epicormic growth throughout structure; asymmetrical crown as suppressed by adjacent specimens; significant component of group in which it stands; contributes to boundary screening; hidden in the majority of long directed public view.                                                     | B<br>(1) |
| 172 |         | English oak | 19m    | 645mm                   | N 5.1m<br>E 5.3m<br>S 6.3m<br>W 6m   | 2.5m        | 1m              | Mature    | Average       | Moderate    | Prominent buttress roots; twin stemmed from 2m showing acute yet tensile union; crossing and rubbing branch between co-dominant stems at 6.5m with potential to develop into natural brace; minor deadwood throughout crown, consistent with age and species; well formed tensile unions throughout crown; provides companion shelter to T171; significant component of group in which it stands; contributes to boundary screening. | B<br>(1) |
| 173 |         | English oak | 15.5m  | 485mm                   | N 8.8m<br>E 7.8m<br>S 0.5m<br>W 5.1m | 3m          | 1.5m            | Mature    | Average       | Indifferent | Prominent buttress roots; minor deadwood throughout crown, consistent with age and species; tensile unions throughout crown; canopy entirely offset from base; asymmetrical crown as suppressed by adjacent specimens; insignificant component of group in which it stands; contributes to boundary screening.                                                                                                                       | C<br>(1) |

| No. | TPO no.       | Species      | Height | Trunk diameter | Radial crown spread                   | Crown break | Crown clearance | Age class | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Category |
|-----|---------------|--------------|--------|----------------|---------------------------------------|-------------|-----------------|-----------|---------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 174 |               | English oak  | 19.5m  | 620mm          | N 7.3m<br>E 5.8m<br>S 6m<br>W 5.1m    | 2.5m        | 1.5m            | Mature    | Average       | Moderate    | Prominent buttress roots; single trunk; minor limb failures on S extent at 10m; minor epicormic growth throughout structure; tensile unions throughout crown; minor deadwood throughout crown, consistent with age and species; dominant crown; provides companion shelter to T173; essential component of the group in which it stands; contributes to boundary screening.                                                                                                                                                                                                                                                                                    | B<br>(1) |
| 175 |               | English oak  | 16.5m  | 510mm          | N 7.2m<br>E 3.9m<br>S 5m<br>W 6.8m    | 2.3m        | 1.5m            | Mature    | Below average | Moderate    | Prominent buttress roots; single trunk; shorter than average shoot extents; above average deadwood; minor epicormic growth throughout structure; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; significant component of group in which it stands; contributes to boundary screening.                                                                                                                                                                                                                                                                                      | C<br>(1) |
| 176 | 1491-2014-T22 | English oak  | 19.5m  | 715mm ivy est. | N 9.5m<br>E 8.4m<br>S 7m<br>W 4.1m    | 4m          | 2m              | Mature    | Average       | Moderate    | Off-site tree; access to tree restricted by waterway; no significant defects observed at base; trunk bifurcation at 2m showing tight bark to bark union; heavily ivy-covered; tensile unions throughout crown, where visible; fastigate form; dominant crown; significant component of group in which it stands; contributes to boundary screening.                                                                                                                                                                                                                                                                                                            | B<br>(1) |
| 177 |               | Crack willow | 19m    | 725mm ivy est. | N 4.4m<br>E 4.8m<br>S 7.9m<br>W 6.8m  | 4m          | 3.5m            | Mature    | Average       | Indifferent | Small cavities forming at sites of previous pruning wounds near base of tree overhanging watercourse; trunk bifurcation at 2m; heavily ivy-covered; tensile unions throughout crown, where visible; minor deadwood throughout crown, consistent with age and species; asymmetrical crown as suppressed by adjacent specimens; significant component of group in which it stands; situated on bank of watercourse; contributes to boundary screening.                                                                                                                                                                                                           | C<br>(1) |
| 178 |               | English oak  | 19m    | 765mm<br>670mm | N 9.8m<br>E 7.3m<br>S 11.1m<br>W 6.8m | 3m          | 3m              | Mature    | Average       | Indifferent | Twin stemmed from base, likely 2 separate trees fused at base; S trunk on heavy lean to S; historic limb failure on S stem at 3.5 leaving wound 250mm diameter; tensile unions throughout crown; minor deadwood throughout crown, consistent with age and species; historically failed top on N stem leading to co-dominant limb taking apical dominance; dominant crown; crowns of N and S stem failing to integrate and are growing apart from each other possibly leading to biomechanical issues in the future; significant component of group in which it stands; contributes to boundary screening; hidden in the majority of long directed public view. | B<br>(1) |
| 179 |               | English oak  | 17m    | 465mm          | N 5m<br>E 5.1m<br>S 4.3m<br>W 5.1m    | 4m          | 4m              | Mature    | Average       | Moderate    | Lack of buttressing; single trunk; minor deadwood throughout crown, consistent with age and species; tensile unions throughout crown; evenly spread crown; part of aerodynamic group with meshing crowns providing companion shelter; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                                                                                                                                                                                                                                                                  | C<br>(1) |

| No. | TPO no.       | Species     | Height | Trunk diameter  | Radial crown spread                           | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                      | Category  |
|-----|---------------|-------------|--------|-----------------|-----------------------------------------------|-------------|-----------------|-------------|---------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 180 |               | Grey poplar | 16m    | 370mm           | N 10m<br>NE 12.2m<br>E 7m<br>S 1m<br>W 2m     | 3.5m        | N 2m            | Semi-mature | Average       | Indifferent | Canopy entirely offset from base; inessential component of the group in which it stands; unremarkable tree of very limited merit.                                                                                                                                                                                                             | C<br>(1)  |
| 181 |               | English oak | 16m    | 2 stems @ 310mm | N 6.2m<br>E 4.2m<br>S 3m<br>W 3m              | 2m          | 1.5m            | Semi-mature | Average       | Indifferent | Twin-stemmed from 1m; tensile unions; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; contributes to boundary screening.                                                                                                                                   | C<br>(12) |
| 182 |               | English oak | 15.75m | 460mm           | N 5.75m<br>E 8.25m<br>S 6.5m<br>W 4.25m       | 2.5m        | 1.25m           | Semi-mature | Average       | Indifferent | Single trunk; asymmetrical crown as suppressed by adjacent specimens; significant component of group in which it stands; contributes to boundary screening.                                                                                                                                                                                   | B<br>(12) |
| 183 |               | Grey poplar | 16.5m  | 2 stems @ 220mm | N 3m<br>E 6.25m<br>S 3m<br>W 3.25m            | 3m          | 1.75m           | Semi-mature | Average       | Poor        | Twin stemmed from base; tight compression fork with evidence of included bark; inessential component of the group in which it stands.                                                                                                                                                                                                         | C<br>(12) |
| 184 |               | English oak | 16m    | 345mm           | N 5.75m<br>NE 6m<br>E 5.5m<br>S 3.25m<br>W 3m | 4m          | 5m              | Semi-mature | Average       | Indifferent | Single trunk; asymmetrical crown as suppressed by adjacent specimens; significant component of group in which it stands; contributes to boundary screening; in keeping with the character of the area.                                                                                                                                        | B<br>(1)  |
| 185 |               | English oak | 14m    | 305mm           | N 2.5m<br>E 4.75m<br>S 3.5m<br>W 1m           | 2m          | 4m              | Semi-mature | Below average | Indifferent | Drawn-up specimen with Height/Diameter ratio greater than 50: at risk of failure if companion shelter removed; one-sided crown as suppressed by adjacent specimens; suppressed crown as overtopped by adjacent specimens; inessential component of the group in which it stands.                                                              | C<br>(12) |
| 186 |               | English oak | 10.5m  | 265mm est.      | N 4m<br>E 5.5m<br>S 4m<br>W 1.75m             | 3m          | 2.75m           | Semi-mature | Below average | Indifferent | Single trunk; significant dieback at branch tips; asymmetrical crown as suppressed by adjacent specimens; inessential component of the landscape.                                                                                                                                                                                             | C<br>(12) |
| 187 | 1491-2014-T23 | English oak | 22.5m  | 1185mm          | N 11m<br>NE 10m<br>E 8.5m<br>S 11.5m<br>W 12m | 4m          | 6m              | Mature      | Below average | Indifferent | Prominent buttress roots; located directly adjacent to ditch; stilt like roots; asymmetrical crown as suppressed by adjacent specimens; large diameter deadwood located within central canopy; dominant apical stem to E; slightly sparsely foliated; significant component of group in which it stands; readily visible from internal views. | B<br>(12) |

| No. | TPO no.       | Species      | Height | Trunk diameter | Radial crown spread                        | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Category |
|-----|---------------|--------------|--------|----------------|--------------------------------------------|-------------|-----------------|-------------|---------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 188 | 1491-2014-T24 | English oak  | 16.5m  | 655mm          | N 3m<br>E 3m<br>SE 7.5m<br>S 7.25m<br>W 8m | 2.5m        | E 3m            | Semi-mature | Below average | Indifferent | Single trunk; asymmetrical crown as suppressed by adjacent specimens; shorter than average shoot extents; slightly sparsely foliated; contributes to boundary screening; significant component of group in which it stands; inessential component of the landscape.                                                                                                                                                                                                                                                                                               | B (2)    |
| 189 |               | Crack willow | 18.5m  | 1095mm         | N 7.8m<br>E 11.9m<br>S 4.9m<br>W 9.8m      | 5m          | 2m              | Mature      | Below average | Indifferent | Prominent buttress roots; trunk bifurcation at 2m with acute yet tensile union; much epicormic growth on major structural branches within inner canopy, suggestive of reduced physiological function; well formed tensile unions throughout crown; several <i>Ganoderma applanatum</i> brackets on stem and lower crown; woodpecker holes present; part of aerodynamic pair with meshing crowns providing companion shelter; significant component of group in which it stands; hidden in the majority of public view.                                            | C (1)    |
| 190 |               | Crack willow | 18.5m  | 905mm          | N 5.7m<br>E 6.9m<br>S 9.9m<br>W 9.4m       | 2.5m        | 1.5m            | Mature      | Below average | Indifferent | No significant defects observed at base; co-dominant leader emanating from trunk at 2.5m; much epicormic growth on major structural branches within inner canopy, suggestive of reduced physiological function; deadwood up to 150mm in diameter, est.; several <i>Ganoderma applanatum</i> brackets on trunk and lower crown; several woodpecker holes present indicative of internal decay; part of aerodynamic pair with meshing crowns providing companion shelter; hidden in the majority of public view; significant component of group in which it stands. | C (1)    |
| 191 |               | English oak  | 15m    | 300mm          | N 5.7m<br>E 4.7m<br>S 3.5m<br>W 1.3m       | 3m          | 3m              | Mature      | Average       | Moderate    | No significant defects observed at base; single trunk; minor deadwood throughout crown, consistent with age and species; well formed tensile unions throughout crown; part of aerodynamic pair with meshing crowns providing companion shelter; no significant defects observed; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                                                                                                                          | C (1)    |
| 192 |               | English oak  | 15m    | 330mm          | N 2.8m<br>E 1.7m<br>S 3.5m<br>W 3.8m       | 4.5m        | 4.5m            | Mature      | Average       | Moderate    | No significant defects observed at base; single trunk; minor deadwood throughout crown, consistent with age and species; well formed tensile unions throughout crown; part of aerodynamic pair with meshing crowns providing companion shelter; no significant defects observed; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                                                                                                                          | C (1)    |
| 193 |               | Crack willow | 5m     | 755mm          | N 11.7m<br>E 1m<br>S 0m<br>W 1m            | 2m          | 0.5m            | Over-mature | Low           | Poor        | failed at base and laying on ground; regenerative shoots emanating from branches to form new crown; potential 'phoenix tree'.                                                                                                                                                                                                                                                                                                                                                                                                                                     | U        |

| No. | TPO no. | Species     | Height | Trunk diameter                                            | Radial crown spread                  | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                       | Category |
|-----|---------|-------------|--------|-----------------------------------------------------------|--------------------------------------|-------------|-----------------|-------------|---------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 194 |         | English oak | 14.5m  | 250mm                                                     | N 3.8m<br>E 4.5m<br>S 3.8m<br>W 3.3m | 3m          | 1.5m            | Semi-mature | Average       | Moderate    | Prominent buttress roots for a tree of this size; single trunk; small boreholes present on trunk with small black and green beetles found in holes with characteristics consistent with <i>Agrilus biguttatus</i> , a bark borer often associated with 'Acute oak decline' disease; tensile unions throughout crown; insignificant component of group in which it stands; hidden in the majority of long directed public view. | C<br>(1) |
| 195 |         | Ash         | 17m    | 350mm                                                     | N 5.8m<br>E 1.6m<br>S 2.9m<br>W 5.7m | 4m          | 4.5m            | Mature      | Below average | Indifferent | Cavity at base on E side approx 425mm across at widest point and 300mm in height; prominent buttress roots; on slight lean to NW; well formed tensile unions throughout crown; notably reduced shoot extension growths; tree conferring no significantly greater value on group in which it stands; hidden in the majority of public view; asymmetrical crown as suppressed by adjacent specimens.                             | C<br>(1) |
| 196 |         | Field maple | 18m    | 310mm ivy<br>330mm ivy<br>395mm ivy<br>160mm<br>230mm ivy | N 6.5m<br>E 5.7m<br>S 5.8m<br>W 3.1m | 3m          | 1.5m            | Mature      | Average       | Indifferent | Multi-stemmed from base; heavily ivy-covered; asymmetrical crown as suppressed by adjacent specimens; drawn up stems; minor deadwood throughout crown, consistent with age and species; on slight lean to NE; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                                                          | C<br>(1) |
| 197 |         | Ash         | 20.5m  | 350mm<br>290mm                                            | N 4.3m<br>E 2.5m<br>S 7.1m<br>W 7.2m | 6m          | 7m              | Mature      | Below average | Indifferent | Twin stemmed from base; prominent buttress roots; high crown; drawn-up and mutually suppressed; notably reduced shoot extension growths; displaying symptoms consistent with 'Ash Die-back'; significant component of group in which it stands; hidden in the majority of long directed public view; cavity at base.                                                                                                           | C<br>(1) |
| 198 |         | Ash         | 20m    | 450mm                                                     | N 5m<br>E 2.9m<br>S 5m<br>W 2.4m     | 7m          | 7m              | Mature      | Low           | Indifferent | Cavity at base at site of historically failed W stem from base, 325mm in diameter; prominent buttress roots; much epicormic basal growth; patches of squirrel damage or possible mechanical damage on E side of trunk extending up to 12m; significant dieback at branch tips; displaying symptoms consistent with 'Ash Die-back'; significant component of group in which it stands; hidden in the majority of public view.   | C<br>(1) |
| 199 |         | English oak | 19m    | 355mm                                                     | N 3.2m<br>E 3.5m<br>S 4.9m<br>W 4.5m | 6.5m        | 5.5m            | Mature      | Average       | Moderate    | No significant defects observed at base; single trunk; tensile unions throughout crown; minor deadwood throughout crown, consistent with age and species; no significant defects observed; tree conferring no significantly greater value on group in which it stands; hidden in the majority of long directed public view.                                                                                                    | C<br>(1) |

| No. | TPO no. | Species     | Height | Trunk diameter                                                       | Radial crown spread                     | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                                               | Category |
|-----|---------|-------------|--------|----------------------------------------------------------------------|-----------------------------------------|-------------|-----------------|-------------|---------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 200 |         | Ash         | 18m    | 370mm<br>340mm<br>335mm<br>350mm<br>230mm<br>230mm<br>360mm<br>310mm | N 12.1m<br>E 13.5m<br>S 7.8m<br>W 10.7m | 2m          | 1.5m            | Mature      | Below average | Indifferent | Multi-stemmed from base; prominent buttress roots; much epicormic growth on major structural branches within inner canopy, suggestive of reduced physiological function; notably reduced shoot extension growths; sound main unions; dominant spreading crown; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                                 | C<br>(1) |
| 201 |         | English oak | 20m    | 820mm                                                                | N 6.1m<br>E 6.4m<br>S 5.7m<br>W 9.3m    | 2.5m        | 2m              | Mature      | Average       | Moderate    | Prominent buttress roots; trunk bifurcation at 2m with acute yet tensile union with small 'elephant ears' and natural brace forming between co-dominant leaders at 3m; minor deadwood throughout crown, consistent with age and species; well formed tensile unions throughout crown; dominant crown; of moderate quality and landscape value; significant component of group in which it stands; hidden in the majority of long directed public view. | B<br>(1) |
| 202 |         | English oak | 18.5m  | 230mm<br>435mm                                                       | N 6.4m<br>E 3.3m<br>S 5.8m<br>W 4.9m    | 2m          | 2m              | Mature      | Average       | Moderate    | Prominent buttress roots; twin stemmed from base; well formed tensile unions throughout crown; minor epicormic growth throughout structure; essential component of the group in which it stands; hidden in the majority of long directed public view.                                                                                                                                                                                                  | C<br>(1) |
| 203 |         | English oak | 16.5m  | 475mm                                                                | N 3.7m<br>E 3.2m<br>S 6.7m<br>W 5.4m    | 2m          | 1.5m            | Mature      | Average       | Moderate    | Prominent buttress roots; multi-stemmed from 2m; well formed tensile unions throughout crown; minor epicormic growth throughout structure; minor deadwood throughout crown, consistent with age and species; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                                                                                   | C<br>(1) |
| 204 |         | English oak | 17m    | 365mm                                                                | N 5.2m<br>E 5m<br>S 4.5m<br>W 3.6m      | 2.5m        | 1.5m            | Mature      | Average       | Moderate    | Prominent buttress roots; small boreholes present on trunk with characteristics consistent with <i>Agrilus biguttatus</i> , a bark borer beetle often associated with 'Acute oak decline' disease; well formed tensile unions throughout crown; minor epicormic growth throughout structure; minimal deadwood; significant component of group in which it stands; hidden in the majority of long directed public view.                                 | C<br>(1) |
| 205 |         | English oak | 17.5m  | 315mm                                                                | N 4.5m<br>E 4.3m<br>S 3.1m<br>W 4.7m    | 2m          | 2m              | Mature      | Average       | Moderate    | Prominent buttress roots; boreholes on trunk; well formed tensile unions throughout crown; minor epicormic growth throughout structure; minimal deadwood; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                                                                                                                                      | C<br>(1) |
| 206 |         | English oak | 11.6m  | 305mm                                                                | N 4.1m<br>E 5.2m<br>S 2.9m<br>W 2.8m    | 1.5m        | 1.5m            | Semi-mature | Average       | Moderate    | No significant defects observed at base; trunk on slight lean to E; well formed tensile unions throughout crown; no significant defects observed; of moderate quality, but currently of low value due to small size; hidden in the majority of long directed public view; tree conferring no significantly greater value on group in which it stands.                                                                                                  | C<br>(1) |

| No. | TPO no. | Species      | Height | Trunk diameter                                                                         | Radial crown spread                    | Crown break | Crown clearance | Age class | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Category |
|-----|---------|--------------|--------|----------------------------------------------------------------------------------------|----------------------------------------|-------------|-----------------|-----------|---------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 207 |         | White willow | 20.3m  | 350mm                                                                                  | N 6.3m<br>E 2m<br>S 1.8m<br>W 1.8m     | 6m          | 6m              | Mature    | Below average | Indifferent | No significant defects observed at base; trunk on lean to N; above average dead wood in crown; well formed tensile unions throughout crown; asymmetrical crown as suppressed by adjacent specimens; tree conferring no significantly greater value on group in which it stands; hidden in the majority of long directed public view.                                                                                                                                       | C<br>(1) |
| 208 |         | English oak  | 17.5m  | 525mm                                                                                  | N 8.2m<br>E 8.2m<br>S 5.3m<br>W 4.5m   | 3m          | 1.5m            | Mature    | Average       | Moderate    | Prominent buttress roots; single trunk; well formed tensile unions throughout crown; minor deadwood throughout crown, consistent with age and species; minor epicormic growth throughout structure; asymmetrical crown as suppressed by adjacent specimens; no significant defects observed; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                       | B<br>(2) |
| 209 |         | Ash          | 20m    | 305mm<br>345mm<br>240mm<br>295mm<br>430mm<br>375mm<br>430mm<br>460mm<br>340mm<br>330mm | N 13.4m<br>E 12.5m<br>S 8.2m<br>W 7.6m | 3m          | 1.5m            | Mature    | Below average | Moderate    | Cavity at base on NW side with evidence of internal decay; prominent buttress roots; multi-stemmed from base; much epicormic growth on major structural branches within inner canopy, suggestive of reduced physiological function; well formed tensile unions throughout crown; minor deadwood throughout crown, consistent with age and species; dominant crown; significant component of group in which it stands; hidden in the majority of long directed public view. | B<br>(1) |
| 210 |         | Ash          | 20m    | 900mm                                                                                  | N 2.8m<br>E 4.5m<br>S 8.1m<br>W 7.8m   | 6m          | 3m              | Mature    | Below average | Indifferent | Cavity at base 450mm in width and height at widest points on S side; abnormal swelling or 'Bottle-butt' at base; twin-stemmed from 2m; above average dead wood in crown; notably reduced shoot extension growths; bark delamination on sections of trunk; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                                                          | C<br>(1) |
| 211 |         | English oak  | 21.2m  | 885mm                                                                                  | N 0.5m<br>E 3m<br>S 12m<br>W 13.3m     | 2.5m        | 2m              | Mature    | Average       | Indifferent | No significant defects observed at base; twin-stemmed from 1.5m; trunk on lean to S; minor deadwood throughout crown, consistent with age and species; asymmetrical crown as suppressed by adjacent specimens; canopy entirely offset from base; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                                                                   | B<br>(1) |
| 212 |         | English oak  | 22m    | 735mm                                                                                  | N 4.4m<br>E 5m<br>S 3.8m<br>W 10.9m    | 4m          | 3m              | Mature    | Average       | Moderate    | Prominent buttress roots; twin stemmed from 4m with natural brace at 7m; well formed tensile unions throughout crown; asymmetrical crown as suppressed by adjacent specimens; minor deadwood throughout crown, consistent with age and species; part of aerodynamic group with meshing crowns providing companion shelter; significant component of group in which it stands; hidden in the majority of long directed public view.                                         | B<br>(1) |

| No. | TPO no.      | Species        | Height | Trunk diameter                                     | Radial crown spread                    | Crown break | Crown clearance | Age class | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Category |
|-----|--------------|----------------|--------|----------------------------------------------------|----------------------------------------|-------------|-----------------|-----------|---------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 213 |              | English oak    | 18m    | 520mm                                              | N 2m<br>E 0.5m<br>S 7.3m<br>W 6.8m     | 4m          | 2.5m            | Mature    | Average       | Moderate    | Prominent buttress roots; well formed tensile unions throughout crown; asymmetrical crown as suppressed by adjacent specimens; minor deadwood throughout crown, consistent with age and species; no significant defects observed; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                                                                                 | B<br>(1) |
| 214 |              | Crack willow   | 21.3m  | 460mm<br>480mm<br>430mm<br>645mm                   | N 5.4m<br>E 5.7m<br>S 13.2m<br>W 11.3m | 3m          | 3m              | Mature    | Below average | Indifferent | Multi-stemmed from base; E stem recently felled from base; much epicormic growth on major structural branches within inner canopy, suggestive of reduced physiological function; <i>Ganoderma applanatum</i> brackets on trunk and lower crown; several woodpecker holes present, indicative of internal decay; dominant crown; above average dead wood in crown; significant component of group in which it stands; hidden in the majority of long directed public view. | C<br>(1) |
| 215 |              | English oak    | 17.6m  | 725mm                                              | N 5.2m<br>E 4.5m<br>S 7.8m<br>W 7.6m   | 1.5m        | 1m              | Mature    | Below average | Indifferent | Evidence of historic root plate movement; acute main unions with no bark to bark contact; minor epicormic growth throughout structure; significant stem failure on S side of tree at 6.5m; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                                                                                                                        | C<br>(1) |
| 216 |              | Weeping willow | 14.3m  | 490mm                                              | N 6.3m<br>E 9m<br>S 7.2m<br>W 2.9m     | 4m          | 1.5m            | Mature    | Average       | Moderate    | No significant defects observed at base; trunk on lean to E; squat, domed form typical of species; minor deadwood throughout crown, consistent with age and species; crossing and rubbing branches throughout structure; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                                                                                          | C<br>(1) |
| 217 |              | Goat willow    | 14.1m  | 340mm<br>200mm<br>330mm<br>170mm<br>225mm<br>270mm | N 8.6m<br>E 9.2m<br>S 8m<br>W 3.8m     | 2m          | 1m              | Mature    | Average       | Indifferent | Multi-stemmed from base; shear crack in trunk on N side at 1m; partially ivy covered trunk; spreading crown; asymmetrical crown as suppressed by adjacent specimens; of low quality and limited arboricultural value; inessential component of the group in which it stands; hidden in the majority of long directed public view.                                                                                                                                         | C<br>(1) |
| 218 | 1491-2014-A1 | English oak    | 18m    | 500mm                                              | N 3.9m<br>E 6.9m<br>S 6.1m<br>W 3m     | 3m          | 3.5m            | Mature    | Low           | Indifferent | Prominent buttress roots; trunk bifurcation at 3m showing tensile union; N stem dead; minor epicormic growth throughout structure; above average deadwood; well formed main unions; tensile unions throughout crown; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                                                                                              | C<br>(1) |
| 219 | 1491-2014-A1 | English oak    | 17.2m  | 580mm                                              | N 3.8m<br>E 5.8m<br>S 4.5m<br>W 2.9m   | 4m          | 4m              | Mature    | Below average | Moderate    | Prominent buttress roots; single trunk; deadwood up to 150mm in diameter, est.; sparsely foliated; notably reduced shoot extension growths; minor deadwood throughout crown, consistent with age and species; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                                                                                                     | C<br>(1) |

| No. | TPO no.      | Species     | Height | Trunk diameter | Radial crown spread                   | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Category |
|-----|--------------|-------------|--------|----------------|---------------------------------------|-------------|-----------------|-------------|---------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 220 | 1491-2014-A1 | English oak | 18.1m  | 360mm<br>505mm | N 8m<br>E 5.7m<br>S 3.1m<br>W 7.2m    | 3.3m        | 4m              | Mature      | Below average | Moderate    | Twin stemmed from base; tensile main unions; minor epicormic growth throughout structure; minor deadwood throughout crown, consistent with age and species; canopy density reduction of 40%; partially ivy covered trunk and main scaffolds; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                                                                                  | C<br>(1) |
| 221 | 1491-2014-A1 | English oak | 18.3m  | 645mm          | N 2.8m<br>E 6.8m<br>S 5.1m<br>W 7.1m  | 3m          | 3m              | Mature      | Average       | Moderate    | No significant defects observed at base; trunk bifurcation at 6m; minor epicormic growth throughout structure; high canopy bud density; dominant crown; well formed tensile unions throughout crown; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                                                                                                                          | B<br>(1) |
| 222 | 1491-2014-A1 | English oak | 16.8m  | 485mm<br>505mm | N 3.2m<br>E 5.3m<br>S 3.5m<br>W 6m    | 3m          | 5m              | Over-mature | Low           | Indifferent | Moribund; twin stemmed from 1m.                                                                                                                                                                                                                                                                                                                                                                                                                                                       | U        |
| 223 | 1491-2014-A1 | English oak | 17.6m  | 630mm          | N 2.7m<br>E 8.2m<br>S 3.9m<br>W 7.5m  | 3m          | 3m              | Mature      | Average       | Moderate    | No significant defects observed at base; single trunk; minor deadwood throughout crown, consistent with age and species; well formed tensile unions throughout crown; part of aerodynamic group with meshing crowns providing companion shelter; significant component of group in which it stands; hidden in the majority of long directed public view.                                                                                                                              | B<br>(1) |
| 224 | 1491-2014-A1 | English oak | 17.5m  | 510mm          | N 2.8m<br>E 5m<br>S 6.8m<br>W 6m      | 3m          | 4m              | Mature      | Below average | Moderate    | No significant defects observed at base; single trunk; 40% canopy density reduction; well formed tensile unions throughout crown; minor deadwood throughout crown, consistent with age and species; much epicormic growth on major structural branches within inner canopy, suggestive of reduced physiological function; shorter than average shoot extents; significant component of group in which it stands; hidden in the majority of long directed public view.                 | C<br>(1) |
| 225 | 1493-2014-T1 | English oak | 20m    | 1030mm         | N 6.7m<br>E 7.3m<br>S 5.7m<br>W 7.6m  | 2.5m        | 1m              | Mature      | Average       | Moderate    | Prominent buttress roots; cambium death on N side of trunk from base to 16m twisting around tree 400mm in diameter at widest point; well formed tensile unions throughout crown; tensile main unions; minor deadwood throughout crown, consistent with age and species; minor epicormic growth throughout structure; dominant crown; future potential veteran; high canopy bud density; significant component of group in which it stands; visible from adjacent housing development. | B<br>(1) |
| 226 | 1493-2014-T2 | English oak | 21m    | 765mm          | N 3.7m<br>E 9.2m<br>S 8.6m<br>W 10.3m | 2.8m        | 2.8m            | Mature      | Average       | Moderate    | No significant defects observed at base; co-dominant side limb emanating from E side of trunk at 2.8m; tensile main unions; minor epicormic growth throughout structure; well formed tensile unions throughout crown; minor deadwood throughout crown, consistent with age and species; no significant defects observed; insignificant component of group in which it stands; contributes to boundary screening; visible from adjacent housing development.                           | B<br>(1) |

| No. | TPO no.       | Species     | Height | Trunk diameter | Radial crown spread                           | Crown break | Crown clearance | Age class | Physio - logy | Structure | Comments                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Category  |
|-----|---------------|-------------|--------|----------------|-----------------------------------------------|-------------|-----------------|-----------|---------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 227 | 1493-2014-T7  | English oak | 20.9m  | 915mm          | N 7.2m<br>E 8.2m<br>S 9.1m<br>W 7.3m          | 3m          | 1.5m            | Mature    | Average       | Moderate  | No significant defects observed at base; trunk on slight lean to SE near base before correcting itself at 2.5m; minor deadwood throughout crown, consistent with age and species; minor epicormic growth throughout structure; tensile main unions; well formed tensile unions throughout crown; dominant spreading crown; high canopy bud density; significant component of group in which it stands; visible from adjacent housing development; contributes to boundary screening.                                                                                                                                          | B<br>(1)  |
| 228 | 1493-2014-T10 | English oak | 21.1m  | 1035mm         | N 10.6m<br>E 8.1m<br>S 8.9m<br>W 7.3m         | 3m          | 1m              | Mature    | Average       | Moderate  | Prominent buttress roots with mechanical wounding; minor deadwood throughout crown, consistent with age and species; deadwood up to 150mm in diameter, est.; well formed tensile unions throughout crown; tensile main unions; high canopy bud density; of high quality and arboricultural value; particularly good example of species; essential component of the group in which it stands; visible from adjacent housing development; contributes to boundary screening.                                                                                                                                                    | A<br>(12) |
| 229 | 1493-2014-T11 | English oak | 22.2m  | 1005mm         | N 7.8m<br>E 8.5m<br>S 11m<br>W 8m             | 3.5m        | 1m              | Mature    | Average       | Moderate  | Prominent buttress roots; tensile main unions; well formed tensile unions throughout crown; deadwood up to 150mm in diameter, est.; minor deadwood throughout crown, consistent with age and species; minor epicormic growth throughout structure; sheer crack on major limb to NE at 15.5m approx 3m in length; minor limb failures throughout structure; significant component of group in which it stands; visible from adjacent housing development; contributes to boundary screening.                                                                                                                                   | B<br>(1)  |
| 230 | 1493-2014-T12 | English oak | 20.2m  | 755mm          | N 6m<br>E 7.8m<br>S 9.9m<br>W 9.4m<br>NW 3.1m | 3m          | 0.5m            | Mature    | Average       | Moderate  | Prominent buttress roots; single trunk; tensile main unions; well formed tensile unions throughout crown; minor deadwood throughout crown, consistent with age and species; minor epicormic growth throughout structure; significant tear-out wound on N side of trunk at 15m, 2m in height and 200mm across at widest point, showing signs of occlusion but leaves remaining branches in this area exposed to wind stress; slightly asymmetrical crown as suppressed by adjacent specimens; significant component of group in which it stands; visible from adjacent housing development; contributes to boundary screening. | B<br>(2)  |
| 231 | 1493-2014-T13 | English oak | 20m    | 755mm          | N 7.8m<br>E 10.8m<br>S 9.4m<br>W 11.7m        | 2m          | 1.5m            | Mature    | Average       | Moderate  | Girdling roots at base; trunk trifurcation present at 4m; minor deadwood throughout crown, consistent with age and species; minor epicormic growth throughout structure; dominant spreading, domed crown; well formed tensile unions throughout crown; no significant defects observed; significant component of group in which it stands; visible from adjacent housing development; contributes to boundary screening.                                                                                                                                                                                                      | B<br>(1)  |

| No. | TPO no. | Species     | Height | Trunk diameter | Radial crown spread                  | Crown break | Crown clearance | Age class | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Category |
|-----|---------|-------------|--------|----------------|--------------------------------------|-------------|-----------------|-----------|---------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 232 |         | Aspen       | 15.1m  | 410mm          | N 2m<br>E 3m<br>S 4m<br>W 6.3m       | 3.5m        | 2m              | Mature    | Average       | Moderate    | Prominent buttress roots, with mechanical wounding; slightly contorted trunk; well formed tensile unions throughout crown; minor deadwood throughout crown, consistent with age and species; part of aerodynamic group with meshing crowns providing companion shelter; asymmetrical crown as suppressed by adjacent specimens; inessential component of the group in which it stands; contributes to boundary screening; hidden in the majority of long directed public view.              | C<br>(1) |
| 233 |         | Aspen       | 15.3m  | 330mm          | N 2.6m<br>E 5.6m<br>S 1.7m<br>W 1.5m | 3.5m        | 3.5m            | Mature    | Average       | Indifferent | Prominent buttress roots, with mechanical wounding; trunk on heavy lean to E; well formed tensile unions throughout crown; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; inessential component of the group in which it stands; hidden in the majority of long directed public view; contributes to boundary screening.                                                                                | C<br>(2) |
| 234 |         | English oak | 16m    | 595mm          | N 9m<br>E 3.2m<br>S 5.9m<br>W 9.1m   | 2m          | 1m              | Mature    | Average       | Indifferent | No significant defects observed at base; trunk on lean to NW; well formed tensile unions throughout crown; minor deadwood throughout crown, consistent with age and species; no significant defects observed; part of aerodynamic group with meshing crowns providing companion shelter; asymmetrical crown as suppressed by adjacent specimens; significant component of group in which it stands; hidden in the majority of long directed public view; contributes to boundary screening. | C<br>(2) |
| 235 |         | English oak | 14.8m  | 615mm          | N 6.6m<br>E 5.5m<br>S 5.7m<br>W 5.7m | 4m          | 2m              | Mature    | Average       | Moderate    | Prominent buttress roots, with mechanical wounding; soil partially eroded from underneath buttressing; single trunk; minor deadwood throughout crown, consistent with age and species; well formed tensile unions throughout crown; significant component of group in which it stands; hidden in the majority of long directed public view; contributes to boundary screening.                                                                                                              | B<br>(1) |
| 236 |         | English oak | 16.5m  | 375mm          | N 5.4m<br>E 6.1m<br>S 3.4m<br>W 3.2m | 2m          | 1.5m            | Mature    | Average       | Moderate    | Prominent buttress roots; single trunk; well formed tensile unions throughout crown; minor deadwood throughout crown, consistent with age and species; no significant defects observed; inessential component of the group in which it stands; hidden in the majority of long directed public view; asymmetrical crown as suppressed by adjacent specimens.                                                                                                                                 | C<br>(1) |
| 237 |         | English oak | 16.2m  | 445mm<br>345mm | N 5.4m<br>E 4.3m<br>S 6.8m<br>W 5.6m | 1m          | 2m              | Mature    | Average       | Indifferent | No significant defects observed at base; twin stemmed from 1m showing acute yet tensile union; minor deadwood throughout crown, consistent with age and species; fastigate crown; minor epicormic growth throughout structure; significant component of group in which it stands; hidden in the majority of long directed public view; contributes to boundary screening.                                                                                                                   | C<br>(2) |

| No. | TPO no. | Species      | Height | Trunk diameter                   | Radial crown spread                           | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Category  |
|-----|---------|--------------|--------|----------------------------------|-----------------------------------------------|-------------|-----------------|-------------|---------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 238 |         | Crack willow | 9.5m   | 580mm<br>430mm<br>590mm<br>620mm | N 10.4m<br>E 8.9m<br>S 12.5m<br>W 7.2m        | 1m          | 0m              | Mature      | Low           | Poor        | Major trunk failures near base with wounding showing extensive decay; regenerative epicormic growth forms crown; above average dead wood in crown; laying on ground; inessential component of the group in which it stands; contributes to boundary screening.                                                                                                                                                                                                   | U         |
| 239 |         | Norway maple | 21m    | 650mm ivy est.                   | 8m                                            | 3.5m        | 4.5m            | Mature      | Average       | Moderate    | Off-site tree; full basal inspection prevented by dense ivy cover and boundary fence; ivy covered trunk and main scaffolds; full inspection of main unions impeded by dense ivy cover; dominant crown; readily visible from road; significant component of group in which it stands; no significant defects observed.                                                                                                                                            | B<br>(1)  |
| 240 |         | English oak  | 21.8m  | 1150mm ivy est.                  | 11m                                           | 4m          | 5m              | Mature      | Average       | Indifferent | Off-site tree; full basal inspection prevented by dense ivy cover and boundary fence; ivy covered trunk and main scaffolds; full basal inspection prevented by dense ivy cover; major limb dead approx 380mm diameter overhanging road; minor deadwood throughout crown, consistent with age and species; minor epicormic growth throughout structure; dominant spreading crown; essential component of the group in which it stands; readily visible from road. | B<br>(2)  |
| 241 |         | Ash          | 21m    | 345mm ivy                        | N 7.5m<br>E 6m<br>S 2m<br>W 7m<br>NW 6.5m     | 3m          | W 2m            | Semi-mature | Average       | Indifferent | Multi-stemmed from base; drawn-up and mutually suppressed; asymmetrical crown as suppressed by adjacent specimens; inessential component of the group in which it stands; unremarkable tree of very limited merit.                                                                                                                                                                                                                                               | C<br>(12) |
| 242 |         | English oak  | 13m    | 575mm est.                       | N 2m<br>E 3m<br>S 8m<br>W 4m                  | 3m          | 4m              | Over-mature | Dead          | Hazardous   | Dead tree; adjacent to road.                                                                                                                                                                                                                                                                                                                                                                                                                                     | U         |
| 243 |         | Ash          | 22.5m  | 1000mm ivy                       | N 10.25m<br>E 8m<br>S 8m<br>W 7.5m<br>NW 8.5m | 3m          | W 2.5m          | Mature      | Average       | Moderate    | Prominent buttress roots; <i>Inonotus sp.</i> bracket found on ground near base of tree; single trunk; heavily ivy-covered; asymmetrical crown as suppressed by adjacent specimens; some epicormic growth on major structural branches within inner canopy, suggestive of reduced physiological function; significant component of group in which it stands; contributes to boundary screening.                                                                  | B<br>(2)  |
| 244 |         | Ash          | 20m    | 575mm ivy est.                   | N 7m<br>E 8m<br>S 4m<br>W 8m                  | 4.5m        | 6m              | Semi-mature | Dead          | Indifferent | Dead tree; adjacent to road.                                                                                                                                                                                                                                                                                                                                                                                                                                     | U         |
| 245 |         | Holly        | 12m    | 485mm                            | 4.5m                                          | 2.5m        | 3m              | Mature      | Average       | Indifferent | Twin-stemmed from 1m; asymmetrical crown as suppressed by adjacent specimens; contributes to boundary screening; inessential component of the group in which it stands.                                                                                                                                                                                                                                                                                          | C<br>(12) |

| No. | TPO no. | Species     | Height | Trunk diameter | Radial crown spread                                  | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                          | Category |
|-----|---------|-------------|--------|----------------|------------------------------------------------------|-------------|-----------------|-------------|---------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 246 |         | English oak | 16.5m  | 485mm          | N 4.5m<br>E 5m<br>S 10m<br>W 7.5m<br>NW 10.25m       | 3m          | NW 3m           | Semi-mature | Below average | Indifferent | Single trunk; asymmetrical crown as suppressed by adjacent specimens; open crown; slightly sparsely foliated; shorter than average shoot extents; contributes to boundary screening; inessential component of the group in which it stands.                                                       | C (12)   |
| 247 |         | English oak | 21m    | 655mm          | N 10.75m<br>E 6.5m<br>S 8.5m<br>W 7.5m<br>NW 7.25m   | 3m          | W 4m            | Semi-mature | Below average | Indifferent | Single trunk; asymmetrical crown as suppressed by adjacent specimens; shorter than average shoot extents; part of aerodynamic group with meshing crowns providing companion shelter; contributes to boundary screening; significant component of group in which it stands.                        | B (2)    |
| 248 |         | English oak | 17m    | 690mm          | N 6.5m<br>E 7.25m<br>S 8m<br>W 8m<br>NW 9.5m         | 2.5m        | W 4m            | Semi-mature | Below average | Indifferent | Single trunk; asymmetrical suppressed crown as overtopped by adjacent specimens; mechanical wounding on trunk from vehicle strikes; contributes to boundary screening; inessential component of the group in which it stands.                                                                     | C (12)   |
| 249 |         | English oak | 18m    | 690mm          | N 5.5m<br>E 6m<br>S 6.25m<br>W 3.25m<br>NW 6.25m     | 3.5m        | NW 4m           | Semi-mature | Average       | Indifferent | Single trunk; asymmetrical crown as suppressed by adjacent specimens; contributes to boundary screening; significant component of group in which it stands.                                                                                                                                       | B (12)   |
| 250 |         | Ash         | 13m    | 310mm          | N 3m<br>E 2m<br>SE 3.75m<br>S 3m<br>W 4.75m          | 2.5m        | W 3m            | Semi-mature | Below average | Indifferent | Small self-seeded specimen; asymmetrical crown as suppressed by adjacent specimens; much epicormic growth on major structural branches within inner canopy, suggestive of reduced physiological function; inessential component of the group in which it stands; fungal fruiting bodies on trunk. | C (12)   |
| 251 |         | English oak | 14m    | 560mm          | N 6.25m<br>E 6.75m<br>S 6.25m<br>W 7.25m<br>NW 6.75m | 2.75m       | 3.75m           | Semi-mature | Average       | Indifferent | Single trunk; asymmetrical crown as suppressed by adjacent specimens; part of aerodynamic group with meshing crowns providing companion shelter; contributes to boundary screening; significant component of group in which it stands.                                                            | B (12)   |
| 252 |         | Wild cherry | 10.5m  | 360mm          | N 6m<br>E 3m<br>S 2m<br>W 5m<br>NW 5.5m              | 2m          | NW 2m           | Semi-mature | Average       | Indifferent | Small self-seeded specimen; mechanical wounding on trunk; unremarkable tree of very limited merit.                                                                                                                                                                                                | C (12)   |

| No. | TPO no.      | Species     | Height | Trunk diameter           | Radial crown spread | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                               | Category |
|-----|--------------|-------------|--------|--------------------------|---------------------|-------------|-----------------|-------------|---------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 253 |              | English oak | 20m    | 900mm ivy est.           | 13m                 | 4m          | 4.5m            | Mature      | Average       | Moderate    | Off-site tree; notable roadside tree.                                                                                                                                                                                                                                                  | A (2)    |
| 254 |              | English oak | 18m    | 900mm ivy                | 9m                  | 3m          | 4m              | Mature      | Average       | Moderate    | Off-site tree; notable roadside tree.                                                                                                                                                                                                                                                  | B (12)   |
| G1  | 1840-2022-W1 | Various     | 4.25m  | Max 6 stems @ 60mm est.  | 4m                  | 0.5m        | 1m              | Semi-mature | Average       | Indifferent | Row of closely planted specimens, designed to form a hedge or screen; aerodynamic group with meshing crowns providing companion shelter; field boundary indicator; of only low-level screening value; spp. Inc, hawthorn, English oak.                                                 | C (12)   |
| G2  | 1840-2022-W1 | Various     | 12.5m  | Max 350mm est.           | 5.5m                | 1.5m        | S 2m            | Semi-mature | Average       | Indifferent | Off-site group of trees; row of closely growing specimens, forming a hedge or screen; spp. Inc silver birch, English oak, aspen, ash; drawn-up and mutually suppressed; aerodynamic group with meshing crowns providing companion shelter; contributes to boundary screening.          | C (12)   |
| G3  |              | Hawthorn    | 3.25m  | Max 90mm                 | 1.75m               | 0.1m        | 0.5m            | Semi-mature | Average       | Indifferent | Row of closely planted specimens, designed to form a hedge or screen; lines field boundary ditch; aerodynamic group with meshing crowns providing companion shelter; of only low-level screening value; inessential component of the landscape.                                        | C (1)    |
| G4  |              | Goat willow | 10m    | Max 240mm est.           | 6.5m                | 0.5m        | 1m              | Semi-mature | Average       | Poor        | Small self-seeded specimens; tight compression forks with evidence of included bark; unremarkable trees of very limited merit.                                                                                                                                                         | C (1)    |
| G5  |              | English oak | 20m    | Max 465mm Avg 325mm est. | 6.25m               | 3.75m       | 1.75m           | Semi-mature | Average       | Indifferent | Row of closely growing specimens, forming a screen; drawn-up and mutually suppressed; aerodynamic group with meshing crowns providing companion shelter; contributes to boundary screening.                                                                                            | B (2)    |
| G6  |              | Grey poplar | 19m    | Max 375mm est.           | 5m                  | 3m          | 3m              | Semi-mature | Average       | Indifferent | Self-seeded specimens; drawn-up and mutually suppressed; contributes to woodland density.                                                                                                                                                                                              | B (2)    |
| G7  |              | Various     | 6m     | Max 4 stems @ 95mm est.  | 3m                  | 0.5m        | 0.25m           | Semi-mature | Average       | Indifferent | Located along S boundary of central field; row of self-seeded and planted specimens; spp. Inc. hawthorn, hazel, aspen; drawn-up and mutually suppressed; meshing crowns forming an aerodynamic group; contributes to boundary screening; inessential component of the wider landscape. | C (12)   |
| G8  |              | Various     | 6m     | Max 12 stems @ 65mm est. | 3.25m               | 1m          | 1m              | Semi-mature | Average       | Indifferent | Row of closely growing specimens; spp. Inc ash, hawthorn, hazel, horse chestnut; evidence of historic failures; part of aerodynamic group with meshing crowns providing companion shelter; provides some connectivity between copse areas; inessential component of the landscape.     | C (12)   |

| No. | TPO no. | Species                         | Height | Trunk diameter              | Radial crown spread             | Crown break | Crown clearance | Age class   | Physio -logy  | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                             | Category |
|-----|---------|---------------------------------|--------|-----------------------------|---------------------------------|-------------|-----------------|-------------|---------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| G9  |         | Various                         | 14m    | Max 370mm<br>Avg 255mm est. | 3.25m                           | 2m          | 1.25m           | Semi-mature | Average       | Indifferent | Spp. Inc goat willow, crack willow, alder, hawthorn; small self-seeded specimens; drawn-up and mutually suppressed; some located on banks of ditch; aerodynamic group with meshing crowns providing companion shelter; contributes to woodland density.                                                                                                                                                              | C (12)   |
| G10 |         | Common alder                    | 16.5m  | Max 300mm est.              | N 3.75m<br>E 3m<br>S 2m<br>W 4m | 2m          | W 2m            | Semi-mature | Average       | Indifferent | Self-seeded specimens on ditch bank; drawn-up and mutually suppressed; aerodynamic group with meshing crowns providing companion shelter; edge trees of wooded copse; contributes to woodland density.                                                                                                                                                                                                               | C (12)   |
| G11 |         | Various                         | 3m     | Max 200mm est.              | 2m                              | 0.2m        | 0m              | Semi-mature | Average       | Indifferent | Spp. inc, hawthorn, ash, privet, English oak and blackthorn; hawthorn and blackthorn dominant; row of closely planted specimens, designed to form a hedge or screen; crossing and rubbing branches throughout structures; all ashes in poor physiological condition, displaying signs of 'Ash Die-back'; lower quality individuals conferring greater value as part of a group; contributes to boundary screening.   | C (2)    |
| G12 |         | Various                         | 10m    | Max 200mm est.              | 4m                              | 0m          | 0m              | Semi-mature | Below average | Indifferent | Spp inc. hawthorn, ash and English elm; all elm specimens dead or moribund; majority of ash showing signs of 'Ash Die-back'; hawthorn understorey; crossing and rubbing branches throughout structure; contributes to boundary screening; provides sound barrier from adjacent road; of low quality but of moderate landscape value due to screening qualities.                                                      | C (2)    |
| G13 |         | Various                         | 11m    | Max 250mm ivy est.          | 5m                              | 0.5m        | 0.5m            | Semi-mature | Average       | Indifferent | Spp. inc, hawthorn, hazel, ash, English oak, hybrid black poplar, sycamore and field maple; ivy covered; crossing and rubbing branches throughout structures; ashes mostly showing signs of 'Ash Die-back'; lower quality individuals conferring greater value as part of a group; contributes to boundary screening; hidden in the majority of public view.                                                         | C (2)    |
| G14 |         | Common Hawthorn and Field maple | 5m     | Max 150mm                   | 2m                              | 0.5m        | 0.5m            | Young       | Average       | Indifferent | No significant defects observed at bases; row of closely planted specimens, designed to form a hedge or screen; crossing and rubbing branches throughout structure; hawthorn dominant with field maple scattered throughout; of low quality and limited arboricultural value; contributes to boundary screening.                                                                                                     | C (2)    |
| G15 |         | Various                         | 11m    | Max 320mm                   | 6.2m                            | 0.5m        | 1m              | Mature      | Average       | Indifferent | Spp. inc, hawthorn, crack willow, alder and blackthorn; row of closely planted specimens, designed to form a hedge or screen; bases of some submerged in waterway; remainder situated on bank of waterway; crossing and rubbing branches throughout structure; minor deadwood throughout crown, consistent with age and species; of low quality and limited arboricultural value; contributes to boundary screening. | C (2)    |

| No. | TPO no. | Species       | Height             | Trunk diameter              | Radial crown spread                 | Crown break | Crown clearance | Age class   | Physio - logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                         | Category  |
|-----|---------|---------------|--------------------|-----------------------------|-------------------------------------|-------------|-----------------|-------------|---------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| G16 |         | Various       | Max 20m<br>Avg 12m | Max 510mm<br>Avg 300mm      | 11m                                 | 2m          | 1.5m            | Mature      | Average       | Indifferent | Spp. inc, English oak, alder, crack willow, aspen, silver birch, holly, hawthorn, ash and hazel; crack willow, oak and ash dominant; failed and dead specimens scattered throughout; some trees recently felled by land owner; most trees of average physiological condition; significant component of the wider landscape; hidden in the majority of long directed public view. | B<br>(1)  |
| G17 |         | Norway maple  | 12.6m              | Max 335mm                   | 4.7m                                | 1.8m        | 1m              | Mature      | Average       | Moderate    | 11 individuals; no significant defects observed at bases; all single trunk; well formed tensile unions throughout crown; aerodynamic group with meshing crowns providing companion shelter; no significant defects observed; contributes to boundary screening.                                                                                                                  | C<br>(1)  |
| G18 |         | Copper beech  | 8.3m               | Max 315mm                   | 5.7m                                | 2m          | 1m              | Semi-mature | Average       | Indifferent | 4 individuals; mechanical wounding at bases of all trees; acute main unions with bark to bark contact typical of species; crossing and rubbing branches throughout structures; contributes to boundary screening; hidden in the majority of long directed public view.                                                                                                           | C<br>(2)  |
| G19 |         | Cherry Laurel | 6.4m               | Max 195mm                   | 5.5m                                | 0.5m        | 1m              | Mature      | Average       | Indifferent | 13 individuals; multi-stemmed from base; row of closely planted specimens, designed to form a hedge or screen; acute yet tensile unions and minor deadwood throughout; of only low-level screening value.                                                                                                                                                                        | C<br>(2)  |
| G20 |         | Various       | 13m                | Max 340mm ivy est.          | 6.8m                                | 2m          | 2m              | Semi-mature | Average       | Indifferent | Off-site group of trees; spp. inc, wild cherry, field maple, hawthorn, elder and English elm; lower quality individuals conferring greater value as part of a group; basal inspection prevented by boundary fence; all elm specimens dead; mostly ivy covered; unremarkable trees of very limited merit; of only low-level screening value.                                      | C<br>(2)  |
| G21 |         | Common alder  | Max 17m<br>Avg 16m | Max 425mm<br>Avg 350mm est. | 3.75m                               | 1.75m       | 2.75m           | Semi-mature | Average       | Indifferent | Row of closely growing specimens, forming a screen; located on ditch bank; drawn-up and mutually suppressed; aerodynamic group with meshing crowns providing companion shelter; contributes to woodland density, and field boundary screening.                                                                                                                                   | B<br>(2)  |
| G22 |         | Goat willow   | 14.5m              | Max 325mm est.              | 4.75m                               | 0.5m        | 0.75m           | Semi-mature | Average       | Poor        | Area mainly comprised of goat willow, with occasional crack willow present; many historically uprooted trees, now harping; contributes to wooded tree belt density; unremarkable trees of very limited merit.                                                                                                                                                                    | C<br>(12) |
| G24 |         | Various       | 6.5m               | Max 260mm est.              | 3m                                  | 0.1m        | 0.1m            | Semi-mature | Average       | Poor        | Small self-seeded scrub specimens; spp. inc bramble, goat willow, myrobalan plum; suppressed crowns as overtopped by adjacent specimens; inessential component of the landscape; unremarkable trees of very limited merit; extends up to 14.4m from oak standards along W boundary.                                                                                              | C<br>(12) |
| G25 |         | Aspen         | 18.5m              | Max 385mm                   | N 5m<br>E 2.5m<br>S 7.5m<br>W 3.25m | 2m          | S 2.25m         | Semi-mature | Average       | Indifferent | Row of closely growing specimens, forming a hedge or screen; drawn-up and mutually suppressed; at risk of failure if companion shelter removed; aerodynamic group with meshing crowns providing companion shelter; field boundary indicator; contributes to boundary screening.                                                                                                  | B<br>(2)  |

| No. | TPO no. | Species | Height | Trunk diameter                   | Radial crown spread                                    | Crown break | Crown clearance | Age class   | Physio -logy  | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                           | Category |
|-----|---------|---------|--------|----------------------------------|--------------------------------------------------------|-------------|-----------------|-------------|---------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| G26 |         | Various | 17m    | Max 450mm<br>Avg 385mm est.      | 5m                                                     | 2.5m        | 1.75m           | Semi-mature | Average       | Indifferent | Row of closely growing specimens, forming a hedge or screen; spp. inc aspen and goat willow; tight compression forks with evidence of included bark; drawn-up specimens at risk of failure if companion shelter removed; asymmetrical one-sided crowns as suppressed by adjacent specimens; field boundary indicator; contributes to boundary screening; upper canopies glimpsed from PROW to N.                                   | B (2)    |
| G27 |         | Various | 14m    | Max 325mm                        | 3.75m                                                  | 2m          | 1.5m            | Semi-mature | Average       | Indifferent | Off-site group of trees; small planted clusters of ornamental trees adjacent to boundary; spp. Inc Norway maple, beech, hawthorn, silver birch, ditch located to W of trees, as close as 3m; contribute to boundary screening.                                                                                                                                                                                                     | C (12)   |
| G28 |         | Various | 4.5m   | Max 130mm est.                   | 3.25m                                                  | 1m          | 1m              | Semi-mature | Average       | Indifferent | Spp. Inc, magnolia, hawthorn; small ornamental trees; inessential component of the landscape; unremarkable trees of very limited merit.                                                                                                                                                                                                                                                                                            | C (12)   |
| G30 |         | Various | 22.5m  | Max 450mm ivy                    | N 8m<br>E 7m<br>S 8m<br>SW 10.25m<br>W 10.25m<br>NW 9m | 3m          | 3m              | Semi-mature | Average       | Indifferent | Row of closely growing specimens, forming a hedge or screen; drawn-up and mutually suppressed; aerodynamic group with meshing crowns providing companion shelter; contributes to boundary screening; spp. Inc ash and English oak; no evidence of ash dieback; notable component of landscape; readily visible from internal views.                                                                                                | B (2)    |
| G31 |         | Ash     | 7m     | Max 205mm                        | 2.3m                                                   | 1.5m        | 0.5m            | Semi-mature | Low           | Indifferent | Off-site group of trees; 3 individuals; all showing significant die-back at branch tips consistent with 'Ash Die-back' disease; acute yet tensile main union on central tree; tensile unions throughout crowns; above average deadwood; visible from adjacent housing development; insignificant component of the wider landscape.                                                                                                 | C (2)    |
| W1  |         | Various | 20m    | Max 700mm est.<br>Avg 475mm est. | 6.5m                                                   | 2m          | 2m              | Semi-mature | Average       | Indifferent | Small area of recent secondary woodland; spp. Inc grey poplar, English oak and hazel understory; open understory with unrestricted access to trunks; partially waterlogged; asymmetrical canopies providing companion shelter; contributes to boundary screening; in keeping with the character of the local area.                                                                                                                 | B (12)   |
| W2  |         | Various | 15m    | Max 335mm                        | 3m                                                     | 2m          | 2m              | Semi-mature | Below average | Poor        | Spp. inc alder, goat willow, crack willow, silver birch, hazel, hawthorn; small self-seeded specimens in waterlogged area; shorter than average shoot extents; tight compression forks with evidence of included bark; decline, die-back and historic failures, and partial uprooting consistent with reduced physiology and waterlogged site; inessential component of the landscape, as located within topographical depression. | C (12)   |

| No. | TPO no. | Species | Height             | Trunk diameter                   | Radial crown spread | Crown break | Crown clearance | Age class   | Physio -logy | Structure   | Comments                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Category |
|-----|---------|---------|--------------------|----------------------------------|---------------------|-------------|-----------------|-------------|--------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| W3  |         | Various | Max 23m<br>Avg 19m | Max 700mm est.<br>Avg 550mm est. | 6m                  | 2.75m       | 3m              | Semi-mature | Average      | Poor        | Spp. Inc, goat willow, crack willow, common alder; crack willow dominant; occasional English oak and silver birch standard, occasionally scattered through mid storey and edge specimens; area comprised within low level water logged area, adjacent to existing ditch; trees drawn-up and mutually suppressed; meshing crowns providing companion shelter and meshing crowns forming an aerodynamic unit; structural features consistent with spp. characteristics including tight compression forks; storm damage; tight compression fork failure; partial and complete uprooting and collapse; harping and secondary growth; slight sparse foliation; open understorey; fungal fruiting bodies including <i>Ganoderma spp.</i> and saprophytic fungi present throughout; occasional understory of multithemed hazel; collectively forms a notable wooded belt between pastoral fields; readily visible from internal views; in keeping with the character of the site. | B<br>(2) |
| W4  |         | Various | Max 19m<br>Avg 14m | Max 400mm est.<br>Avg 300mm est. | 5.5m                | 2m          | 2m              | Semi-mature | Average      | Indifferent | Spp. inc, hazel, English oak, silver birch, crack willow and alder; overstorey composed of oak, alder and silver birch; understorey composed of hazel and silver birch; relatively sparse woodland; decayed and failed specimens scattered throughout; no significant defects observed; insignificant component of the wider landscape ; hidden in the majority of long directed public view.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | C<br>(1) |
| W11 |         | Various | Max 20m<br>Avg 14m | Max 375mm<br>Avg 215mm           | 9.3m                | 1m          | 1m              | Mature      | Average      | Indifferent | Spp. inc, hazel, aspen, English oak, silver birch, holly and alder; overstorey composed of oak, aspen, alder and silver birch; understorey composed of hazel, holly and silver birch; sparse woodland allowing sufficient light through canopies to allow for grassy woodland floor; decayed and failed specimens scattered throughout; no significant defects observed; significant component of the wider landscape ; hidden in the majority of long directed public view.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | B<br>(1) |

## Root Protection Areas (RPAs)

Root Protection Areas have been calculated in accordance with paragraph 4.6.1 of the British Standard 'Trees in relation to design, demolition and construction – Recommendations', BS 5837:2012. This is the minimum area which should be left undisturbed around each retained tree. RPAs are portrayed initially as a circle of a fixed radius from the centre of the trunk; but where there appear to be restrictions to root growth the circle is modified to reflect more accurately the likely distribution of roots.

| <i>Tree No.</i> | <i>Species</i>      | <i>RPA</i>          | <i>RPA Radius</i> |
|-----------------|---------------------|---------------------|-------------------|
| 1               | English oak         | 46.3m <sup>2</sup>  | 3.8m              |
| 2               | English oak         | 104.6m <sup>2</sup> | 5.8m              |
| 3               | English oak         | 28.3m <sup>2</sup>  | 3.0m              |
| 4               | English oak         | 28.3m <sup>2</sup>  | 3.0m              |
| 5               | English oak         | 221.7m <sup>2</sup> | 8.4m              |
| 6               | English oak         | 651.4m <sup>2</sup> | 14.4m             |
| 7               | English oak         | 346.4m <sup>2</sup> | 10.5m             |
| 8               | Crack willow        | 77.9m <sup>2</sup>  | 5.0m              |
| 9               | Crack willow        | 77.9m <sup>2</sup>  | 5.0m              |
| 10              | English oak         | 338.5m <sup>2</sup> | 10.4m             |
| 11              | Goat willow         | 65.1m <sup>2</sup>  | 4.6m              |
| 12-13           | Goat willow         | 65.7m <sup>2</sup>  | 4.6m              |
|                 |                     | 52.1m <sup>2</sup>  | 4.1m              |
| 14              | English oak         | 26.1m <sup>2</sup>  | 2.9m              |
| 15              | Ash                 | 22.9m <sup>2</sup>  | 2.7m              |
| 16              | English oak         | 489.3m <sup>2</sup> | 12.5m             |
| 17              | English oak         | 139.3m <sup>2</sup> | 6.7m              |
| 18              | English oak         | 404.0m <sup>2</sup> | 11.3m             |
| 19              | Ash                 | 168.3m <sup>2</sup> | 7.3m              |
| 20              | Ash                 | 145.6m <sup>2</sup> | 6.8m              |
| 21              | English oak         | 542.4m <sup>2</sup> | 13.1m             |
| 22-23           | Field maple         | 113.8m <sup>2</sup> | 6.0m              |
|                 |                     | 46.3m <sup>2</sup>  | 3.8m              |
| 24              | English oak         | 85.6m <sup>2</sup>  | 5.2m              |
| 25              | Hybrid black poplar | 83.6m <sup>2</sup>  | 5.2m              |
| 26-29           | Aspen               | 68.8m <sup>2</sup>  | 4.7m              |
|                 |                     | 68.8m <sup>2</sup>  | 4.7m              |
|                 |                     | 63.6m <sup>2</sup>  | 4.5m              |
|                 |                     | 81.7m <sup>2</sup>  | 5.1m              |
| 30              | English oak         | 557.4m <sup>2</sup> | 13.3m             |
| 31              | English oak         | 117.7m <sup>2</sup> | 6.1m              |
| 32              | English oak         | 136.8m <sup>2</sup> | 6.6m              |
| 33              | English oak         | 46.3m <sup>2</sup>  | 3.8m              |
| 34              | English oak         | 159.6m <sup>2</sup> | 7.1m              |
| 35              | English oak         | 203.1m <sup>2</sup> | 8.0m              |
| 36              | English oak         | 247.7m <sup>2</sup> | 8.9m              |
| 37              | English oak         | 206.3m <sup>2</sup> | 8.1m              |
| 38              | English oak         | 241.8m <sup>2</sup> | 8.8m              |
| 39              | Grey poplar         | 89.6m <sup>2</sup>  | 5.3m              |
| 40              | English oak         | 446.8m <sup>2</sup> | 11.9m             |
| 41              | Grey poplar         | 42.1m <sup>2</sup>  | 3.7m              |
| 42              | English oak         | 300.5m <sup>2</sup> | 9.8m              |
| 43              | Ash                 | 162.9m <sup>2</sup> | 7.2m              |
| 44              | English oak         | 102.1m <sup>2</sup> | 5.7m              |

|       |                     |                                                                                        |                              |
|-------|---------------------|----------------------------------------------------------------------------------------|------------------------------|
| 45    | English oak         | 120.0m <sup>2</sup>                                                                    | 6.2m                         |
| 46    | Common alder        | 73.5m <sup>2</sup>                                                                     | 4.8m                         |
| 47-49 | Horse chestnut      | 42.1m <sup>2</sup><br>91.6m <sup>2</sup><br>55.4m <sup>2</sup>                         | 3.7m<br>5.4m<br>4.2m         |
| 50    | Sycamore            | 36.7m <sup>2</sup>                                                                     | 3.4m                         |
| 51    | English oak         | 30.6m <sup>2</sup>                                                                     | 3.1m                         |
| 52    | Goat willow         | 173.5m <sup>2</sup>                                                                    | 7.4m                         |
| 53    | English oak         | 412.6m <sup>2</sup>                                                                    | 11.5m                        |
| 54    | Crack willow        | 224.8m <sup>2</sup>                                                                    | 8.5m                         |
| 55-56 | Crack willow        | 81.7m <sup>2</sup><br>101.5m <sup>2</sup>                                              | 5.1m<br>5.7m                 |
| 57-58 | Crack willow        | 134.4m <sup>2</sup><br>277.3m <sup>2</sup>                                             | 6.5m<br>9.4m                 |
| 59    | English oak         | 255.0m <sup>2</sup>                                                                    | 9.0m                         |
| 60    | English oak         | 139.3m <sup>2</sup>                                                                    | 6.7m                         |
| 61    | English oak         | 81.7m <sup>2</sup>                                                                     | 5.1m                         |
| 62-65 | Hybrid black poplar | 60.3m <sup>2</sup><br>77.9m <sup>2</sup><br>203.1m <sup>2</sup><br>160.2m <sup>2</sup> | 4.4m<br>5.0m<br>8.0m<br>7.1m |
| 66    | English oak         | 58.6m <sup>2</sup>                                                                     | 4.3m                         |
| 67-69 | Lombardy poplar     | 61.9m <sup>2</sup><br>131.9m <sup>2</sup><br>74.2m <sup>2</sup>                        | 4.4m<br>6.5m<br>4.9m         |
| 70    | Common alder        | 106.4m <sup>2</sup>                                                                    | 5.8m                         |
| 71    | English oak         | 120.0m <sup>2</sup>                                                                    | 6.2m                         |
| 72    | Crack willow        | 176.7m <sup>2</sup>                                                                    | 7.5m                         |
| 73    | English oak         | 85.6m <sup>2</sup>                                                                     | 5.2m                         |
| 74    | Silver birch        | 81.7m <sup>2</sup>                                                                     | 5.1m                         |
| 75    | English oak         | 115.4m <sup>2</sup>                                                                    | 6.1m                         |
| 76    | Common alder        | 44.9m <sup>2</sup>                                                                     | 3.8m                         |
| 77    | English oak         | 70.6m <sup>2</sup>                                                                     | 4.7m                         |
| 78    | English oak         | 93.7m <sup>2</sup>                                                                     | 5.5m                         |
| 79    | Crack willow        | 63.3m <sup>2</sup>                                                                     | 4.5m                         |
| 80    | Crack willow        | 53.8m <sup>2</sup>                                                                     | 4.1m                         |
| 81    | Crack willow        | 73.8m <sup>2</sup>                                                                     | 4.8m                         |
| 82    | English oak         | 113.1m <sup>2</sup>                                                                    | 6.0m                         |
| 83    | English oak         | 114.2m <sup>2</sup>                                                                    | 6.0m                         |
| 84    | English oak         | 63.6m <sup>2</sup>                                                                     | 4.5m                         |
| 85    | Aspen               | 38.0m <sup>2</sup>                                                                     | 3.5m                         |
| 86    | English oak         | 182.4m <sup>2</sup>                                                                    | 7.6m                         |
| 87    | English oak         | 160.2m <sup>2</sup>                                                                    | 7.1m                         |
| 88    | English oak         | 234.5m <sup>2</sup>                                                                    | 8.6m                         |
| 89    | English oak         | 139.3m <sup>2</sup>                                                                    | 6.7m                         |
| 90    | English oak         | 43.5m <sup>2</sup>                                                                     | 3.7m                         |
| 91    | Crack willow        | 124.7m <sup>2</sup>                                                                    | 6.3m                         |
| 92    | Hazel               | 57.2m <sup>2</sup>                                                                     | 4.3m                         |
| 93    | Crack willow        | 398.8m <sup>2</sup>                                                                    | 11.3m                        |
| 94    | Aspen               | 76.0m <sup>2</sup>                                                                     | 4.9m                         |
| 95    | English oak         | 315.4m <sup>2</sup>                                                                    | 10.0m                        |
| 96    | English oak         | 257.9m <sup>2</sup>                                                                    | 9.1m                         |
| 97    | English oak         | 83.6m <sup>2</sup>                                                                     | 5.2m                         |
| 98    | English oak         | 49.3m <sup>2</sup>                                                                     | 4.0m                         |
| 99    | English oak         | 165.6m <sup>2</sup>                                                                    | 7.3m                         |
| 100   | English oak         | 168.3m <sup>2</sup>                                                                    | 7.3m                         |
| 101   | English oak         | 300.1m <sup>2</sup>                                                                    | 9.8m                         |

|            |              |                     |       |
|------------|--------------|---------------------|-------|
| 102        | English oak  | 65.3m <sup>2</sup>  | 4.6m  |
| 103        | English oak  | 173.1m <sup>2</sup> | 7.4m  |
| 104        | English oak  | 370.5m <sup>2</sup> | 10.9m |
| 105        | English oak  | 231.3m <sup>2</sup> | 8.6m  |
| 106        | English oak  | 209.2m <sup>2</sup> | 8.2m  |
| 107        | English oak  | 330.7m <sup>2</sup> | 10.3m |
| 108        | English oak  | 572.6m <sup>2</sup> | 13.5m |
| 109        | English oak  | 412.6m <sup>2</sup> | 11.5m |
| 110        | Ash          | 174.2m <sup>2</sup> | 7.4m  |
| 111        | Ash          | 89.6m <sup>2</sup>  | 5.3m  |
| 112        | English oak  | 315.4m <sup>2</sup> | 10.0m |
| 113        | English oak  | 115.4m <sup>2</sup> | 6.1m  |
| 114        | English oak  | 494.0m <sup>2</sup> | 12.5m |
| 115-116    | Aspen        | 89.6m <sup>2</sup>  | 5.3m  |
|            |              | 65.3m <sup>2</sup>  | 4.6m  |
| 117        | English oak  | 110.8m <sup>2</sup> | 5.9m  |
| 118        | English oak  | 85.6m <sup>2</sup>  | 5.2m  |
| 119        | English oak  | 165.6m <sup>2</sup> | 7.3m  |
| 120        | Bird cherry  | 89.6m <sup>2</sup>  | 5.3m  |
| 121        | Ash          | 423.5m <sup>2</sup> | 11.6m |
| 122        | English oak  | 72.4m <sup>2</sup>  | 4.8m  |
| 123        | English oak  | 50.8m <sup>2</sup>  | 4.0m  |
| 124-125    | English oak  | 157.5m <sup>2</sup> | 7.1m  |
|            |              | 162.9m <sup>2</sup> | 7.2m  |
| 126        | English oak  | 315.4m <sup>2</sup> | 10.0m |
| 127        | English oak  | 706.9m <sup>2</sup> | 15.0m |
| 128        | English oak  | 651.4m <sup>2</sup> | 14.4m |
| 129        | English oak  | 706.9m <sup>2</sup> | 15.0m |
| 130        | English oak  | 124.7m <sup>2</sup> | 6.3m  |
| 131        | Wild cherry  | 31.8m <sup>2</sup>  | 3.2m  |
| 132        | English oak  | 706.9m <sup>2</sup> | 15.0m |
| 133        | Ash          | 289.5m <sup>2</sup> | 9.6m  |
| 134        | English oak  | 552.4m <sup>2</sup> | 13.3m |
| 135        | English oak  | 185.3m <sup>2</sup> | 7.7m  |
| 136        | Roble beech  | 194.1m <sup>2</sup> | 7.9m  |
| 137        | English oak  | 640.6m <sup>2</sup> | 14.3m |
| 138        | English oak  | 296.8m <sup>2</sup> | 9.7m  |
| 139        | Silver birch | 46.3m <sup>2</sup>  | 3.8m  |
| 140        | English oak  | 304.2m <sup>2</sup> | 9.8m  |
| 141        | English oak  | 342.4m <sup>2</sup> | 10.4m |
| 142        | Ash          | 18.1m <sup>2</sup>  | 2.4m  |
| 143        | English oak  | 99.9m <sup>2</sup>  | 5.6m  |
| 144        | English oak  | 136.8m <sup>2</sup> | 6.6m  |
| 145        | English oak  | 304.2m <sup>2</sup> | 9.8m  |
| 146        | Ash          | 304.2m <sup>2</sup> | 9.8m  |
| 147        | English oak  | 72.4m <sup>2</sup>  | 4.8m  |
| 148        | English oak  | 425.7m <sup>2</sup> | 11.6m |
| 149        | English oak  | 293.2m <sup>2</sup> | 9.7m  |
| 150 - 150a | Field maple  |                     |       |
| 151        | English oak  | 141.2m <sup>2</sup> | 6.7m  |
| 152        | English oak  | 215.4m <sup>2</sup> | 8.3m  |
| 153        | Beech        | 44.9m <sup>2</sup>  | 3.8m  |
| 154        | Beech        | 65.3m <sup>2</sup>  | 4.6m  |
| 155        | Field maple  | 92.2m <sup>2</sup>  | 5.4m  |

|         |                     |                     |       |
|---------|---------------------|---------------------|-------|
| 156-160 | Ash                 | 30.6m <sup>2</sup>  | 3.1m  |
|         |                     | 40.7m <sup>2</sup>  | 3.6m  |
|         |                     | 18.1m <sup>2</sup>  | 2.4m  |
|         |                     | 159.6m <sup>2</sup> | 7.1m  |
|         |                     | 167.5m <sup>2</sup> | 7.3m  |
| 161     | English oak         | 366.4m <sup>2</sup> | 10.8m |
| 162-164 | Hybrid black poplar | 102.1m <sup>2</sup> | 5.7m  |
|         |                     | 197.1m <sup>2</sup> | 7.9m  |
|         |                     | 43.5m <sup>2</sup>  | 3.7m  |
| 165     | Ash                 | 147.3m <sup>2</sup> | 6.8m  |
| 166     | English oak         | 158.8m <sup>2</sup> | 7.1m  |
| 168     | English oak         | 334.6m <sup>2</sup> | 10.3m |
| 169     | Field maple         | 132.7m <sup>2</sup> | 6.5m  |
| 170     | English oak         | 237.8m <sup>2</sup> | 8.7m  |
| 171     | English oak         | 149.6m <sup>2</sup> | 6.9m  |
| 172     | English oak         | 188.2m <sup>2</sup> | 7.7m  |
| 173     | English oak         | 106.4m <sup>2</sup> | 5.8m  |
| 174     | English oak         | 173.9m <sup>2</sup> | 7.4m  |
| 175     | English oak         | 117.7m <sup>2</sup> | 6.1m  |
| 176     | English oak         | 231.3m <sup>2</sup> | 8.6m  |
| 177     | Crack willow        | 237.8m <sup>2</sup> | 8.7m  |
| 178     | English oak         | 467.8m <sup>2</sup> | 12.2m |
| 179     | English oak         | 97.8m <sup>2</sup>  | 5.6m  |
| 180     | Grey poplar         | 61.9m <sup>2</sup>  | 4.4m  |
| 181     | English oak         | 86.9m <sup>2</sup>  | 5.3m  |
| 182     | English oak         | 95.7m <sup>2</sup>  | 5.5m  |
| 183     | Grey poplar         | 43.8m <sup>2</sup>  | 3.7m  |
| 184     | English oak         | 53.8m <sup>2</sup>  | 4.1m  |
| 185     | English oak         | 42.1m <sup>2</sup>  | 3.7m  |
| 186     | English oak         | 31.8m <sup>2</sup>  | 3.2m  |
| 187     | English oak         | 635.3m <sup>2</sup> | 14.2m |
| 188     | English oak         | 194.1m <sup>2</sup> | 7.9m  |
| 189     | Crack willow        | 542.4m <sup>2</sup> | 13.1m |
| 190     | Crack willow        | 370.5m <sup>2</sup> | 10.9m |
| 191     | English oak         | 40.7m <sup>2</sup>  | 3.6m  |
| 192     | English oak         | 49.3m <sup>2</sup>  | 4.0m  |
| 193     | Crack willow        | 257.9m <sup>2</sup> | 9.1m  |
| 194     | English oak         | 28.3m <sup>2</sup>  | 3.0m  |
| 195     | Ash                 | 55.4m <sup>2</sup>  | 4.2m  |
| 196     | Field maple         | 198.8m <sup>2</sup> | 8.0m  |
| 197     | Ash                 | 93.5m <sup>2</sup>  | 5.5m  |
| 198     | Ash                 | 91.6m <sup>2</sup>  | 5.4m  |
| 199     | English oak         | 57.0m <sup>2</sup>  | 4.3m  |
| 200     | Ash                 | 360.5m <sup>2</sup> | 10.7m |
| 201     | English oak         | 304.2m <sup>2</sup> | 9.8m  |
| 202     | English oak         | 109.5m <sup>2</sup> | 5.9m  |
| 203     | English oak         | 102.1m <sup>2</sup> | 5.7m  |
| 204     | English oak         | 60.3m <sup>2</sup>  | 4.4m  |
| 205     | English oak         | 44.9m <sup>2</sup>  | 3.8m  |
| 206     | English oak         | 42.1m <sup>2</sup>  | 3.7m  |
| 207     | White willow        | 55.4m <sup>2</sup>  | 4.2m  |
| 208     | English oak         | 124.7m <sup>2</sup> | 6.3m  |
| 209     | Ash                 | 570.1m <sup>2</sup> | 13.5m |
| 210     | Ash                 | 366.4m <sup>2</sup> | 10.8m |
| 211     | English oak         | 354.3m <sup>2</sup> | 10.6m |
| 212     | English oak         | 244.4m <sup>2</sup> | 8.8m  |
| 213     | English oak         | 122.3m <sup>2</sup> | 6.2m  |

|     |                                 |                     |       |
|-----|---------------------------------|---------------------|-------|
| 214 | Crack willow                    | 471.8m <sup>2</sup> | 12.3m |
| 215 | English oak                     | 237.8m <sup>2</sup> | 8.7m  |
| 216 | Weeping willow                  | 108.6m <sup>2</sup> | 5.9m  |
| 217 | Goat willow                     | 177.7m <sup>2</sup> | 7.5m  |
| 218 | English oak                     | 113.1m <sup>2</sup> | 6.0m  |
| 219 | English oak                     | 152.2m <sup>2</sup> | 7.0m  |
| 220 | English oak                     | 174.0m <sup>2</sup> | 7.4m  |
| 221 | English oak                     | 188.2m <sup>2</sup> | 7.7m  |
| 222 | English oak                     | 221.8m <sup>2</sup> | 8.4m  |
| 223 | English oak                     | 179.6m <sup>2</sup> | 7.6m  |
| 224 | English oak                     | 117.7m <sup>2</sup> | 6.1m  |
| 225 | English oak                     | 479.9m <sup>2</sup> | 12.4m |
| 226 | English oak                     | 264.7m <sup>2</sup> | 9.2m  |
| 227 | English oak                     | 378.8m <sup>2</sup> | 11.0m |
| 228 | English oak                     | 484.6m <sup>2</sup> | 12.4m |
| 229 | English oak                     | 456.9m <sup>2</sup> | 12.1m |
| 230 | English oak                     | 257.9m <sup>2</sup> | 9.1m  |
| 231 | English oak                     | 257.9m <sup>2</sup> | 9.1m  |
| 232 | Aspen                           | 76.0m <sup>2</sup>  | 4.9m  |
| 233 | Aspen                           | 49.3m <sup>2</sup>  | 4.0m  |
| 234 | English oak                     | 160.2m <sup>2</sup> | 7.1m  |
| 235 | English oak                     | 171.1m <sup>2</sup> | 7.4m  |
| 236 | English oak                     | 63.6m <sup>2</sup>  | 4.5m  |
| 237 | English oak                     | 143.4m <sup>2</sup> | 6.8m  |
| 238 | Crack willow                    | 567.2m <sup>2</sup> | 13.4m |
| 239 | Norway maple                    | 191.1m <sup>2</sup> | 7.8m  |
| 240 | English oak                     | 598.3m <sup>2</sup> | 13.8m |
| 241 | Ash                             | 53.8m <sup>2</sup>  | 4.1m  |
| 242 | English oak                     | 149.6m <sup>2</sup> | 6.9m  |
| 243 | Ash                             | 452.4m <sup>2</sup> | 12.0m |
| 244 | Ash                             | 149.6m <sup>2</sup> | 6.9m  |
| 245 | Holly                           | 106.4m <sup>2</sup> | 5.8m  |
| 246 | English oak                     | 106.4m <sup>2</sup> | 5.8m  |
| 247 | English oak                     | 194.1m <sup>2</sup> | 7.9m  |
| 248 | English oak                     | 215.4m <sup>2</sup> | 8.3m  |
| 249 | English oak                     | 215.4m <sup>2</sup> | 8.3m  |
| 250 | Ash                             | 43.5m <sup>2</sup>  | 3.7m  |
| 251 | English oak                     | 141.9m <sup>2</sup> | 6.7m  |
| 252 | Wild cherry                     | 58.6m <sup>2</sup>  | 4.3m  |
| 253 | English oak                     | 366.4m <sup>2</sup> | 10.8m |
| 254 | English oak                     | 366.4m <sup>2</sup> | 10.8m |
| G1  | Various                         | 2.5m <sup>2</sup>   | 0.9m  |
| G2  | Various                         | 55.4m <sup>2</sup>  | 4.2m  |
| G3  | Hawthorn                        | 3.7m <sup>2</sup>   | 1.1m  |
| G4  | Goat willow                     | 26.1m <sup>2</sup>  | 2.9m  |
| G5  | English oak                     | 97.8m <sup>2</sup>  | 5.6m  |
| G6  | Grey poplar                     | 63.6m <sup>2</sup>  | 4.5m  |
| G7  | Various                         |                     |       |
| G8  | Various                         | 2.5m <sup>2</sup>   | 0.9m  |
| G9  | Various                         | 61.9m <sup>2</sup>  | 4.4m  |
| G10 | Common alder                    | 40.7m <sup>2</sup>  | 3.6m  |
| G11 | Various                         | 18.1m <sup>2</sup>  | 2.4m  |
| G12 | Various                         | 18.1m <sup>2</sup>  | 2.4m  |
| G13 | Various                         | 28.3m <sup>2</sup>  | 3.0m  |
| G14 | Common Hawthorn and Field maple | 10.2m <sup>2</sup>  | 1.8m  |

|     |               |                     |      |
|-----|---------------|---------------------|------|
| G15 | Various       | 46.3m <sup>2</sup>  | 3.8m |
| G16 | Various       | 117.7m <sup>2</sup> | 6.1m |
| G17 | Norway maple  | 50.8m <sup>2</sup>  | 4.0m |
| G18 | Copper beech  | 44.9m <sup>2</sup>  | 3.8m |
| G19 | Cherry Laurel | 17.2m <sup>2</sup>  | 2.3m |
| G20 | Various       | 52.3m <sup>2</sup>  | 4.1m |
| G21 | Common alder  | 81.7m <sup>2</sup>  | 5.1m |
| G22 | Goat willow   | 47.8m <sup>2</sup>  | 3.9m |
| G24 | Various       | 30.6m <sup>2</sup>  | 3.1m |
| G25 | Aspen         | 67.1m <sup>2</sup>  | 4.6m |
| G26 | Various       | 91.6m <sup>2</sup>  | 5.4m |
| G27 | Various       | 47.8m <sup>2</sup>  | 3.9m |
| G28 | Various       | 7.6m <sup>2</sup>   | 1.6m |
| G30 | Various       | 91.6m <sup>2</sup>  | 5.4m |
| G31 | Ash           | 19.0m <sup>2</sup>  | 2.5m |
| W1  | Various       | 221.7m <sup>2</sup> | 8.4m |
| W2  | Various       | 50.8m <sup>2</sup>  | 4.0m |
| W3  | Various       | 221.7m <sup>2</sup> | 8.4m |
| W4  | Various       | 72.4m <sup>2</sup>  | 4.8m |
| W11 | Various       | 63.6m <sup>2</sup>  | 4.5m |

## **APPENDIX 4**

### **Tree Protection Plan**



| Impact                                               |  | No. of Trees  |
|------------------------------------------------------|--|---------------|
| Trees to be removed                                  |  | 0             |
| Groups of trees and hedges to be partially removed   |  | 4             |
| TPO trees to be removed                              |  | 0             |
| Trees to be pruned                                   |  | 0             |
| Trees where manual excavation needed within RPAs     |  | 0             |
| Trees where above soil surfacing needed within RPAs  |  | 8<br>2G<br>3W |
| Trees with proposed underground services within RPAs |  | 0             |

  

| Trees to be Removed |                                            |          |
|---------------------|--------------------------------------------|----------|
| No                  | Species                                    | Category |
| G3                  | Hawthorn (partial removal)                 | C        |
| G11                 | Various (partial removal)                  | C        |
| G12                 | Various (partial removal)                  | C        |
| G14                 | Hawthorn and field maple (partial removal) | C        |

  

| Trees that require above soil surfacing within RPAs    |         |                                    |
|--------------------------------------------------------|---------|------------------------------------|
| No.                                                    | Species | Type of structure                  |
| 94, 177-180, 200, 205, 209, 210, G22, G23, W2, W3, W11 | Various | Footpath or pedestrian/cycle route |



