





Plan
Scale = 1:500

Ecoblock grass paver 80mm thick or similar approved. Laid on 30mm sharp sand, 120mm type 1 sub-base on Terram 1000 filter material. Install in accordance with manufacturers instructions.





BANK RETENTION FOR MAINTENANCE ACCESS
Not to scale




SECTION A-A
Not to scale

NOTES:

1. This drawing to be read in conjunction with other drainage construction drawings.
2. Do not scale from this drawing.
3. Details and dimensions of flow controller to be confirmed by manufacturer of equipment. Adams Hydraulics example design shown.





PLAN


NOTES

All dimensions are in millimetres
All levels are in metres AOD Newlyn
Floating arm to be standard finish
Structure width to be checked against floating arm as delivered
Class B engineering brickwork throughout
Ends of coping to be retained with galvanised MS fish tail cramps


| Level | Pond | |
|---|---|---|
| A | 47.80 | overflow weir |
| B | 46.60 | minimum water level weir |
| C | 46.50 | silt protection weir |
| D | 46.20 | pond bottom |
| E | 46.10 | base |
| F | 46.60 | outlet pipe invert |




SECTIONAL ELEVATION AA





SECTION CC





SECTIONAL ELEVATION BB


BALANCING POND FLOW CONTROLLER WITH INTEGRAL OVERFLOW AND OIL AND SILT TRAPPING
Not to scale





ELEVATION (Grill omitted for clarity)




PLAN




Section A-A




Detail A
Prefabricated Protective Grill

HEADWALL CONSTRUCTION DETAIL
Not to scale

| REV | DESCRIPTION | DRAWN |
|---|---|---|
| DATE | | AUTHORISED |

AMENDMENTS

ISSUE PURPOSE

This drawing is issued solely for the purpose indicated by the original stamp in this box.
No stamp – informative only.


Planning, Transport and Environment

HIGHWAYS & INFRASTRUCTURE

Tel: 01635 279000 – Fax: 01635 279050 – DX 30840 Ne
3 London Road – Newbury – Berkshire RG14 1.
Email: rpsne@rpsplc.co.uk – Website: www.rpsplc.c


PROJECT

Hollow Lane, Shinfield

DRAWING TITLE

BALANCING POND AND FLOW CONTROLLER DETAILS

CLIENT

P:\13109\Tech\cad\Misc\CRESTLOGO.bmp


Crest Nicholson Residential (South) Ltd
Nicholson House
Unit 1, Headlands Business Park
Ringwood
Hants
Tel: 01425 489196 Fax: 01425 489197

| SCALE | ORIGINAL PAPER SIZE | DATE |
|---|---|---|
| AS SHOWN | A1 | 08.04.02 |

| DRAWN BY | AUTHORISED BY | FILE REF |
|---|---|---|
| KLW | | BAL-POND |

| DRAWING NUMBER | REVISION |
|---|---|
| JNY4268/507 | - |

11:07:04 6/5/09




| Manhole Number / Level details | Cover Level | Connects | Inverts | Pipe Bore | Manhole Size | Types: Manhole | Types: Cover |
|---|---|---|---|---|---|---|---|
| F1 | 53.158 | | | | 1200 | TYPE B | Heavy |
| F2 | 52.664 | | | | 1200 | TYPE B | Heavy |
| F3 | 50.797 | | | | 1200 | TYPE B | Heavy |
| F4 | 50.685 | | | | 1200 | TYPE B | Heavy |
| F5 | 50.429 | | | | 1200 | TYPE B | Heavy |
| F6 | 50.457 | | | | 1200 | TYPE B | Heavy |

| Manhole Number / Level details | Cover Level | Connects | Inverts | Pipe Bore | Manhole Size | Types: Manhole | Types: Cover |
|---|---|---|---|---|---|---|---|
| S4 | 52.585 | | | | 1050 | TYPE B | Heavy |
| S5 | 52.443 | | | | 1050 | TYPE B | Heavy |
| S6 | 52.277 | | | | 1050 | TYPE B | Heavy |
| S7 | 51.965 | | | | 1750 | TYPE B | Heavy |
| S8 | 50.678 | | | | 1050 | TYPE B | Heavy |
| S9 | 50.807 | | | | 1050 | TYPE B | Heavy |

| Manhole Number / Level details | Cover Level | Connects | Inverts | Pipe Bore | Manhole Size | Types: Manhole | Types: Cover |
|---|---|---|---|---|---|---|---|
| F7 | 50.958 | | | | 1200 | TYPE B | Heavy |
| F8 | 50.799 | | | | 1050 | TYPE B | Heavy |
| F9 | 50.897 | | | | 1200 | TYPE B | Heavy |
| F10 | 51.075 | | | | 1200 | TYPE A | Heavy |
| F11 | 50.547 | | | | 1200 | TYPE A | Heavy |
| F12 | 50.665 | | | | 1050 | TYPE B | Heavy |

| Manhole Number / Level details | Cover Level | Connects | Inverts | Pipe Bore | Manhole Size | Types: Manhole | Types: Cover |
|---|---|---|---|---|---|---|---|
| S10 | 51.295 | | | | 1500 | TYPE A | Heavy |
| S11 | 50.644 | | | | 1500 | TYPE A | Heavy |
| S12 | 50.58 | | | | 1050 | TYPE B | Heavy |
| S13 | 50.58 | | | | 1050 | TYPE B | Heavy |
| S14 | 49.756 | | | | 1050 | TYPE B | Heavy |
| S15 | 49.983 | | | | 1200 | TYPE B | Heavy |

| Manhole Number / Level details | Cover Level | Connects | Inverts | Pipe Bore | Manhole Size | Types: Manhole | Types: Cover |
|---|---|---|---|---|---|---|---|
| F13 | 50.845 | | | | 1050 | TYPE B | Heavy |
| F14 | 48.845 | | | | 1050 | TYPE B | Heavy |
| F15 | 49.836 | | | | 1200 | TYPE B | Heavy |
| F16 | 49.516 | | | | 1050 | TYPE A | Heavy |
| F17 | 49.886 | | | | 1200 | TYPE A | Heavy |
| F18 | 47.936 | | | | 1200 | TYPE B | Heavy |

| Manhole Number / Level details | Cover Level | Connects | Inverts | Pipe Bore | Manhole Size | Types: Manhole | Types: Cover |
|---|---|---|---|---|---|---|---|
| S16 | 49.017 | | | | 1200 | TYPE A | Heavy |
| S17 | 48.069 | | | | 1050 | TYPE B | Heavy |
| S18 | 48.897 | | | | 1050 | TYPE B | Heavy |
| S19 | 49.886 | | | | 1050 | TYPE B | Heavy |
| S20 | 48.996 | Existing Foul Manhole to be retained | | | | | |
| S22 | 48.729 | | | | | | |

| Manhole Number / Level details | Cover Level | Connects | Inverts | Pipe Bore | Manhole Size | Types: Manhole | Types: Cover |
|---|---|---|---|---|---|---|---|
| F19 | 48.548 | | | | 1050 | TYPE A | Heavy |
| F20 | 48.256 | Existing to remain Foul Gully | | | 1050 | TYPE B | Heavy |
| S1 | 53.065 | | | | 1750 | TYPE B | Heavy |
| S2 | 53.508 | | | | 1750 | TYPE B | Heavy |
| S3 | 53.648 | | | | 1050 | TYPE B | Heavy |

| Manhole Number / Level details | Cover Level | Connects | Inverts | Pipe Bore | Manhole Size | Types: Manhole | Types: Cover |
|---|---|---|---|---|---|---|---|
| S23 | 48.508 | | | | 1050 | TYPE A | Heavy |
| S24 | 48.098 | Existing to remain | | | 1050 | TYPE B | Heavy |

**Notes:**

1. Do not scale from this drawing.
2. This drawing is to be read in conjunction with others issued in respect of the proposed development.
3. All highway works (including highway drainage) subject to adoption under Section 38 of the Highway Act shall be constructed in accordance with the Department of Transport Manual of Contract Documents for Highway Works, specification for Highway Works with additions and amendments where appropriate by the adopting Authority design standards.
4. All drainage works subject to adoption under Section 104 of the Water Industry Act shall be constructed in accordance with the Water Authorities Association, Sewers for Adoption - Edition 5, A Design and Construction Guide for Developers with any additions and amendments where appropriate by the adopting Authority.
5. All adoptable highway drainage shall where ever possible be located within the highway or within land to be adopted by the adopting Authority.
6. The position and depth of existing statutory undertakers equipment affected by the proposed work is to be checked and verified by the Contractor prior to work commencing on site.
7. All levels relate to Ordnance Survey Datum unless otherwise stated.
8. For details of private drainage see other RPS drawings in the series.
9. Linetype relates to 2 x 100mm black UPVC ducts laid across carriageway for future use.
10. All cover levels relate to road long sections at relevant offset. Add 65mm where manhole falls within raised block-paved areas.
11. Easements provided for Thames Water to allow access to sewers not within adopted highway.
12. All highway design and construction to comply with Wokingham Unitary Authority's design specification.
13. All building work to comply with NHBC requirements.
14. All proposed and relevant existing levels are to be checked prior to construction start and any discrepancies referred back to the Technical Department.
15. Road gully connections to be 150mm.
16. Cover levels of manholes, inspection chambers and gradients of sewers are for informational purposes only and must not be used for setting out purposes.
17. All existing draining on site is to be checked for live connections. The inspection chambers are to be broken out and the drains either broken out or filled with PFA grout.
18. Position of S1 may be adjusted to suit David Wilson Homes section 278 works.
19. Outfall routes subject to relevant approvals.
20. Unless shown, gully connections not to be directly into manholes.

KEY:

- Foul sewers
- Surface water sewers
- Phase 2 private drainage connections (assumed locations)
- 2 Spare ducts
- Site boundary
- Easement
- ⊠ Gully

| REV | DESCRIPTION | DRAWN |
|---|---|---|
| C | Phase 2 private drainage connections added | KLW |
| DATE 17.04.02 | | AUTHORISED |
| REV | DESCRIPTION | DRAWN |
| B | Manhole types added | PF |
| DATE 03.04.02 | | AUTHORISED |

AMENDMENTS

ISSUE PURPOSE

PLANNING

This drawing is issued solely for the purpose indicated by the original stamp in this box. No stamp - information only.


Planning, Transport and Environment

HIGHWAYS & INFRASTRUCTURE

Tel: 01635 279000 Fax: 01635 279060 DX 30840 Newbury
3 London Road - Newbury - Berkshire RG14 1JL
Email: rpsnew@rpsplc.co.uk - Website: www.rpsplc.co.uk


PROJECT: Hollow Lane, Shinfield

DRAWING TITLE: ENGINEERING LAYOUT

CLIENT: Crest Nicholson


Crest Nicholson Residential (South) Ltd
Nicholson House
Unit 1, Headlands Business Park
Ringwood
Hants
Tel: 01425 489196 Fax: 01425 489197


| SCALE | ORIGINAL PAPER SIZE | DATE |
|---|---|---|
| 1:500 | A1 | FEB 02 |
| DRAWN BY: KLW | AUTHORISED BY: PF | FILE REF: ENG-LAYOUT |
| DRAWING NUMBER: JNY4268/500 | | REVISION: C |

450mm dia. connection to David Wilson Homes development

CHURCH LANE

See detail A, plan JNY4268/700 for gully locations

Connection to foul outfall from Stantons

Invert level of manhole to be determined by contractor following survey of existing outfall

Pumping station to be demolished

Road 1

Road 2

Road 3

Road 4

Road 5

Road 6

Road 7

HOLLOW LANE

Inlet Headwall

Flow Control S 22

Limit of S38 works

On-Site Works

Cover to foul drain beneath ditch approx 700mm Concrete protection to be provided as necessary. Ditch to be reinstated.

Connection to existing storm sewer TW ref 3950 CL=48.88 IL=43.92

Connection to existing foul sewer TW ref 3702 CL=46.25 IL=44.51

Outfall Routes

| Manhole Number / Coordinates | Cover Level | Connects | Inverts | Pipe Diams | Manhole Size | Types: Manhole | Types: Cover |
|---|---|---|---|---|---|---|---|
| F1 | 53.150 | | | | 1200 | TYPE S | Heavy |
| F2 | 52.643 | | | | 1200 | TYPE S | Heavy |
| F3 | 52.767 | | | | 1200 | TYPE S | Heavy |
| F4 | 52.545 | | | | 1200 | TYPE S | Heavy |
| F5 | 52.429 | | | | 1200 | TYPE S | Heavy |
| F6 | 52.207 | | | | 1200 | TYPE S | Heavy |

| Manhole Number / Coordinates | Cover Level | Connects | Inverts | Pipe Diams | Manhole Size | Types: Manhole | Types: Cover |
|---|---|---|---|---|---|---|---|
| S4 | 52.588 | | | 150 | 1050 | TYPE S | Heavy |
| S5 | 52.463 | | | 225 | 1050 | TYPE S | Heavy |
| S6 | 52.222 | | | 225 | 1050 | TYPE S | Heavy |
| S7 | 51.965 | | | 225 150 | 1200 | TYPE S | Heavy |
| S8 | 50.478 | | | 225 | 1050 | TYPE S | Heavy |
| S9 | 50.617 | | | 225 | 1050 | TYPE S | Heavy |

| Manhole Number / Coordinates | Cover Level | Connects | Inverts | Pipe Diams | Manhole Size | Types: Manhole | Types: Cover |
|---|---|---|---|---|---|---|---|
| F7 | 51.150 | | | 150 | 1200 | TYPE S | Heavy |
| F8 | 50.778 | | | 150 | 1050 | TYPE S | Heavy |
| F9 | 50.897 | | | 150 | 1200 | TYPE S | Heavy |
| F10 | 50.476 | | | 150 | 1200 | TYPE A | Heavy |
| F11 | 50.547 | | | 150 | 1200 | TYPE A | Heavy |
| F12 | 50.665 | | | 150 | 1050 | TYPE S | Heavy |

| Manhole Number / Coordinates | Cover Level | Connects | Inverts | Pipe Diams | Manhole Size | Types: Manhole | Types: Cover |
|---|---|---|---|---|---|---|---|
| S10 | 51.963 | | | 225 | 1500 | TYPE A | Heavy |
| S11 | 50.644 | | | 225 | 1500 | TYPE S | Heavy |
| S12 | 50.08 | | | 225 | 1050 | TYPE S | Heavy |
| S13 | 50.08 | | | 225 | 1050 | TYPE S | Heavy |
| S14 | 49.796 | | | 300 | 1050 | TYPE S | Heavy |
| S15 | 49.963 | | | 300 225 | 1200 | TYPE S | Heavy |

| Manhole Number / Coordinates | Cover Level | Connects | Inverts | Pipe Diams | Manhole Size | Types: Manhole | Types: Cover |
|---|---|---|---|---|---|---|---|
| F13 | 50.043 | | | 150 | 1200 | TYPE S | Heavy |
| F14 | 49.975 | | | 150 | 1200 | TYPE S | Heavy |
| F15 | 49.838 | | | 150 | 1200 | TYPE S | Heavy |
| F16 | 49.541 | | | 150 | 1200 | TYPE A | Heavy |
| F17 | 49.200 | | | 150 | 1200 | TYPE A | Heavy |
| F18 | 47.936 | | | 150 | 1200 | TYPE S | Heavy |

| Manhole Number / Coordinates | Cover Level | Connects | Inverts | Pipe Diams | Manhole Size | Types: Manhole | Types: Cover |
|---|---|---|---|---|---|---|---|
| S16 | 49.373 | | | 150 | 1500 | TYPE S | Heavy |
| S17 | 49.015 | | | 150 | 1050 | TYPE S | Heavy |
| S18 | 48.993 | | | 150 | 1500 | TYPE S | Heavy |
| S19 | 49.000 | | | 150 | 1500 | TYPE S | Heavy |
| S20 | 48.996 | Balancing Pond Flow Control | | | 1500 | TYPE S | Heavy |
| S22 | 48.726 | | | 150 | 1050 | TYPE A | Heavy |

| Manhole Number / Coordinates | Cover Level | Connects | Inverts | Pipe Diams | Manhole Size | Types: Manhole | Types: Cover |
|---|---|---|---|---|---|---|---|
| F19 | 48.948 | | | 150 | 1200 | TYPE A | Heavy |
| F20 | 48.858 | Balancing Pond Flow Control | | 150 | 1200 | TYPE S | Heavy |
| S1 | 53.963 | | | 450 | 1200 | TYPE S | Heavy |
| S2 | 53.526 | | | 450 | 1200 | TYPE S | Heavy |
| S3 | 53.909 | | | 150 | 1050 | TYPE S | Heavy |

| Manhole Number / Coordinates | Cover Level | Connects | Inverts | Pipe Diams | Manhole Size | Types: Manhole | Types: Cover |
|---|---|---|---|---|---|---|---|
| S23 | 48.938 | | | 150 | 1050 | TYPE A | Heavy |
| S24 | 48.888 | Balancing Pond Flow Control | | 150 | 1050 | TYPE S | Heavy |

**Notes:**

1. Do not scale from this drawing.
2. This drawing is to be read in conjunction with others issued in respect of the proposed development
3. All highway works (including highway drainage) subject to adoption under Section 38 of the Highway Act shall be constructed in accordance with the Department of Transport Manual of Contract Documents for Highway Works, Specification for Highway Works with alterations and amendments where appropriate by the adopting Authority design standards
4. All drainage works subject to adoption under Section 104 of the Water Industry Act shall be constructed in accordance with the Water Authorities Association, Sewers for Adoption - Edition 5; A Design and Construction Guide for Developers with any additions and amendments where appropriate by the adopting Authority.
5. All acceptable highway drainage shall where ever possible be located within the highway or within land to be adopted by the adopting Authority
6. The position and depth of existing statutory undertakers equipment affected by the proposed work is to be checked and verified by the Contractor prior to work commencing on site
7. All levels relate to Ordnance Survey Datum unless otherwise stated
8. For details of private drainage see other RPS drawings in the series
9. Linetype relates to 2 x 100mm black UPVC ducts laid across carriageway for future use
10. All cover levels relate to road long sections at relevant offset. Add 65mm where manhole falls within raised block-paved areas.
11. Easements provided for Thames Water to allow access to sewers not within adopted highway.
12. All highway design and construction to comply with Wokingham Unitary Authority's design specification.
13. All building work to comply with NHBC requirements
14. All proposed and relevant existing levels are to be checked prior to construction start and any discrepancies referred back to the Technical Department.
15. Road gully connections to be 150mm.
16. Cover levels of manholes, inspection chambers and gradients of sewers are for informational purposes only and must not be used for setting out purposes.
17. All existing draining on site is to be checked for live connections. The inspection chambers are to be broken out and the drains either blown out or filled with PFA grout.
18. Position of S1 may be adjusted to suit David Wilson Homes section 278 works
19. Outfall routes subject to relevant approvals.
20. Unless shown, gully connections not to be directly into manholes.

KEY:

- Foul sewers
- Surface water sewers
- Phase 2 private drainage connections (assumed location)
- 2 Spare ducts
- Site boundary
- Easement
- Gully

| REV | DESCRIPTION | DRAWN |
|---|---|---|
| C | Phase 2 private drainage connections added | KLW |
| DATE 17.04.02 | | AUTHORISED |
| REV | DESCRIPTION | DRAWN |
| B | Manhole types added | PF |
| DATE 03.04.02 | | AUTHORISED |

AMENDMENTS

ISSUE PURPOSE

This drawing is issued solely for the purpose indicated by the original stamp in this box. No stamp - informative only.


RPS Planning, Transport and Environment

HIGHWAYS & INFRASTRUCTURE

Tel: 01635 279000 - Fax: 01635 279050 DX 30840 Newbury
3 London Road - Newbury - Berkshire RG14 1JL
Email: rpsne@rpsplc.co.uk - Website: www.rpsplc.co.uk


PROJECT

Hollow Lane, Shinfield

DRAWING TITLE

ENGINEERING LAYOUT

CLIENT

Crest Nicholson


Crest Nicholson Residential (South) Ltd
Nicholson House
Unit 1, Headlands Business Park
Ringwood
Hants
Tel: 01425 489196 Fax: 01425 489197

| SCALE | ORIGINAL PAPER SIZE | DATE |
|---|---|---|
| 1:500 | A1 | FEB 02 |

| DRAWN BY | AUTHORISED BY | FILE REF |
|---|---|---|
| KLW | | ENG-LAYOUT |


DRAWING NUMBER: JNY4268/500

REVISION: C





Plan
Scale = 1:500

Ecoblock grass paver 80mm thick or similar approved. Laid on 30mm sharp sand, 120mm type 1 sub-base on Terram 1000 filter material. Install in accordance with manufacturers instructions.





BANK RETENTION FOR MAINTENANCE ACCESS
Not to scale





SECTION A-A
Not to scale

## NOTES:


1. This drawing to be read in conjunction with other drainage construction drawings.
2. Do not scale from this drawing.
3. Details and dimensions of flow controller to be confirmed by manufacturer of equipment. Adams Hydraulics example design shown.





PLAN




SECTIONAL ELEVATION AA




SECTION_CC





SECTIONAL ELEVATION BB

NOTES


All dimensions are in millimetres
All levels are in metres AOD Newlyn
Floating arm to be standard finish
Structure width to be checked against floating arm as delivered
Class B engineering brickwork throughout
Ends of coping to be retained with galvanised MS fish tail cramps

| Level | Pond | |
|---|---|---|
| A | 47.80 | overflow weir |
| B | 46.60 | minimum water level weir |
| C | 46.50 | silt protection weir |
| D | 46.20 | pond bottom |
| E | 46.10 | base |
| F | 46.60 | outlet pipe invert |


BALANCING POND FLOW CONTROLLER WITH INTEGRAL OVERFLOW AND OIL AND SILT TRAPPING
Not to scale





ELEVATION (Grill omitted for clarity)




PLAN




Section A-A




Detail A
Prefabricated Protective Grill

HEADWALL CONSTRUCTION DETAIL
Not to scale

| REV | DESCRIPTION | DRAWN |
|---|---|---|
| DATE | | AUTHORISED |

AMENDMENTS

ISSUE PURPOSE

This drawing is issued solely for the purpose indicated by the original stamp in this box.
No stamp – informative only.


Planning, Transport and Environment
HIGHWAYS & INFRASTRUCTURE
Tel: 01635 279000 – Fax: 01635 279050 – DX 30840 Ne
3 London Road – Newbury – Berkshire RG14 1
Email: rpsne@rpsplc.co.uk – Website: www.rpsplc.c


PROJECT
Hollow Lane, Shinfield

DRAWING TITLE
BALANCING POND AND FLOW CONTROLLER DETAILS

CLIENT


P:\13100\Team\cad\Misc\CRESTLOGO.bmp


Crest Nicholson Residential (South) Ltd
Nicholson House
Unit 1, Headlands Business Park
Ringwood
Hants
Tel: 01425 489199 Fax: 01425 489197



| SCALE | ORIGINAL PAPER SIZE | DATE |
|---|---|---|
| AS SHOWN | A1 | 08.04.02 |
| DRAWN BY | AUTHORISED BY | FILE REF |
| KLW | | BAL-POND |

DRAWING NUMBER: JNY4268/507
REVISION: -

10 MAY 2002
63/0




Plan of corrugated pipe option (Scale 1:250)




CATCHPIT S19


Section C-C Inlet / Catchpit S19(Not to scale)

Notes:


1. Do not scale from this drawing
2. All construction details to be approved by Thames Water Utilities and in accordance with sewers for adoption 5th edition
3. All pipe sections to be designed and fabricated by Asset Wehoilte.
4. Details of hydrobrake to be provided by manufacturer

**MANHOLE SCHEDULE**

| Manhole Number | Cover Level | Connects | Depth to Invert | Pipe Dia. | Manhole Type | Frame Cover |
|---|---|---|---|---|---|---|
| S19 | 46.272 | | | 1800 | CATCHPIT | Heavy |
| S22 | 46.725 | | | N/A | TYPE B | Heavy |
| S23 | 46.171 | | | 1200 | TYPE B | Heavy |




Section B-B Corrugated pipe (Scale 1:100)




Section A-A Outfall including hydrobrake (Scale 1:100)

| REV | DESCRIPTION | DRAWN |
|---|---|---|
| DATE | | AUTHORISED |

AMENDMENTS

ISSUE PURPOSE

This drawing is issued solely for the purpose indicated by the original stamp in this box. No stamp - Informative only


RPS Planning, Transport and Environment
HIGHWAYS & INFRASTRUCTURE
Tel: 01635 279000 - Fax: 01635 279050 DX 30840 Newbury
3 London Road - Newbury - Berkshire RG14 1JL
Email: rpsne@rpsplc.co.uk Website: www.rpsplc.co.uk

PROJECT
Hollow Lane, Shinfield


DRAWING TITLE
STORM RETENTION TANK CONSTRUCTION DETAILS

CLIENT
Crest Nicholson
NICHOLSON
Crest Nicholson Residential (South) Ltd
Nicholson House
Unit 1, Headlands Business Park
Ringwood
Hants
Tel: 01425 489196 Fax: 01425 489197

| SCALE | ORIGINAL PAPER SIZE | DATE |
|---|---|---|
| AS SHOWN | A1 | 02.07.02 |
| DRAWN BY | CHECKED BY | FILE REF |
| JE | DS | Storm tank |
| DRAWING NUMBER | | REVISION |
| JNY4268/510 | | |




Plan of box culvert (Scale 1:250)




Section A-B Box Culvert (Scale 1:100)

SUPERSEDED

16 MAY 2002 6521

| REV | DESCRIPTION | DRAWN |
|---|---|---|
| DATE | | AUTHORISED |

AMENDMENTS

ISSUE PURPOSE

This drawing is issued solely for the purpose indicated by the original stamp in this box. No stamp - informative only.



RPS Planning, Transport and Environment
HIGHWAYS & INFRASTRUCTURE
Tel: 01635 279000 - Fax: 01635 279050 - DX 30840 Newbury
3 London Road - Newbury - Berkshire RG14 1JL
Email: rpsne@rpsplc.co.uk - Website: www.rpsplc.co.uk


PROJECT
Hollow Lane, Shinfield


DRAWING TITLE
ON LINE
BALANCING FACILITIES

CLIENT
Crest NICHOLSON
Crest Nicholson Residential (South) Ltd
Nicholson House
Unit 1, Headlands Business Park
Ringwood
Hants
Tel: 01425 489196 Fax: 01425 489197

| SCALE | ORIGINAL PAPER SIZE | DATE |
|---|---|---|
| AS SHOWN | A1 | 17.04.02 |
| DRAWN BY | AUTHORISED BY | FILE REF |
| KLW | | TANK-OPTIONS |
| DRAWING NUMBER | | REVISION |
| JNY4268/07 | | - |




Plan of corrugated pipe option (Scale 1:250)




CATCHPIT S19

Section C-C Inlet / Catchpit S19(Not to scale)

F/2002/6591*6592

Notes:

1. Do not scale from this drawing
2. All construction details to be approved by Thames Water Utilities and in accordance with sewers for adoption 5th edition.
3. All pipe sections to be designed and fabricated by Asset Weholite.
4. Details of orifice plate to be provided by manufacturer

**MANHOLE SCHEDULE**

| Manhole Number / Coordinates | Cover Level | Connects | Inverts | Pipe Diam. | Manhole Size | Types | |
|---|---|---|---|---|---|---|---|
| S19 | 46.870 | 1 | 46.19 | 750 | 1800 | CATCHPIT | Heavy |
| | | STORM TANK 3 | 46.19 | TANK | | | |
| S22 | 46.780 | STORM TANK 1 | 45.980 | TANK | N/A | TYPE 3 | Heavy |
| | | 3 | 45.980 | 300 | | | |
| S23 | 46.868 | 1 | 45.885 | 300 | 1800 | TYPE 3 | Heavy |
| | | 3 | 45.885 | 300 | | | |
| S24 | 46.970 | 1 | 45.885 | 300 | 1800 | TYPE 3 | Heavy |
| | | 3 | 45.885 | 300 | | | |

REVISED PLAN

| REV | DESCRIPTION | DRAWN |
|---|---|---|
| A | Top manifold removed from tank, dog leg on outfall added | DJG |
| DATE July'02 | | AUTHORISED RAS |

AMENDMENTS

ISSUE PURPOSE

FOR APPROVAL

This drawing is issued solely for the purpose indicated by the original stamp in this box. No stamp - informative only.


RPS Planning, Transport and Environment

HIGHWAYS & INFRASTRUCTURE

Tel: 01635 279000 - Fax: 01635 279050 - DX 30840 Newbury
3 London Road - Newbury - Berkshire RG14 1JL
Email: rpsne@rpsplc.co.uk - Website: www.rpsplc.co.uk


PROJECT

Hollow Lane, Shinfield

DRAWING TITLE

STORM RETENTION TANK CONSTRUCTION DETAILS

CLIENT


Crest NICHOLSON

Crest Nicholson Residential (South) Ltd
Nicholson House
Unit 1, Headlands Business Park
Ringwood
Hants
Tel: 01425 489196 Fax: 01425 489197

| SCALE | ORIGINAL PAPER SIZE | DATE |
|---|---|---|
| as shown | A1 | 02.07.02 |


| DRAWN BY | AUTHORISED BY | FILE REF |
|---|---|---|
| JE | RAS | Storm tank |

DRAWING NUMBER: JNY4268/510 REVISION: A





Section B-B Corrugated pipe (Scale 1:100)


APPROVED




Section A-A Outfall including hydrobrake (Scale 1:100)




Plan of box culvert (Scale 1:250)




Section A-B Box Culvert (Scale 1:100)

| REV | DESCRIPTION | DRAWN |
|---|---|---|
| DATE | | AUTHORISED |

AMENDMENTS

ISSUE PURPOSE

6592
10.5.02.

This drawing is issued solely for the purpose indicated by the original stamp in this box. No stamp - informative only.

RPS Planning, Transport and Environment
HIGHWAYS & INFRASTRUCTURE
tel: 01635 279000 - Fax: 01635 279050 - DX 30840 Newbury
3 London Road - Newbury - Berkshire RG14 1JL
Email: rpsne@rpsplc.co.uk - Website: www.rpsplc.co.uk

PROJECT

Hollow Lane, Shinfield

DRAWING TITLE


ON LINE
BALANCING FACILITIES

CLIENT


Crest NICHOLSON

Crest Nicholson Residential (South) Ltd
Nicholson House
Unit 1, Headlands Business Park
Ringwood
Hants
Tel: 01425 480156 Fax: 01425 480197

| SCALE | ORIGINAL PAPER SIZE | DATE |
|---|---|---|
| AS SHOWN | A1 | 17.04.02 |
| DRAWN BY: KLW | AUTHORISED BY: | FILE REF: TANK-OPTIONS |
| DRAWING NUMBER: JNY4268/07 | | REVISION: - |




Plan of corrugated pipe option (Scale 1:250)




Section C-C Inlet / Catchpit S19(Not to scale)

Notes:

1. Do not scale from this drawing

2. All construction details to be approved by Thames Water Utilities and in accordance with sewers for adoption 5th edition.

3. All pipe sections to be designed and fabricated by Asset Weholite.

4. Details of orifice plate to be provided by manufacturer

**MANHOLE SCHEDULE**

| Manhole Number / Coordinates | Cover Level | Connected | Invert Level | Pipe Diameter | Manhole Size | Type: Manhole | Type: Cover |
|---|---|---|---|---|---|---|---|
| S19<br>E 964.6090<br>N 949.2780 | 48.270 | 1 S1000 1.500 0 | 46.19<br>46.25 | 1500<br>1500 | 1800 | CATCHPIT | Heavy |
| S22<br>E 972.7317<br>N 797.5546 | 48.720 | S1000 1.500 1<br>2 | 45.981<br>46.185 | 1500<br>300 | N/A | TYPE B | Heavy |
| S23<br>E 966.7909<br>N 799.1979 | 48.501 | 1<br>0 | 45.981<br>45.981 | 300<br>300 | 1200 | TYPE B | Heavy |
| S24<br>E 966.7938<br>N 795.4979 | 48.370 | 1<br>0 | 45.981<br>45.981 | 300<br>300 | 1200 | TYPE B | Heavy |

F/2002/6591+6592

REVISED PLAN


| REV | DESCRIPTION | DRAWN |
|---|---|---|
| A | Top manifold removed from tank, dog leg on outfall added | DJG |
| DATE July/02 | | AUTHORISED |

AMENDMENTS

ISSUE PURPOSE


FOR APPROVAL

This drawing is issued solely for the purpose indicated by the original stamp in this box.
No stamp - Informative only




Section B-B Corrugated pipe (Scale 1:100)

APPROVED




Section A-A Outfall including hydrobrake (Scale 1:100)

RPS Planning, Transport and Environment

HIGHWAYS & INFRASTRUCTURE

Tel: 01635 279000 - Fax: 01635 279050 - DX 30840 Newbury
3 London Road - Newbury - Berkshire RG14 1JL
Email: rpsne@rpsplc.co.uk - Website: www.rpsplc.co.uk

PROJECT
Hollow Lane, Shinfield

DRAWING TITLE
STORM RETENTION TANK CONSTRUCTION DETAILS

CLIENT

Crest NICHOLSON

Crest Nicholson Residential (South) Ltd
Nicholson House
Unit 1, Headlands Business Park
Ringwood
Hants
Tel: 01425 489196 Fax: 01425 489197

| SCALE | ORIGINAL PAPER SIZE | DATE |
|---|---|---|
| as shown | A1 | 02.07.02 |
| DRAWN BY: JE | AUTHORISED BY: RAS | FILE REF: Storm tank |
| DRAWING NUMBER: JNY4268/510 | | REVISION: A |