

GENERAL :

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER  
RELEVANT DRAWINGS AND THE STRUCTURAL CALCULATIONS.

NEW PAD BASE FOUNDATIONS :

STEELWORK SPECIFICATION :

ALL STRUCTURAL STEELWORK TO BE GRADE S275.  
(FORMERLY GRADE 43.)

UNLESS NOTED OTHERWISE ALL BOLTS TO BE GRADE 8.8.

PROVIDE RADIUS CORNERS TO ALL NOTCHES.

ALL BOLT AND NUT ASSEMBLIES ARE TO BE FITTED WITH APPROPRIATE SIZE WASHERS AND ALL BOLTS TO PROTRUDE A MINIMUM OF 2 NO. THREADS BEYOND END OF NUT.

ALL NEW STEELWORK TO BE PAINTED WITH INTUMESCENT PAINT TO ACHIEVE 60 MINUTES FIRE RESISTANCE. TO BE PREPARED & PAINTED STRICTLY IN ACCORDANCE WITH THE PAINT MANUFACTURERS DETAILS.



This drawing has been prepared solely for the use of the client as detailed in the title block, and shall not be copied, lent or used by any third party without the express written permission of the Wargrave Design Consultancy Limited. Date as title block.



CLIENT

Horns Hospitality Limited.

PROJECT

The Horns Public House,  
Crazies Hill, Berkshire.

TITLE

Proposed Alterations and  
Refurbishment.

|       |        |
|-------|--------|
| DRAWN | G.D.G. |
|-------|--------|

DATE November 2024

DRAWING No.

1886 - 20

|       |
|-------|
| SCALE |
|-------|

1:50 @ A3

REV.

|              |    |
|--------------|----|
| <del>Q</del> | P1 |
|--------------|----|