

General Notes:

- Do not scale off this drawing.
- Use figured dimensions only.
- All dimensions to be verified prior to the commencement of any work or the production of any shop drawing.
- All omissions and discrepancies to be reported to the Architect immediately.
- This drawing is to be read in conjunction with all related Architect's and Engineer's drawings and any other relevant information.

Key

Site Boundary

Security key

School Gate

Access Control Access

Reception Area


Fire Escape - Exit Only

Security notes

- CCTV will be extended to include coverage of the new building, New Reddam Boarding.
- CCTV externally is to cover access points, & internally to cover corridors only.
- Communal doorsets should be to a minimum-security standard of LPS 1175 SR2 or equivalent. Alternatively, the door sets should meet individual standards for both physical security and durability eg PAS 24:2022 and BS 6375

revision	date	by	appr	description
----------	------	----	------	-------------

Key Plan



Client

Inspired Education

Project Name

Reddam House - New Boarding

Project Address

Reddam House, Berkshire, RG41 5BG

Design Stage

Stage 3+

Drawing Title

Security Strategy - Site Plan

Scale 1 : 500 Sheet Size A1 Date 28/02/2025

1 : 1000 A3

Drawn SAR Checked LBE Approved SGR

Revision Suitability Code For Planning

Drawing No.

RDH - HAP - DD - ZZ - DR - A - 72000