

Verification of application Evidence

Date: 18th May 2026

Applicant Name: Pamela Rendle

Tree Location: 6 Rectory Close, Wokingham, RG40 1TH

Agent: Al Buchanan FdSc (Arboriculture and Tree Management) BA (Hons) MA Arbor
Aimis Tree Care Limited

Proposed work covered by TPO [ref number: TPO 1292 – 2009: PP - 14944319]

1. Tree Identification and location

T2 – Pine

The tree is located in the rear garden of the property along the rear boundary with a public footpath behind. A site plan is included in the application showing the tree's position in relation to surrounding structures and boundaries.

2. Photographic evidence



Aimis Tree Care Limited

Registered in England & Wales No. 10719048

Registered Office: Heath Cottage, Brentmoor Road, Woking, Surrey, GU24 9NE

01483 361158 | info@aimistreecare.co.uk | www.aimistreecare.co.uk



3. Arboricultural assessment and justification

Species: Scots pine (approximately 17m x 9m)

Condition: Good

Observations:

- Tree was last managed in 2018.
- There has been a previous limb fall onto the path.
- Lateral growth growing as expected and towards the sun.

Target considerations:

- Public footpath below.
- Garden.

Context and management objectives:

The tree was previously selectively reduced in 2018 to bring back into shape and allow more light into the gardens below. Due to the public path and gardens below management objectives are to keep the tree to a suitable size and to reduce the likelihood of limb failures.

Justification for proposed works:

The proposed works are to continue this established management approach.

4. Proposed work

T2 - Scots pine approximately 17m x 9m

Aimis Tree Care Limited

Registered in England & Wales No. 10719048

Registered Office: Heath Cottage, Brentmoor Road, Woking, Surrey, GU24 9NE

01483 361158 | info@aimistreecare.co.uk | www.aimistreecare.co.uk



North canopy spread - 3m
East canopy spread - 5m
South canopy spread - 5m
West canopy spread - 3m

- Selectively reduce the lowest south-facing limb by approximately 1m from 5m, leaving it 4m.
- Crown lift by removing a south-facing tertiary branch to match the rest of the canopy.
- Reduce the top east-face by a maximum of 1m selectively to bring it into shape.

5. Declaration regarding evidence

The information provided within this application is based on a visual inspection and professional arboricultural judgement.

Aimis Tree Care Limited

Registered in England & Wales No. 10719048

Registered Office: Heath Cottage, Brentmoor Road, Woking, Surrey, GU24 9NE

01483 361158 | info@aimistreecare.co.uk | www.aimistreecare.co.uk