

tree solutions

arboriculture limited



T: 0118 9737873 | E: trees@treesolutions.org.uk | W: www.treesolutions.org.uk

Client: Paul Jacobs
Site: 3 Glebelands Road, Wokingham RG40 1 DY
Phone: [REDACTED]
Email: [REDACTED]

Proposed works to trees covered by TPO 1041-2002 & TPO 1063-2004

- T1 Veteran Oak: Located in the back garden.
- Selectively reduce all round by up to 2m cutting back to suitable growth, ensuring a flowing canopy line.
 - o This will reduce the average radial spread from 9m to 7m.
 - Remove deadwood >40mm in diameter or over 1m in length.
 - Lift the crown to a height above ground level of 4m by removing secondary and tertiary growth and selectively prune to give 2.5m clearance to the roof.
 - o In order to maintain adequate roof clearance and a balanced appearance.



T1 Oak – showing position in garden.

These proposed works are similar to the works carried out by us in 2019, PAN 191421 only with a 2m lateral reduction instead of 3m.

Tree Solutions Arboriculture Limited


23 Springdale | Finchampstead | Wokingham | Berkshire | RG40 4RZ
Registered in England no: 5748785 | VAT No: 879 0142 07

tree solutions

arboriculture limited



T: 0118 9737873 | E: trees@treesolutions.org.uk | W: www.treesolutions.org.uk



- T2 Showing major die-back from the tips. False Acacia, T2, neighbouring Oak
- T2 False Acacia – one of a pair of False Acacias on this property. On the TPO mapping portal, only one tree is mentioned - T10 of TPO 1063-2004
The second Acacia on the property is a larger, healthier and better developed tree only requiring deadwood removal.
Is our subject tree covered by the TPO?
- T2 False Acacia: Moribund tree with over 60% die- back in the canopy and major deadwood throughout up to 6m in length.
- Remove as close to ground level as practicable.

Tree Solutions Arboriculture Limited

23 Springdale | Finchampstead | Wokingham | Berkshire | RG40 4RZ
Registered in England no: 5748785 | VAT No: 879 0142 07