05/03/00

68mm resp 100mm pvc drain laid 1:40 on pea shingle bed to new soakaway min 5.0m from building or connect into exty SD drain if located.

NOTE - ALL DIMENSIONS AND SETTING OUT TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT PARTICULARLY WITH REGARDS CONFORMITY TO EXISTING STRUCTURE, ROOF PITCHES ETC.

ALL EXTERNAL MATERIALS TO MATCH EXISTING AS FAR AS PRACTICABLE.

ALL ELECTRICAL HEATING AND GENERAL FINISHING REQUIREMENTS TO BE AGREED WITH CLIENT.

New windows to be double glazed and fitted with draught seals.
Trickle Vents to windows
4000 mm² - Bathroom.
8000 mm² - Bedroom/Dressing.

Mechanical Ventilation to Bathroom min 15 litres/sec. extraction mounted in external wall or ducted to outside air.

Sanitary wastes - 75 mm deep seal traps. 40 mm bath waste with 32 mm branch to basin connected to soil stack. Extend top section of S.V.P. to guarded terminal above roof level.

GARAGE

DINING ROOM

2600.

Existing chimney stack removed and all cutting made good.

up

1/2HR SC.

Existing S & V.P to be cased.

STUDY

KITCHEN

Raise existing chamber to suit new floor level and fit double seal bolt down cover recessed and screeded to match floor finish.

Exty I.C.

Resp repositioned

Relocate resp from rear lean-to roof as indicated modifying drain to suit.

Exty I.C.

CONSERVATORY
(EXEMPT FROM BUILDING REGULATIONS)

2850

PROPOSED GROUND FLOOR

dormer

BEDROOM

dressing room

New doorway - Precast cone lintels to both skins over.

686 DR

en-suite

BATHROOM

down

PROPOSED FIRST FLOOR

Proposed Extension

29 27 25 23

Proposed Conservatory

BLOCK PLAN 1/500

ADAMS WAY

REDHATCH DRIVE

WYCHWOOD CRESCENT

25

LOCATION 1/1250

Tile vents at high level to both roofs to provide equivalent to 5 mm continuous

Lean-to roof at rear - interlocking tiles as exty.

WEST

REAR FRONT

NORTH

All new brickwork to match existing as near as possible.

EAST

Plain tiling to match existing.

SOUTH

25, REDHATCH DRIVE EARLEY, READING

PROPOSED TWO STOREY SIDE EXTENSION

03.MAR2000* 0826

SCALES - 1/50 & 1/100

JOHN R HALL
CHARTERED SURVEYOR
Tel. 0118 9882883

client Mr & Mrs A.Jinks

February 2000

PBC/1599

3/6/00