



Notes:

1. Do not scale from this drawing.
2. All dimensions in metres unless stated otherwise.
3. All levels relate to ordnance datum.
4. This drawing shall be read in conjunction with ALP's surface water drainage design.
5. Any discrepancies with the drawings shall be reported to the Engineer.
6. The surface water drainage strategy is based on the approved site wide Surface Water Drainage and SuDS Strategy.

KEY

- Proposed Surface Water Pipe
- Proposed Surface Water Pipe Annotation
- Proposed Surface Water Chamber
- Proposed Surface Water Chamber Annotation
- Proposed Permeable Paving
- Proposed Rain Garden
- Area designed by ALP. Refer to ALP Design Drawings
- Proposed Attenuation Basin. Refer to ALP Design Drawings

Attenuation Basin - R11B
Top of Basin Level: 65.71
Base of Basin Level: 64.21
Top Area: 320sqm2
Bottom Area: 1420sqm2
Catchment: 2,022sqm2
Max Discharge Rate: 8.9l/s
Refer to ALP Design for further details

PL2	14.03.25	Amended to suit revised planning layout	TSH	KG
REV. No.	DATE	DESCRIPTION	DRAWN	CHECKED
Client	Kier Property Developments Limited			
Project	South Wokingham Phase R11			
Title	Proposed Surface Water Strategy			
Scale:	1:500	A0	Status:	PLANNING
Drawn:	TH	Project Engineer: MJA	Project No:	7371
Drawing Number:	7371-MJA-SW-XX-DR-C-002	Date:	12/03/2025	Rev:
				PL2

MJA CONSULTING
CIVIL & STRUCTURAL ENGINEERS
Ipsium Court, 24 The Quadrant,
Abingdon Science Park, Abingdon
Oxon, OX14 3YF
Tel: 01235 555173
Email: mail@mjaconsulting.co.uk