


CLIENT: CALA Homes Thames Ltd
PROJECT: Hogwood Farm, Finchampstead
TITLE: Parcels 4 & 5 - 2022 Bat Activity Survey Summary Plan
SCALE AT A3: NTS 868.1/68
DATE: September 2024
Based on Ordnance Survey mapping with permission of Her Majesty's Stationery Office Licence no. AR187372 © hankinson duckett associates The Stables, Howbery Park, Benson Lane, Wallingford, OX10 8BA t 01491 838175 e consult@hda-enviro.co.uk w www.hda-enviro.co.uk
Landscape Architecture Masterplanning Ecology
hda



APPENDIX D

Management Schedules

Grassland Management

Habitat Type	Management Phase	Operational objective	Activity	J	F	M	A	M	J	J	A	S	O	N	D
Wildflower meadow	Establishment	Ensure establishment of a healthy sward.	Once established cut to a height of approximately 10cm. Remove cuttings. Carried out every 6-8 weeks throughout first growing season from mid-summer onwards.												
	Maintenance	Maintain and enhance meadow grassland for ecological diversity.	Cut once annually to no less than 10cm, at the end of August. Remove cuttings.												
Rough	Establishment	Ensure establishment of a healthy sward.	Once established cut to a height of approximately 10cm. Remove cuttings. Carried out every 6-8 weeks throughout first growing season from mid-summer onwards.												
	Maintenance	Maintain and enhance rough grassland areas.	Single cut to 10cm in late-spring on 2-3 year rotation. 30-40% to be cut in any one year.						1						
Amenity	Establishment	Ensure establishment of a healthy sward.	Carry out first cut once grass has reached 5cm, cutting off 1cm, and lightly roll. Maintain sward at 5cm by regular cutting at appropriate intervals through the growing season.			1	1	2	2	2	2	1	1		
	Maintenance	Maintain a short, neat sward for moderate recreational use. Prevent encroachment of woody species.	Regular cutting to 5cm throughout March-October (up to 14 times per year). Water and weed when needed.			1	1	2	2	2	2	1	1		
All new grassland	Establishment	Control problem species, e.g. Ragwort, Nettles, Thistle	Apply spot herbicide as required (Assume 1% of total area to be treated) or hand pull if within 5m of waterbodies					1							
	Maintenance	To maintain a healthy and uniform sward. Do not apply organic or inorganic fertilisers or lime. Do not apply insecticides, herbicides or fungicides; the exception is herbicides for the control of specific problem weeds – herbicides for these species should be applied by weed wiper or spot treatment with a back-pack sprayer.	Repair any erosion and settlement with re-seeding with the same species seed mix as used originally at appropriate time during the growing season. Control encroaching scrub.												

Note: Shaded blocks indicate recommended window for the relevant management activity to be carried out. Numbered blocks indicate that management should be carried out at this time and the frequency.

Hedgerows and Boundary Management

Type	Management Phase	Operational Objective	Activity	J	F	M	A	M	J	J	A	S	O	N	D
Native and Ornamental Hedgerows (new)	Establishment	Establish new species-rich native hedgerows, native hedgerows and ornamental hedgerows.	Plant hedgerows and protect with appropriate guards (see 'Trees and Scrub' schedule). Cut annually for 3 years to encourage bushy growth.												
	Maintenance	Maintain and enhance ecological value. Allow the development of standard trees within the hedges.	Species-rich native hedgerows (informal): Cut on 2-3 year cycle with tractor mounted cutter or hand held equipment, with 1/3 of hedges being cut every year on rotation.												
			Native hedgerows and ornamental hedgerows (formal): Cut up to 3 times a year using tractor mounted cutter or hand held equipment (preceded by nesting bird check where appropriate).								1	1	1		
Native Hedgerows (existing)	Establishment	Enhance hedgerows for wildlife and habitat connectivity. Plant up gaps in existing hedgerow.	Plant up gaps to correspond with existing width of hedgerow and protect new planting with appropriate guards (see 'Trees and Scrub' schedule). Cut annually until height matches with existing.												
	Maintenance	Maintain and enhance ecological value. Allow the development of standard trees within the hedges.	Cut on 2-3 year cycle with tractor mounted cutter or hand held equipment, with 1/3 of hedges being cut every year.												
Plant guards	Establishment	Protect from animal damage.	Inspect and maintain guards twice a year for up to 5 years after planting (see 'Trees and Scrub' schedule).												
Fences and gates	Maintenance	Maintain condition and safety, and integrity of fencing and any gates not pertaining to private curtilages.	Inspect annually and repair as necessary.												
All boundaries	Maintenance	Maintain condition and ensure boundaries are fulfilling duties.	Inspect twice per annum.												

Note: Shaded blocks indicate recommended window for the relevant management activity to be carried out. Numbered blocks indicate that management should be carried out at this time and the frequency.

Native Scrub and Tree Management

Habitat Type	Management Phase	Operation Objective	Activity	J	F	M	A	M	J	J	A	S	O	N	D
New trees and native scrub planting	Establishment	Ensure establishment of healthy trees and scrub.	Protect with appropriate guards/fencing.												
			Maintain >1m weed-free zone around base of newly planted trees and shrubs using mulch and/or 3 herbicide applications per year (or hand pulling if within 5m of waterbodies).				1		1		1				
			• Replace any dead plants during establishment period.												
	Maintenance	Ensure establishment by observing moisture levels around base of trees during dry months and tree stakes are intact.	• Water during long, dry spells.												
			• Regularly check tree stakes until fully established, 3 times per year. Repair and replace damaged tree stakes and ties. Remove stakes once established.												
			• Keep clear stems up to 2m.												
		Maintain and enhance for ecological diversity, amenity and public safety.	• Coppice shrubs on a 10 year rotation (or as required), cutting no more than 1/5 of all shrubs each year. Use brush from cuttings to protect stools, and stack logs.												
		• Thin tree canopy from new woodland areas by gradually removing nurse species. Assess annually.													
		• Inspect. Stop low branches and scrub encroaching onto footpaths.													
		Maintain for public safety and check for diseases.	Inspect. Fell dangerous trees, remove dangerous branches.												
Plant guards	Establishment	Protect from animal damage.	Inspect and maintain guards twice a year for up to 5 years after planting.												
Tree stakes	Maintenance	Maintain for support of trees until self supporting.	Check ties 3 times per year. Tighten/loosen and replace as necessary. Remove stakes once established.												

Note: Shaded blocks indicate recommended window for the relevant management activity to be carried out.

Woodland

Type	Management Phase	Operational Objective	Activity	J	F	M	A	M	J	J	A	S	O	N	D
Existing woodland	Establishment	Removal of man-made debris and abandoned items/waste	Clearance of debris from woodlands.												
		Reinstate coppicing, establish coupes and a programme of rotation.	Coppice selected stools, protect regrowth using brash or fencing and monitor.												
		Establishment of native broadleaved woodland of a diverse biodiversity and age structure.	Establish ecotones within buffer zones along woodland edges (refer to 'Grassland' and 'Trees and Scrub' for establishment and aftercare. • Installation of bat and bird boxes. • Construction of log and brash piles.												
	Maintenance	Coppicing.	Continue coppicing of selected stools (subject to outcome of monitoring), protect and monitor regrowth. Establishment of new stools if required.												
		Cut back vegetation encroaching onto woodland paths to ensure safe and accessible route.	Annually.												
		Thinning of trees and understorey to encourage diversity of ground flora.	Assess annually.												
		Fell dangerous trees	As appropriate to ensure the woodlands are a safe environment for local residents.												
		Inspect and repair or replace bat/bird boxes	Inspect every 6 months.												
		Construct log/brash piles from deadwood and felled trees/cleared vegetation.	As required following vegetation clearance.												

Note: Shaded blocks indicate recommended window for the relevant management activity to be carried out.

Wetland Management																
Habitat Type	Management Phase	Operational Objective	Activity	J	F	M	A	M	J	J	A	S	O	N	D	
Existing ditches	Establishment	Re-profile and ecologically enhance the ditches.	• Remove and dispose of any debris present.													
			• Removal of excessive silt.													
	Maintenance		• Introduction of in channel features and reprofiling of banks.													
	Maintenance		• Remove self-seeded scrub and woody species by hand.													
			• Cut or hand pull aquatic and marginal species as required to maintain at least 50% open water and variety of edge habitat.													
			• Removal of excessive silt (no more than 20% in any one year).													
		Maintain ditches in a safe condition.	Monitor condition and maintain any signage and safety equipment.				1								1	

Note: Shaded blocks indicate recommended window for the relevant management activity to be carried out. Numbered blocks indicate that management should be carried out at this time and the frequency.

Furniture, Footpath and Miscellaneous Management

Type	Management Phase	Operational Objective	Activity	J	F	M	A	M	J	J	A	S	O	N	D
Furniture (Informal Play Equipment, benches, bins etc)	Maintenance	Ensure furniture is safe and fit for purpose. Become aware of any site vandalism.	Assessment carried out annually during site inspection.												
Footpaths	Maintenance	Maintain footpaths in good order, removing encroaching vegetation, weeds and repair any structural damage.	Apply herbicide annually if required. Review potholes annually and reprofile as necessary.												
Litter and fly tipping	Establishment, Maintenance	Ensure site is kept free from litter and fly tipping.	Clear litter from site while undertaking maintenance tasks throughout the year. Fly tipping to be monitored and reviewed.	1	1	1	1	1	1	1	1	1	1	1	
Deadwood	Maintenance	Construct log and brash piles through areas of habitat from deadwood and felled trees/scrub.	Create piles from deadwood and felled vegetation during maintenance.												
Non-native Invasive Species	Establishment, Maintenance	Prevent re-establishment of non-native invasive species.	• Inspect annually and control any alien or invasive species (e.g. Rhododendron) as they appear.												
Site inspection and audit	Maintenance	Ensure site is establishing, identify any particular problems as early as possible. Ensure maintenance is running effectively in the long term.	Inspection of site establishment and maintenance effectiveness every 6 months. Update management plan as appropriate.												

Note: Shaded blocks indicate recommended window for the relevant management activity to be carried out. Numbered blocks indicate that management should be carried out at this time and the frequency.

HOGWOOD FARM, FINCHAMPSTEAD

DETAILED ECOLOGICAL PERMEABILITY SCHEME – PARCELS 4 AND 5

Prepared for CALA Homes Thames Ltd

by

Hankinson Duckett Associates

HDA ref: 868.1

July 2024

hankinson duckett associates

t 01491 838175 f 01491 838997 e consult@hda-enviro.co.uk w www.hda-enviro.co.uk
The Stables, Howbery Park, Benson Lane, Wallingford, Oxfordshire, OX10 8BA

Hankinson Duckett Associates Limited Registered in England & Wales 3462810 Registered Office: The Stables, Howbery Park, Benson Lane, Wallingford, OX10 8BA

Contents	Page
1 Introduction	1
2 Baseline Conditions	3
3 Ecological Context	4
4 Ecological Permeability Objectives	6
5 Habitat Corridors	6
6 Lighting	7
7 Hard and Soft Landscaping	10
8 Conclusion	17
9 References	17

HDA Document Control and Quality Assurance Record

APPENDICES

- A Existing Habitat Connectivity
- B Proposed Habitat Connectivity, Hedgehog Highways and Features for Nesting Birds/Roosting Bats
- C Illustrative Lighting Parameters Plan
- D Site-wide Lighting Strategy (MMA, 2018)
- E Parcels 4 and 5 - Indicative Ecological and Pedestrian Permeability Plan (JNP, 2022)

1

INTRODUCTION

1.1

Site location and summary description

1.1.1

This report describes a Detailed Ecological Permeability Scheme in relation to Parcels 4 and 5 of the development of approximately 110ha of land at Hogwood Farm, Finchampstead. The Parcels 4 and 5 development area comprises approximately 9ha of land, hereinafter referred to as 'the site'. The site centre is located by National Grid Reference SU 7653 6421. The study was commissioned by CALA Homes Thames Ltd in May 2024.

1.1.2

The Parcels 4 and 5 site is located to the north-west of the village of Finchampstead, Berkshire. In general terms, it comprises two fields supporting ruderal vegetation, bare ground, a small area of scrub and a hardstanding construction access track and compound area. The fields are bounded by areas of woodland, including ancient and aged woodland, in addition to native hedgerows with wet and dry ditches. The Parcels 4 and 5 site is bordered to the south by the existing Suitable Alternative Natural Greenspace (SANG) (delivered as part of the wider Hogwood Farm development); to the north by Parcels 2 and 3 of the development which are currently under construction; to the east by a future development parcel which currently comprises modified grassland and bare ground; and to the west by the A327 and Sheerlands Road, with ancient woodland and fields beyond. The location and boundary of the Parcels 4 and 5 site is shown in *Appendix A*.

1.1.3

The Parcels 4 and 5 site is part of a larger area covering a total of 110ha, hereinafter referred to as the 'wider site'. The wider site includes residential properties associated with Parcel 1 and a construction site associated with Parcel 2 in the north-west and a SANG in the south which comprises a mix of wetland, species-rich grassland, scrub and woodland habitats. In general terms, the western area of the wider site is comprised of three fields of disturbed ground dominated by short ruderal vegetation with scattered areas of tall ruderal vegetation and large spoil heaps bordered by mature trees and woodland with scrub field margins. The central and eastern areas of the site are comprised of areas of hardstanding and construction/disturbed ground bordered by mature treelines and woodland. The south-eastern areas of the site comprise two fields of semi-improved grassland fields intersected by a ditch with associated scrub and scattered trees. A species-rich hedgerow with trees adjacent to Park Lane is present along the southern boundary. Woodland shaws and copses are located in the northern, western and central areas of the site, including mixed, broadleaved and broadleaved plantation woodland types, some of which are included on Natural England's Inventory of Ancient Woodland. Wetland habitats within the site include drainage ditches and small streams associated with the field boundaries and several ponds in poor condition are located across the site. The wider site is bordered to the north by a construction site, the Bohunt School and the Hogwood Industrial Estate; to the east by Park Lane beyond which lie residential dwellings

and park homes; to the south by Park Lane and farmland; and to the west by A327 Reading Road and Sheerlands Road beyond which lie farmland and woodland. The wider area is dominated by agricultural land interspersed with woodland and residential properties.

1.1.4 Further information on the extent and composition of habitats, including hedgerows, across the Parcels 4 and 5 site and the wider site is provided in *Appendix A*.

1.2 Development proposals and context

1.2.1 Planning permission (O/2014/2179 and 140764) was granted in January 2017 for a hybrid application. This comprises:

- Outline permission for demolition of all existing buildings on site; up to 1,500 new dwellings; employment floor space; a Neighbourhood Centre; a primary school; sports pitches and associated pavilion building; highways infrastructure; associated landscaping, public realm, open/green space and sustainable urban drainage systems; and
- Full permission for a 29.7ha Suitable Alternative Natural Greenspace (SANG) in the south of the site.

The hybrid planning permission was subsequently amended by a Section 73 application (181194) which was approved in November 2018.

1.2.2 Condition 28 of the planning permission states that:

“Prior to submission of any Reserved Matters application other than pertaining to the Nine Mile Ride Extension South an outline scheme to maintain or enhance the ecological permeability of the site (especially with regard to reptiles, amphibians and hedgehogs) shall be submitted to and approved in writing by the local planning authority. The mitigation and contingency measures contained within the plan shall be implemented in accordance with the approved plan unless otherwise approved in writing by the local planning authority. All Reserved Matters applications for any sub phase of the development shall include a detailed ecological permeability scheme that demonstrates how the relevant sub phases have been designed to incorporate the provisions of the outline ecological permeability scheme and the detailed mitigation strategies shall be implemented in accordance with the approved details unless otherwise approved in writing by the local planning authority.”

1.2.3 In accordance with the requirements of Condition 28, this document provides a Detailed Ecological Permeability Scheme for Parcels 4 and 5. This has been produced to ensure measures to maintain the ecological permeability for wildlife are implemented within the Parcels 4 and 5 development scheme. The measures identified are in keeping with the ‘Outline Site-wide Ecological Permeability Scheme’ prepared for the wider site and the Parcels 4 and 5 site in its entirety (HDA, 2018b).

BASELINE CONDITIONS

Designated areas

2.1

No statutory or non-statutory designated areas are located within the Parcels 4 and 5 site. The area of woodland located within the western part of the site is however listed on Natural England's Inventory of Ancient Woodland. Ancient woodland is defined as any wooded area that has been continuously wooded since at least 1600AD. Although ancient woodland is not subject to legal protection in its own right, ancient woodland habitats are regarded as irreplaceable under the 2023 National Planning Policy Framework (NPPF) and Natural England and the Forestry Commission have provided Standing Advice for ancient woodland (a material consideration in the planning process). Lowland Mixed Broadleaved Woodland is also identified as a Habitat of Principal Importance under Section 40 of the 2006 NERC Act and is therefore a material consideration in the planning process.

Habitats and existing habitat corridors

2.3

In general terms, the Parcels 4 and 5 site currently comprises two fields supporting ruderal vegetation, bare ground, a small area of scrub and a hardstanding construction access track and compound area bounded by woodland and native hedgerows.

2.4

Habitat corridors associated with the Parcels 4 and 5 site comprise:

- A strip of woodland, including an area of ancient semi-natural woodland, runs along the western boundary of the Parcels 4 and 5 site.
- A strip of broadleaved 'aged' woodland with wet and dry ditches is present along the southern part of the eastern boundary of the Parcels 4 and 5 site. The wet ditch continues to the north of the woodland along a native hedgerow running north along the eastern boundary and connected to a native hedgerow with trees that run east into the wider site.
- A defunct native hedgerow with mature trees is situated along the northern site boundary and connects with woodland along the western boundary.
- The site's southern boundary comprises a strip of plantation lowland mixed deciduous woodland with a dry ditch. This woodland connects to the woodlands along the western and eastern boundaries, and the SANG lies to the south of this woodland.
- A treeline with a relic species-rich hedgerow and dry ditch at its base is present at the centre of the site, between Parcel 4 and Parcel 5. The compound access track crosses at its centre; however, the hedgerow and ditch provide limited connectivity to the eastern and western woodland strips.

2.5 In general, the habitat corridors are well-connected across the site and to the wider site. Further information on the extent and composition of these features is provided in the Parcels 4 and 5 Habitat Survey and Target Notes included as *Appendix A*.

Existing lighting

2.6 A lighting strategy for the Parcels 4 and 5 site and wider site was prepared to assess the likely effects of the proposed development on external artificial lighting levels and includes information on the baseline lighting conditions within the site (MMA Lighting Consultancy, 2018).

2.7 The lighting strategy identifies that the environment surrounding the Parcels 4 and 5 site has 'low district brightness' and is categorised as an E2 Environmental Zone in accordance with the ILP Guidance (See *Table 1* below).

Table 1: Environmental Zone table

Zone	Surrounding	Lighting Environment	Examples
E0	Protected	Dark	UNESCO Starlight Reserves, IDA Dark Sky Parks
E1	Natural	Intrinsically dark	National Parks, Areas of Outstanding Natural Beauty etc.
E2	Rural	Low district brightness	Village or relatively dark outer suburban locations
E3	Suburban	Medium district brightness	Small town centres or suburban locations
E4	Urban	High district brightness	Town/city centres

Hard landscaping

2.8 Hard landscaping within the site is limited to the construction access road and compound with mobile cabins. These areas of hardstanding do not have kerbs or gully pots and are subsequently unlikely to have a significant effect on the existing ecological permeability of the Parcels 4 and 5 site or wider site.

3 ECOLOGICAL CONTEXT

3.1 The proposals for the development of the Parcels 4 and 5 site have been informed by a number of detailed studies including an Environmental Statement (Royal Haskoning, 2014), updated field surveys in relation to protected and notable habitats and species and the lighting strategy. This work has been used to inform a scheme for the avoidance and mitigation of potential effects of development on features of nature conservation interest.

3.2 With regard to the ecological permeability of the proposed development, the following receptors have been identified as being potentially sensitive and form the focus of this report:

- **Foraging and commuting bats:** Although bat foraging and commuting activity has generally been found to be low, it will be necessary to maintain foraging opportunities and commuting corridors across the Parcels 4 and 5 development site. This is considered in this report in addition to the Detailed Bat Mitigation Strategy (HDA, 2024a) produced for the Parcels 4 and 5 site in relation to Condition 24.
- **Roosting bats:** One tree within/adjacent to the site supporting a low-status, non-breeding bat roost for Soprano Pipistrelle, will be retained within the scheme. The Detailed Bat Mitigation Strategy produced for the Parcels 4 and 5 site includes the specific provision of retained, replacement and additional bat roosting features within the development phase (HDA, 2024a). These are in keeping with the measures set out in this report.
- [REDACTED]
- **Reptiles:** Low populations of Grass Snake and Slow-worm and a very low population of Common Lizard have been recorded across the wider site (HDA, 2021). However, no reptiles were recorded within the Parcels 4 and 5 site during the 2023 reptile survey. In addition to the measures detailed in this document, a Detailed Reptile Mitigation Strategy has been produced for the Parcels 4 and 5 site as required under Condition 26 of the planning consent (HDA, 2024b).
- **Amphibians:** No evidence of Great Crested Newts has been recorded at the site or its surrounds, however it is likely that other species of amphibian such as Common Frog and Common Toad are present.
- **Hedgehogs:** Hedgehogs are a generalist species, found in a wide range of rural and urban habitats in the UK and as such are likely to be present within the Phases 4 and 5 site and wider site. In addition, they are a Species of Principal Importance

¹ Following approval of a Natural England licence application to temporarily close four setts in the north-east of the site due to the proximity of the NMRE works (a main sett, the annex sett and two of the outlying setts), Stantec carried out temporary sett closures in 2020. As part of these works two replacement setts were constructed, one within the Green Corridor associated with Phase 2 in the north-west of the wider site and one within the SANG (Stantec, 2020) (the SANG was not included in the scope of the 2023 survey).

identified under Section 41 of the 2006 NERC Act and are in decline in the UK (Wilson & Wembridge, 2018).

4

ECOLOGICAL PERMEABILITY OBJECTIVES

4.1

With regard to the baseline conditions and potentially sensitive ecological receptors described above, the following objectives for this ecological permeability scheme for the Parcels 4 and 5 site have been identified:

- Provide and maintain a series of habitat corridors around the site;
- Ensure the functionality of proposed habitat corridors, through sensitive lighting design; and
- Include features within areas of hard and soft landscaping to facilitate the movement of wildlife within/across the proposed development.

5

HABITAT CORRIDORS

5.1

Habitat corridors associated with the Parcels 4 and 5 site currently comprise woodland margins and woodland belts along the western, eastern and southern site boundaries, and native hedgerows/treelines along the northern, north-eastern boundaries and through centre of the site. Habitat corridors are generally well-connected across the site (see *Appendix A*).

5.2

The majority of these features will be retained within the Parcels 4 and 5 development scheme with additional planting where appropriate as demonstrated in the Landscape Proposals P4+5 Masterplan (CSA, 2024) and the Detailed Landscape and Ecological Management Plan for Parcels 4 and 5 (HDA, 2024c). Key habitat corridors to be secured within the Parcels 4 and 5 development scheme will focus on the existing features and are shown on the plan provided in *Appendix B*. Key corridors will comprise:

- Woodland associated with the western site boundary will be retained, with the exception of the removal of 2 trees (Holly and Beech) associated with the existing construction access point (RPS, 2024). The margin will be enhanced with wildflower meadow and shrub planting, which will improve habitat connectivity north to south through and adjacent to the site.
- The aged woodland and native hedgerow along the eastern boundary bordered by wet and dry ditches will be retained and enhanced, with the exception of a single Field Maple and a group of mixed broadleaves (approximately 13m in length) will be removed from the centre of the hedgerow of the north-eastern boundary (RPS, 2024). Enhancements include the provision of wildflower meadow, shrub, tree and native hedgerow planting.

- The plantation woodland along the southern boundary will be retained and the margin will be enhanced with wildflower meadow, scrub and native hedgerow planting.
- The native hedgerow along the northern boundary will be retained and enhanced through the planting of wildflower meadow and native hedgerows.
- The treeline and relic species-rich hedgerow in the centre of the site will be retained and enhanced, with the exception of three Leyland Cypress at the western end and approximately 9m of hedgerow at the eastern end (RSP, 2024). The retained sections will be enhanced through planting of wildflower meadow, scrub and trees improving the connectivity through the centre of the site.

5.3 The above habitat corridors will maintain and improve connections to other corridors within the wider site and wider area, including the areas of ancient woodland to the west of the site and hedgerows within the wider site, which connect to areas of proposed public open space and the SANG.

5.4 Lighting proposals in the vicinity of habitat corridors will be subject to the sensitive design measures described in *Section 6* and where it is unavoidable that habitat corridors are crossed by access roads, measures to minimise effects on the movement of wildlife are identified in *Section 7* below.

5.5 In addition to the key habitat corridors around the Parcels 4 and 5 site, 'stepping stone' habitats will be provided across the Parcels 4 and 5 development area and within its wider green infrastructure as shown on the Landscape Proposals P4+5 Masterplan (CSA, 2024). These include:

- Standard tree planting and ornamental hedgerow planting along roads and property boundaries.
- The gardens of the proposed development are also likely to maintain connectivity across the site for some mobile species including birds and invertebrates. This is likely to be encouraged through use of the proposed ornamental planting mix which includes fruiting and nectar/pollen rich species benefitting groups such as birds and invertebrates.

6 LIGHTING

6.1 This section describes the strategy that the external lighting design of the Parcels 4 and 5 development will employ unless otherwise agreed with Local Planning Authority, in order to achieve the objectives set out in *Section 4* above.

6.2 Where appropriate, these measures are shown on the Illustrative Lighting Parameters Plan provided in *Appendix C*. Further information on the types and specifications of the

luminaires described and their proposed distribution across the site are shown in the Site-wide Lighting Strategy (MMA, 2018) provided in *Appendix D*.

6.3 **Lighting Exclusion Zones**

6.3.1 The Illustrative Lighting Parameters Plan provided in *Appendix C* identifies 'Lighting Exclusion Zones'. Within the Lighting Exclusion Zones, unless otherwise agreed with the local planning authority:

- No new external lighting will be installed;
- All existing external lighting will be removed; and
- Light will be of no more than 0.75 lux at ground level from new luminaires.

6.3.2 The lighting exclusion zones include the following areas:

- The SANG;
- Hogwood Shaw LWS;
- Areas of ancient woodland and aged woodland, beyond the SANG boundary; and
- Substantial areas of additional open space within the site proposed for habitat enhancement works.

6.4 **Lighting Restriction Zones**

6.4.1 The Illustrative Lighting Parameters Plan provided in *Appendix C* identifies 'Lighting Restriction Zones'. Unless otherwise agreed with the local planning authority, lighting Restriction Zones identify areas where:

- Lighting will be avoided and lighting will be at the lowest level required for public safety, in order to limit levels of horizontal or vertical light spill into sensitive areas associated with the Lighting Exclusion Zones;
- Lighting Restriction Zones adjacent to retained native hedgerows will be at least 5m; and
- Lighting Restriction Zones adjacent to woodland will be at least 15m.

6.4.2 The Lighting Restriction Zones primarily relate to identified features within the Lighting Exclusion Zones and public open space designed to be used for recreational activities in addition to habitat enhancement works. It is proposed that lighting in the Lighting Restriction Zones will comprise low-level bollard luminaires along footpaths/cycleway/bus routes. These will be approximately 1.2m in height, and will use LED bulbs with full cut-off optics to contain light on the footpath/cycleway with negligible horizontal or vertical luminance on the opposite side of the roadway².

² It should be noted that on some roadways additional lighting will be required for public safety.

6.4.3 In the event that lighting is required outside of the above parameters in relation to the Parcels 4 and 5 development scheme, any such deviation will first be agreed with the local planning authority, and measures to minimise effects of lighting will be incorporated into the lighting design in accordance with the measures set out below.

6.5 **Lighting design**

6.5.1 In addition to the lighting restriction measures identified above, where new/replacement lighting outside of the Lighting Exclusion Zones is proposed within the Parcels 4 and 5 site, the Site-wide Lighting Strategy (MMA, 2018) provided in *Appendix D* identifies measures to achieve a minimum level of lighting required for public amenity and safety whilst restricting horizontal or vertical light spill into non-target areas. Measures include:

- LED lighting with a correlated 'warm' colour temperature of 3000 Kelvin, which will be lowered to 2700 Kelvin (where practical) within the Lighting Restriction Zones.
- LED light sources contain no UV wavelengths and the warmer colour temperatures reduce the light emitted beyond the 550 nanometer wavelengths. These requirements are consistent with the current research on the impact of artificial lighting on bats as published by the Bat Conservation Trust and Institution of Lighting Professionals (BCT & ILP, 2023);
- The lighting columns will be limited to 8m for the spine road and 6m for the subsidiary roads such as those running through the Parcels 4 and 5 development site; and
- Rear spill guards will be attached to luminaires to focus light onto target areas and away from habitat corridors.
- LED luminaires are suitable for dimming. A Remote Monitoring System will be considered for lighting in sensitive locations to allow luminaires to be dimmed to an appropriate level and then dimmed back further after a late night curfew (23:00) (or switched off entirely).
- Pedestrian-only footpaths/cycleways will be unlit with the exception of bollard lighting at nodal points, fitted with LED luminaires and rear spill guards/louvres/cowls, as appropriate.

6.6 **Ecological receptors**

Bats

6.6.1 The retained bat roost and retained trees which include suitable features for roosting bats are located in areas proposed as either Lighting Exclusion Zones or Lighting Restriction Zones. The four proposed tree-mounted bat boxes will also be installed in these zones (see *Section 7.3.3* below) and the remaining 177 bat boxes proposed on new buildings will be located within areas subject to the sensitive lighting measures described in *Section 6.5.1* above.

6.6.2 Key areas of existing foraging habitats and corridors for the movement of bats will be maintained by the Lighting Exclusion Zones and Lighting Restriction Zones identified in *Appendix C* and incorporated into the design of the Parcels 4 and 5 development scheme. Sensitive lighting proposals within the Parcels 4 and 5 development area would also be expected to maintain opportunities for foraging and commuting bats in this area, and maintain connectivity between roost sites and foraging habitat in the wider site and its surrounds.

Other species

6.6.3 The above measures would be expected to maintain opportunities around the Parcels 4 and 5 development site for a variety of other nocturnal species [REDACTED] together with limiting effects of lighting on diurnal species associated with the retained network of semi-natural habitats provided by the site.

7 HARD AND SOFT LANDSCAPING

7.1 This section describes features to be included in the hard and soft landscaping proposals for the Parcels 4 and 5 site in order to allow small animals, such as reptiles, amphibians and Hedgehogs, to safely cross the site and use all areas of the site of benefit to them. In addition, measures to be provided to increase opportunities for roosting bats and nesting birds are detailed.

7.2 Road crossing points

7.2.1 Facilitating the movement of wildlife across roads will involve measures to prevent animals becoming trapped in the carriageway and/or being run-over by vehicles. A number of measures will be included within the road system to: (i) reduce the likelihood of small animals entering the carriageway (avoidance measures); and (ii) if in the event that small animals do enter the road system, that they can safely exit the carriageway (protection measures).

Avoidance measures

7.2.2 Number of crossing points:

The number of points at which roads and cycleways cross the habitat corridors described in *Section 5* has been kept to the minimum level required to allow effective movement of people and vehicles around the site.

7.2.3 Location of crossing points:

Where possible, the positions of roads crossing the habitat corridors focus on locations where the habitat is of lowest ecological interest and that where possible existing pinch points and/or gaps in the existing habitats are already present. Examples of this include

use of the existing gaps in the woodland belt on the northern site boundary for access routes.

7.2.4 *Orientation of crossing points:*

Where possible crossing points across habitat corridors described in *Section 5* approach the habitat corridor perpendicularly. This is shown in the design for the access point from the Parcels 4 and 5 development area into development Parcel 2 to the north and where the spine road crossed the central treeline. This has limited the extent of existing habitat to be lost and the extent of road within the habitat corridor.

7.2.5 *Tunnels/ shelves:*

To reduce the likelihood of small animals entering the carriageway where the road crosses the strip of woodland on western boundary and central treeline, either:

- Two small tunnels (e.g. www.aco.co.uk/products/climate-tunnel or similar) will be installed flush with or below the road surface to allow small animals to safely cross the road. Tunnels will be slotted to equalise ambient temperatures between the tunnel and the open air, whilst maximising light and humidity. The locations of the tunnels are shown on the 'Parcel 4 and 5 Indicative Ecological and Pedestrian Permeability Plan' (JNP, 2024) provided in *Appendix E*; OR



(Image sourced from www.aco.co.uk)

- The culvert for the section of ditch crossed by the road would be of a suitable design to allow the passage of wildlife. This may include use of a shelf to allow dry passage of animals at times when the ditch is carrying water.

7.2.6 *Standard Tree Planting:*

Where bats are most likely to cross roads, for example where roads bisect hedgerows, treelines or ditches associated with habitat corridors described in *Section 5*, where existing mature trees are not already present new standard trees will be planted. These will serve the purpose of increasing the height of bat flight lines thereby reducing risk of collision with vehicles.

Protection measures

7.2.7 The design of the road system includes the provision of kerbs for the primary and secondary roads to discourage drivers from parking/driving on footpaths and adjacent

landscaping. However, sections of the tertiary and private road network will comprise shared surface roads with the carriageway demarcated with edging/soldier course blockwork, which will allow small animals to cross these minor roads with no barriers to movement (*Appendix E*). Where the provision of kerbs is required in the vicinity of habitat corridors, the following measures will be included to allow small animals to safely exit the carriageway.

7.2.8 *Dropped kerbs:*

In addition to dropped kerbs to assist pedestrians to cross roads safely, dropped kerbs will also be specifically provided to allow small animals to easily exit the carriageway in areas where animals are most likely to cross roads or be trapped within the carriageway, for example where roads bisect hedgerows, woodlands or ditches associated with habitat corridors described in *Section 5*. The proposed locations of dropped kerbs within the Parcels 4 and 5 development scheme, both designed for pedestrian/cycle use and for use by wildlife, are shown in *Appendix E*. These are focussed on locations where it is expected that wildlife is most likely to enter/exit the road system.

7.2.9 *Wildlife kerbs and off-set gully pots:*

Small animals, in particular amphibians, naturally follow the line of the kerb when trying to exit the carriageway until a feature such as a dropped kerb is encountered. Subsequently if a gully pot is installed immediately adjacent to the kerb, when they reach a gully pot the animal may fall through into the gully and be unable to escape. Wildlife kerbs (e.g. www.aco.co.uk/products/wildlife-kerb or similar) have a bypass recess in the front face allowing amphibians to safely bypass the gully pot.



(Image sourced from www.aco.co.uk)

An alternative to wildlife kerbs is locating gully pots further into the road, rather than immediately adjacent to the kerb.

The primary and secondary road system bordering the perimeter of the Parcels 4 and 5 site is most likely to present a risk to small animals using the habitat corridors described in *Section 5*. These areas are shaded green on the 'Parcels 4 and 5 Indicative Ecological and Pedestrian Permeability Plan' (JNP, 2024) provided in *Appendix E*. In addition to the

dropped kerbs described above, wildlife kerbs, offset gully pots and gully pot ladders within gully pots (see below) will be provided in these locations to avoid entrapment in the site drainage system.

7.2.10 *Gully pot ladders:*

Amphibian gully pot ladders (e.g. www.thebhs.org/shop/the-bhs-amphibian-gully-pot-ladder or similar) will be installed within gully pots at the key locations shown on the 'Parcels 4 and 5 Indicative Ecological and Pedestrian Permeability Plan'. These provide amphibians and small mammals with a means of escape if they become trapped within a gully pot.

7.3 Garden and residential property permeability

7.3.1 To ensure private dwellings and their gardens are of benefit to a range of wildlife, in addition to the planting proposals described in *Section 5.5* above and shown on the Parcels 4 and 5 Landscape Strategy (CSA, 2024), a number of measures will be included in the Parcels 4 and 5 development scheme to provide permeability and opportunities for roosting and nesting.

7.3.2 *Hedgehog highways:*

Hedgehogs travel around 1 mile every night through a range of habitats, including gardens. Fences and walls inhibit the movement of Hedgehogs within their territory, reducing the amount of land available to them (www.hedgehogstreet.org). In order to separate the gardens of private properties, the provision of hedgerows, fences and walls is proposed. Where possible hedgerows will be provided as these provide habitat for a range of species and do not inhibit the movement of Hedgehogs and other terrestrial animals. Where fences and walls are proposed, holes in these potential barriers will be provided to allow the movements of Hedgehogs between the gardens (e.g. jacksonsfencing.co.uk/product/sc_667610/hedgehog-gravel-board-for-use-with-slotted-posts-1.83m-x-150-x-28mm-incl.1-x-end-packer-1-x-length-packer-jakcured or similar). These holes can be as small as 13x13cm, which are sufficient for Hedgehogs to pass through but too small for the majority of pets. These holes will be provided at a rate of at least one per garden fence/wall to ensure multiple routes through the residential gardens are accessible to Hedgehogs. The locations of the proposed Hedgehog highway holes in Parcels 4 and 5 are indicated in *Appendix B*. In order to ensure these holes are not blocked by householders and to raise awareness of the issue, holes will be marked with signs to inform householders on the reason for their presence:



(Images sourced from www.hedgehogstreet.org)

7.3.3 *Bird and box boxes:*

The inclusion of bat and bird roosting opportunities on new dwellings and mature trees will enhance roosting/nesting opportunities for bats and birds within the Parcels 4 and 5 site and improve the permeability of the site for these species. CALA Homes Thames Ltd have an 'Urban Wildlife Strategy' in place for all their new developments. As part of this strategy CALA Homes (Thames) will incorporate:

- An average of one swift nesting feature per house and apartment building; and
- Each house and apartment block to have at least one bat roosting feature.

This strategy will be implemented for Parcels 4 and 5. The location of these features is shown in *Appendix B*.³

Bird boxes:

A total of 177 bird nesting features will be included within the Parcels 4 and 5 site located within a range of habitats, using different types of boxes suitable for a range of bird species.

These will comprise:

³ Appendix B shows all bat and bird boxes proposed as part of the Parcel 4 and 5 Reserved Matter application in addition to bat and bird boxes recommended in relation to planning consent (181194) Service Corridor and planning consent (210084) temporary construction vehicular access from Sheerlands Road.

A total of 177 bird boxes will be attached/ incorporated to the walls of the new buildings. These will comprise a mix of:

Manthorpe Swift nesting brick: Designed for Swifts, which inhabit cracks and crevices. Swift boxes have been selected as they are considered to support nesting features for a wide range of bird species.



Woodstone Swift nesting box: Designed for Swifts, which inhabit cracks and crevices. Swift boxes have been selected as they are considered to support nesting features for a wide range of bird species.



A total of 15 bird boxes will be attached to existing retained trees:

8x Vivara Pro Seville WoodStone Nest Box with 32mm Oval Hole: Favoured by Blue Tits, Tree Sparrows, Great Tits, Crested Tits, Nuthatches, Coal Tits and Pied Flycatchers.



7x Vivara Pro Barcelona WoodStone Open Nest Box: Favoured by Wrens, Robins, Spotted Flycatchers, Pied Wagtails, Grey Wagtails, Song Thrushes and Blackbirds as well as offering protection from woodpeckers, squirrels and cats.



(Images sourced from nhbs.com, www.manthorpebp.co.uk).

Bat boxes:

A total of 181 bat roosting features will be included within the Parcels 4 and 5 site located within a range of habitats, using different types of boxes suitable for a range of bat species. These will comprise:

A total of 177 bat roosting features will be included on new buildings. Bat roosting features have been selected that require no maintenance or cleaning. These will comprise a mix of:

Ibstock bat box type B: Designed specifically for Pipistrelle bats with several roosting zones being present within the box. Maintenance free with entrance at the base.



Wildcare soffit bat box: Designed with two roost chambers with different properties, providing hanging areas which differ spatially and climatically:



<p>Ibstock bat box type C: Designed specifically for Pipistrelle bats with several roosting zones being present within the box. Maintenance free with entrance at the base.</p> 	<p>Beaumaris Woodstone Bat Box: Designed with a single narrow cavity, which makes it suitable for crevice roosting bats such as the Common Pipistrelle, Soprano Pipistrelle, Nathusius' Pipistrelle, Brandt's bat and Whiskered Bat. The interior of the box has a rough surface for bats to cling to.</p> 
<p>A total of 4 bat roosting features will be included on mature trees:</p> <p>4 x Greenwoods Ecohabitats Medium Hollow Bat Boxes: Designed for larger groups of bats who prefer a wider cavity, such as Brown Long-eared bat, Noctule and <i>Myotis</i> sp.</p> 	

(Images sourced from ibstockbrick.co.uk, wildcare.co.uk, vivarapro.co.uk and greenwoodsecohabitats.co.uk).

7.3.4

'Living with Wildlife' leaflet:

New residents will be provided with a 'Living with Wildlife' leaflet which will raise awareness about sensitive habitats and species within the site and its surrounds, and how they can be enjoyed and protected. This will include information on the following:

- Responsible disposal of green waste;
- Responsible use of the site and wider area for recreation including the SANG;
- Keeping cats indoors at dawn/dusk and ensuring cats wear collars with bells to avoid them killing reptiles and other groups, such as small mammals;
- Presence of the hedgehog highways;
- Presence of bird and bat boxes;
- Plants of benefit to wildlife (e.g. RHS Perfect for Pollinators);
- Benefits of the provision of garden ponds (including the use of ramps to allow animals to escape);
- Benefits of feeding birds; and
- The presence within the Parcels 4 and 5 site and wider site of areas of the woodland, scrub, rough and meadow grassland and wetland habitats and their benefits for wildlife.

CONCLUSION

Through implementation of these safeguarding measures and the prescriptions detailed above, it is considered that the ecological permeability objectives for the Parcels 4 and 5 site will be achieved and secured in the long-term, thereby maintaining opportunities for wildlife to move around and within the site, the wider site and the surrounding countryside throughout the operational phase of the proposed development.

REFERENCES

ACO (2024) *Climate Tunnel*. Available from: <https://www.aco.co.uk/products/climate-tunnel>. [Accessed July 2024].

ACO (2024) *Wildlife Kerb*. Available from: <https://www.aco.co.uk/products/wildlife-kerb>. [Accessed July 2024].

BHS (2024) *The BHS Amphibian Gully Pot Ladder*. Available from: www.thebhs.org/shop/the-bhs-amphibian-gully-pot-ladder. British Herpetological Society. [Accessed July 2024].

CSA (2024) *Parcel P4-5 Hogwood Farm, Finchampstead: Landscape Masterplan Proposals*.

HDA (2018a) *Hogwood Farm, Finchampstead: Phase 1 Habitat Survey and Target Notes*. Hankinson Duckett Associates, Wallingford.

HDA (2018b) *Hogwood Farm, Finchampstead: Outline Site-wide Ecological Permeability Scheme*. Hankinson Duckett Associates, Wallingford.

HDA (2018c) *Hogwood Farm, Finchampstead: Reptile Survey Report and Site-wide Outline Reptile Mitigation Strategy*. Hankinson Duckett Associates, Wallingford.

HDA (2021) *Hogwood Farm, Finchampstead: 2021 Reptile Survey Report and Site-wide Outline Reptile Mitigation Strategy*. Hankinson Duckett Associates, Wallingford.

HDA (2024a). *Hogwood Farm, Finchampstead: Detailed Bat Mitigation Strategy – Parcels 4 and 5*. Hankinson Duckett Associates, Wallingford.

HDA (2024b). *Hogwood Farm, Finchampstead: Detailed Reptile Mitigation Strategy – Parcels 4 and 5*. Hankinson Duckett Associates, Wallingford.

HDA (2024c). *Hogwood Farm, Finchampstead: Landscape and Ecological Management Plan – Parcels 4 and 5*. Hankinson Duckett Associates, Wallingford.

Hedgehog Street (2022) *Hedgehog Street*. City of Wildlife. Available from: www.hedgehogstreet.org [Accessed July 2024].

Institution of Lighting Professionals (2023) *Bats and Artificial Lighting at Night*. Institution of Lighting Professionals and Bat Conservation Trust. Warwickshire

Jacksons Fencing (2022) *Hedgehog Gravel Board for Use With Slotted Posts 1.83m x 150 x 28mm*. Available from: <https://www.jacksons->

fencing.co.uk/product/sc_667610/hedgehog-gravel-board-for-use-with-slotted-posts-1.83m-x-150-x-28mm-incl.1-x-end-packer-1-x-length-packer-jakcured. [Accessed July 2024].

JNP Group (2024) *Hogwood Farm Parcels 4&5: Indicative Ecological and Pedestrian Permeability Plan. Drawing No. C8655-JNP-66-XX-DR-T-7016*.

MMA Lighting Consultancy (2018) *Hogwood Farm, Finchampstead: Lighting Strategy. MMA Project Number: 14556. Revision: R1*.

RHS (2022) *RHS Perfect for Pollinators: Garden Plants*. Available from: <https://www.rhs.org.uk/science/pdf/conservation-and-biodiversity/wildlife/rhs-perfect-for-pollinators-garden-plants.pdf> [Accessed July 2024].

Royal Haskoning (2014) *Chapter 7: Biodiversity, Flora and Fauna, In: Hogwood Farm Environmental Statement Non-Technical Summary*.

RPS (2024) *Hogwood Garden Village, Finchampstead, Wokingham – Parcels 4 & 5: Tree Survey Report & Arboricultural Impact Assessment*.

Wilson, E & Wembridge, D (2018) *The State of Britain's Hedgehogs 2018*. The People's Trust for Endangered Species and British Hedgehog Preservation Society.

HDA Document Control and Quality Assurance Record

Project Title: Arborfield Eco
Project Reference: 868.1
Document Title: Detailed Ecological Permeability Scheme – Parcels 4 and 5
Commissioning Party: CALA Homes Thames Ltd

Issue	Description	Date of Issue	Signed
1	Detailed Ecological Permeability Scheme – Parcels 4 and 5	July 2024	

	Personnel	Position
Author	Sarah Thornton-Mills MCIEEM	Principal Ecologist
Checked by	Anna Potter	Senior Ecologist
Approved for issue	Adrian Meurer MCIEEM	Director

© Hankinson Duckett Associates. All rights reserved


No part of this report may be copied or reproduced by any means without prior written permission from Hankinson Duckett Associates. If you have received this report in error, please destroy all copies in your possession or control and notify Hankinson Duckett Associates.

This report has been prepared for the exclusive use of the commissioning party and unless otherwise agreed in writing by Hankinson Duckett Associates no other party may use, make use of or rely on the contents of the report. No liability is accepted by Hankinson Duckett Associates for any use of this report, other than for the purposes for which it was originally prepared and provided.

Opinions and information provided in the report are on the basis of Hankinson Duckett Associates using due skill, care and diligence in the preparation of the same and no explicit warranty is provided as to their accuracy. It should be noted and it is expressly stated that no independent verification of any of the documents or information supplied to Hankinson Duckett Associates has been made.

APPENDIX A

Existing Habitat Connectivity



Target Notes – Arborfield

1. Site yard comprised a hardstanding area with mobile cabins.
2. Relatively sparse ruderal vegetation dominated by Common Nettle *Urtica dioica*, Spear Thistle *Cirsium vulgare*, Common Ragwort *Senecio jacobaea*, Bristly Oxtongue *Helminthotheca echinoides* and Common Dandelion *Taraxacum officinale*. Small areas of scattered bare ground/ recently disturbed ground are present. Field margins vary between 1 – 5m and are more densely vegetation with the above species with the inclusion of Annual Meadow Grass *Poa annua*, Red Fescue *Festuca rubra*, Cleavers *Galium aparine*, Broad-leaved Dock *Rumex obtusifolius*, Cut Leaved Cranes Bill *Geranium dissectum*, Field Forget-me-not *Geranium dissectum* and Scarlett Pimpernel *Anagallis arvensis*.
3. Mixed woodland along the western boundary with species including Ash *Fraxinus excelsior*, Larch *Larix decidua*, Scots Pine *Pinus sylvestris*, Beech *Fagus sylvatica*, Pedunculate Oak *Quercus robur* and Black Poplar *Populus nigra*. Some of the trees are mature and have suitable bat roosting features. The understorey is comprised of Elder *Sambucus nigra*, Hawthorn *Crataegus monogyna*, Holly *Ilex aquifolium*, Willow *Salix* Sp. and Hazel *Corylus avellana*. The ground layer is dominated by Bramble *Rubus fruticosus* and Common Nettle with Bracken *Pteridium aquilinum*, Ground Ivy *Glechoma hederacea*, Cleavers, Wood Avens *Geum urbanum*, Herb Robert *Geranium robertianum*, White Bryony *Bryonia dioica* and Black Bindweed *Fallopia convolvulus*. Part of the southern area of this woodland is listed on Natural England's Ancient Woodland Inventory; this area is especially dominated by Larch and other introduced coniferous species.
4. Native defunct hedgerow with trees comprising a hedgerow of Field Maple *Acer campestre*, Hazel, Blackthorn *Prunus spinosa* and Ash, with Ash and Oak mature trees and a dry ditch below.
5. Newly created culvert with a small area of standing water.
6. Treeline of mature Ash and Pedunculate Oak trees with relic species rich hedgerow of Hazel, Holly, Field Maple, Hawthorn and Blackthorn. Some of the mature trees have the potential to support roosting bats. The ground layer vegetation is sparse and mostly comprised of Bramble with occasional Cowslip *Primula veris* and Creeping Thistle *Cirsium arvense*.
7. Lowland mixed deciduous woodland comprised of Pedunculate Oak and coppiced Ash with Wild Cherry *Prunus avium*, Field Maple, Hazel, Hawthorn and Blackthorn. Mature trees are present, some of which have features of bat roosting potential. The ground layer includes Bramble, Cow Parsley *Anthriscus sylvestris*, Ground Ivy, Germander Speedwell *Anthriscus sylvestris*, Common Sorrel *Rumex acetosa* and Lords-and-ladies *Arum maculatum*. A dry ditch is present along the western boundary of the parcel and a ditch that was wet at the time of the survey along the eastern boundary.
8. A field of ruderal vegetation of varying height from 10cm to 50cm in height dominated by Spear Thistle, Common Nettle and Perennial Ryegrass and White Clover *Trifolium repens* with the occasional Creeping Buttercup *Ranunculus repens*, Common

Hogweed *Heracleum sphondylium*, Ragwort and Broad Leaved Dock and Cleavers. Small areas within the parcel are sparsely vegetated with areas of bare ground with occasional ruderal species mentioned above but include Scarlett Pimpernel and Bird Foot Trefoil *Lotus corniculatus*.

9. A small depression of bare ground that had standing water at the time of the survey with occasional Yellow Flag Iris present.
10. Plantation lowland mixed deciduous woodland comprised of White Poplar, Pedunculate Oak, Ash and Field Maple. Mature trees are present, some of which have features of bat roosting potential. Understorey comprised of Holly, Dog Rose *Rosa canina*, Common Nettle, Cow Parsley, Cleavers, Curled Dock *Rumex crispus*, Bramble and Ground Ivy. A dry ditch is present along the boundary along the southern boundary of the wooded strip.
11. Species poor modified grassland of varying sward length between 5cm – 40cm comprised of Perennial Ryegrass, Cocksfoot *Dactylis glomerata*, White Clover, Oxeye Daisy *Leucanthemum vulgare*, Creeping Buttercup with occasional Broad Leaved Dock, Dandelion and Scarlett Pimpernel. Field margins are approximately 4-6m wide and are comprised of Common Nettle, Spear Thistle, Common Vetch *Vicia sativa* and Cow Parsley.
12. Area of bare ground used for storage of construction materials.
13. Lowland mixed deciduous woodland comprised of Pedunculate Oak standards and coppiced Ash with Wild Cherry *Prunus avium*, White Poplar, Field Maple, Hazel, Willow, English Elm *Ulmus procera*, Holly, Hawthorn and Blackthorn. Mature trees are present, some of which have features of bat roosting potential. The ground layer includes Bramble, Wood Avens *Geum urbanum*, Herb Robert, Common Ivy, Wood Spurge *Euphorbia amygdaloides*, Violet *Viola sp.*, Greater Stitchwort *Stellaria holostea*, Common Nettle, Remote Sedge *Carex remota*, False Brome *Brachypodium sylvaticum* and Butcher's Broom *Ruscus aculeatus* present. Standing and fallen dead wood is present throughout the woodland area. The woodland becomes increasingly wet to the west where Willow becomes dominant and dry ditches border most of the woodland edges, a further dry ditch running centrally through the southern area of woodland is also present. The eastern area of this woodland is listed on Natural England's Ancient Woodland Inventory; here the dominant tree species is White Poplar in the south and Pedunculate Oak in the north. This area is demarcated in its western boundary by a small woodbank.
14. Mixed Scrub comprised of Bramble, Blackthorn, Dog Rose and Pendulate Oak samplings over a dry ditch.
15. [REDACTED]
16. A wooden bat barn set between treelines of Pendulate Oak, Ash and Hazel.
17. Mixed scrub comprised of Bramble, Elder and Holly with large amounts of deadwood above a steep-sided wet ditch. Towards the eastern end of the scrub parcel, Elder becomes the dominant species with the inclusion of ruderals in the ground layer including Common Nettle, Spear Thistle, Cleaver and Broad Leaved Dock.

18. Ruderal vegetation comprised of Perennial Rye Grass, Spear Thistle, Common poppy *Papaver rhoeas*, Cocks Foot, Rosebay Willowherb *Chamerion angustifolium*, Annual Sow Thistle *Sonchus oleraceus*, Common Nettle, and Curled Dock.
19. Listed building with multiple features with bat roost potential including lifted roof tiles and cracks in the brickwork. Situated on an area of concrete hardstanding. Surrounded by scaffolding at the time of the survey.
20. Species-rich native hedgerow comprised of Hawthorn, Hazel, Blackthorn, English Elm and Ash.
21. Ruderal vegetation similar to TN 20 with the inclusion of Oxeye Daisy at high densities and occasional Red Campion *Silene dioica*.
22. A SUDS pond within a parcel of ruderal vegetation described in TN21. Sloping earth banks with occasional Pendulous Sedge *Carex pendula*.
23. A shaded pond approximately 30cm in depth. Tussocks of Pendulous Sedge and patches of encroaching Bramble, Willow, Pedunculate Oak and Alder, border the edge of the pond. The pond area is enclosed by a chicken-wire fence.
24. Modified grassland with a short sward length of approximately 20cm in length comprised of Perennial Rye Grass, Cocks Foot, Red Fescue, Meadow Buttercup, Broadleaved Dock and Dandelion.
25. Lowland mixed deciduous woodland. Dominant species within the woodland include Ash, Pedunculate Oak and Alder with a Hawthorn and Field Maple understorey. The ground layer includes Bramble, Wood Avens, Herb Robert, Ground Ivy, and Hairy Brome *Bromopsis ramosa*. There are fallen wood and dead-wood piles throughout the woodland area and multiple trees with possible bat roosting potential. The woodland, in part, is listed on Natural England's Ancient Woodland Inventory.
26. Large parcel of bare ground with large spoil heaps. During the time of the survey, excavators were topping soil within the parcel. Field margins were sparsely vegetated with ruderal species including Bramble, Curly Dock, Spear Thistle, Ragwort and Common Nettle.
27. Lowland mixed deciduous woodland. A thin strip of broadleaved woodland plantation behind this comprised of Ash, Lombardy Poplar, Field Maple, White Willow, Grey Willow, Dogwood, Hazel, Hawthorn, Blackthorn and Bramble with Common Ivy and Cleavers dominating the ground layer. Some of the trees have features of possible bat roosting potential. A ditch that had small pools of standing water is present along the southern side of the wooded strip.
28. Site compound on hardstanding area.
29. Short ruderal vegetation within the northern end of the parcel similar in species composition to TN18 with the inclusion of Ribwort Plantain *Plantago lanceolata*, Timothy *Phleum pratense*, Musk Mallow *Malva moschata* and Bristly Oxtongue. Bare ground is present across the southern area of the parcel with small field margins

approximately 1m in width comprised of similar short ruderal species as the northern area.

30. A dense, intact, species-rich native hedgerow with trees comprising Pedunculate Oak, Beech, Ash, Goat Willow *Salix caprea*, Black Poplar *Populus nigra*, Field Maple, Dogwood, Hazel, Holly, Bramble and Common Broom *Sarothamnus scoparius*. The hedgerow is approximately 15 years old and tree guards are present on some individual plantings with some mature trees present along the roadside, especially within the southern section of the hedgerow.
31. Modified grassland with species including Yorkshire Fog, Perennial Rye-grass, False Oat-grass *Arrhenatherum elatius*, Cock's Foot, Red Fescue, Common Bent, Creeping Buttercup, White Clover, Doves-foot Cranesbill *Geranium molle*, Common Vetch, Common Mouse-ear *Cerastium fontanum*, Scentless Mayweed *Tripleurospermum inodorum*, Creeping Thistle, Spear Thistle, Common Sorrel, Ragwort, Greater Willowherb *Epilobium hirsutum*, Cleavers, Broad-leaved Dock, Common Knapweed *Centaurea nigra*, Meadow Vetchling *Lathyrus pratensis*, Forget-me-not sp., Fleabane *Pulicaria dysenterica* and Self-Heal *Prunella vulgaris*. Along the treeline to the south, Hemp Nettle *Galeopsis tetrahit*, Lady's Thumb *Persicaria maculosa*, Scentless Mayweed, Prickly Sow-Thistle and Clustered Dock with wet flushes of Sedge and Soft Rush. There are two soil bunds/soil storage piles with tall ruderals dominated by Spear Thistle, Common Nettle, Broadleaved Dock and Smooth Hawksbeard *Crepis capillaris* with large patches of scrub within the grassland with species including Bramble, Elder, Silver Birch and Dog-rose with Common Nettle. There are also piles of deadwood near and within the scrub.
32. Non-native and ornamental species-poor hedgerow comprising Cherry Laurel *Prunus laurocerasus*, Leylandii Cypress *Cupressus x leylandii* and Elder, broken by Bramble scrub on the north-eastern edge of the grassland field (TN 31). To the south of the hedgerow, continuing along the field boundary is a wooden post and electric wire fence which is overgrown with tall grasses and ruderal vegetation.
33. An outgrown, defunct native species-rich hedgerow with trees adjacent to Park Lane, with a dry ditch below. Species within the hedgerow include Pedunculate Oak, Black Poplar, Gorse (*Ulex europaeus*), Holly, Grey Willow, Blackthorn, Bracken and Bramble. A treeline of Pedunculate Oak is present approximately 5m into the field from the hedgerow.
34. A ditch that was dry at the time of survey with scattered Bramble scrub and trees including Willow and Pedunculate Oak, some of which have possible bat roosting potential. Behind the ditch is a fence and a dirt track, used as an access route into the site. A scrub line is present along the eastern side of the track and is 1-2m wide comprised of Grey Willow, Dog Rose, Oak and Bramble scrub. Track supports ephemeral vegetation including Scentless Mayweed, Cocks Foot, Smooth Hawksbeard, Common Yarrow, Hawthorn saplings, Common Bent and Spear Thistle.
35. Modified grassland field with a similar species composition to Target Note 31, with more Bent dominant in the north and False Oatgrass and Fescue sp. dominated to the south. Occasional species include Greater Plantain, Ribwort Plantain, Greater Birds-foot Trefoil, Common Hogweed, Cleavers, Meadow Vetchling, Mouse-ear, Common Vetch, Common Fleabane, Creeping Buttercup, Red Fescue and Soft Rush.

APPENDIX B

Proposed Habitat Connectivity, Hedgehog Highways and Features for Nesting birds/Roosting bats



KEY

	Parcels 4 and 5 boundary
	Proposed new bat boxes
	Bat roosting opportunities on new buildings (indicative)

CLIENT:
CALA Homes (Thames) Ltd
PROJECT:
Hogwood Farm, Finchampstead
TITLE:
Parcels 4 & 5 - Proposed Bat Roosting Features
SCALE AT A3:
NTS
868.1/91

DATE:
July 2024

Based on Ordnance Survey mapping with permission of Her Majesty's Stationery Office
Licence no. AR187372
© hankinson duckett associates
The Stables, Howbery Park, Benson Lane, Wallingford, OX10 8BA
t 01491 838175 e consult@hda-enviro.co.uk w www.hda-enviro.co.uk



Landscape Architecture
Masterplanning
Ecology





KEY

- Parcels 4 and 5 boundary
- New opportunity for nesting birds provided on new buildings (indicative)

CLIENT:
CALA Homes (Thames) Ltd
PROJECT:
Hogwood Farm, Finchampstead
TITLE:
Parcels 4 & 5 - Proposed Bird Nesting
Features
SCALE AT A3:
NTS
DATE:
July 2024
868.1/92

Based on Ordnance Survey mapping with permission of Her Majesty's Stationery Office
Licence no. AR187372
© hankinson duckett associates
The Stables, Howbery Park, Benson Lane, Wallingford, OX10 8BA
t 01491 838175 e consult@hda-enviro.co.uk w www.hda-enviro.co.uk



Landscape Architecture
Masterplanning
Ecology





KEY

	Parcels 4 and 5 boundary
	Proposed hedgehog access points (indicative)

CLIENT:
CALA Homes (Thames) Ltd
PROJECT:
Hogwood Farm, Finchampstead
TITLE:
Parcels 4 & 5 - Proposed Wildlife Corridors
SCALE AT A3:
NTS
DATE:
July 2024

868.1/93

Based on Ordnance Survey mapping with permission of Her Majesty's Stationery Office
Licence no. AR187372
© hankinson duckett associates
The Stables, Howbery Park, Benson Lane, Wallingford, OX10 8BA
t 01491 838175 e consult@hda-enviro.co.uk w www.hda-enviro.co.uk



Landscape Architecture
Masterplanning
Ecology





KEY

- Parcels 4 and 5 boundary
- Proposed bat box location*
- Proposed bird box location*

* Position indicative

CLIENT:	CALA Homes Thames Ltd
PROJECT:	Hogwood Farm, Finchampstead
TITLE:	Parcels 4 & 5 Landscape Proposals and Bat and Bird Mitigation
SCALE AT A3:	NTS
DATE:	October 2024


Based on Ordnance Survey mapping with permission of Her Majesty's Stationery Office
Licence no. AR187372
© hankinson duckett associates
The Stables, Howbery Park, Benson Lane, Wallingford, OX10 8BA
t 01491 838175 e consult@hda-enviro.co.uk w www.hda-enviro.co.uk

Landscape Architecture
Masterplanning
Ecology



APPENDIX C

Illustrative Lighting Parameters Plan



APPENDIX D

Site-wide Lighting Strategy (MMA, 2018)

Bramble scrub is present along many of the field boundaries, with Common Nettle also present. A wet flush is present within the west of the field and contains Common Horsetail, Common Nettle, Sow Thistle, Soft Rush and occasional Hemp Nettle.

36. Scattered semi-mature trees and scattered areas of dense scrub along fence line. Species present include Oak, Ash, Blackthorn, Dog Rose, Bramble and Common Nettle.
37. A line of scrub and trees with a dry ditch bordering Park Lane.



LIGHTING CONSULTANCY

Exterior Lighting Design Specialists

Hogwood Farm, Finchampstead

Lighting Strategy

MMA Project Number: 14556

Date: 09/04/2018

Produced by: Aimie Loveday

Revision: R3

Issued by: - Aimie Loveday
MMA Lighting Consultancy Ltd
Summer Field House
99 Old Bath Road, Charvil, Reading, Berkshire, RG10 9QN
Tel: +44 (0) 0118 321 5636
Fax: +44 (0) 0118 321 5636
www.mma-consultancy.co.uk
info@mma-consultancy.co.uk

CONTENTS
HOGWOOD FARM, FINCHAMPSTEAD
LIGHTING STRATEGY

Clause	Description	Page No.
1.0	Introduction	3
2.0	Site Description	4
3.0	Policy & Guidance	5 – 6
4.0	Assessment Methodology	7
5.0	Baseline Conditions	8 - 10
6.0	Ecology	11
7.0	Design Proposals	12 - 14
8.0	Proposed lighting levels	14 - 17
9.0	Impacts	17
10.0	Mitigation Measures	18
11.0	Cumulative Effects and Residual Effects	19
12.0	Conclusion and Summary	20

Appendix

A	Lighting Parameters plan
---	--------------------------

1.0

INTRODUCTION


- 1.1 This lighting strategy document has been prepared on behalf of Legal & General Homes for the proposed development located off Hogwood Farm, Finchampstead, Berkshire. The land is proposed for the construction of up to 1,500 dwellings; across the development the new community will be provided with primary and secondary schools, community facilities, good quality open space.
- 1.2 The report has been prepared to assess, in terms of artificial lighting, the likely effects of the proposed development. The lighting assessment includes information on the baseline lighting conditions within the area and considers possible mitigation measures to reduce potential light spill into neighbouring properties and ecology receptors, upward light (which can create sky glow) and visual source intensity (glare). Lighting class proposals will be included as part of this assessment.
- 1.3 This new development will require external adoptable lighting for all areas of the development. The safety of the pedestrians and vehicles within this new development should be considered as a priority, and as such a good quality sustainable external lighting solution will be required to ensure the safety and security of users. However careful consideration of ecological receptors and local residents should also be considered. The below location plan shows the site location and site boundary.
- 1.4 The lighting design of this site should be carried out by a competent person governed by the Institution of Lighting Professionals.
- 1.5 The report has been prepared by MMA Lighting Consultancy Ltd to the best of our knowledge using information provided by Legal and General Homes.

2.0

SITE DESCRIPTION

Existing site

2.1 Finchampstead is a village and civil parish in the Wokingham Borough of Berkshire. The application site is comprised of Hogwood Farm and forms the southern part of the Arborfield Garrison Strategic Development Location (SDL). The application site is some 109.93 ha in size and comprises predominantly large open fields, parcels of mature woodland, Hogwood Farm Industrial Estate and two houses. The below location plan shows the site location and site boundary.



Proposed Development

2.2 The proposed development will comprise of approximately 1,500 dwellings, across the SDL. The new development will be provided with new primary and secondary schools, community facilities, good quality open spaces. Development layout shown below.

2.3 The ES Ecology Chapter accompanying the outline planning application and subsequent guidance provided by Hankinson Duckett Associates has highlighted that this is a sensitive area in terms of ecology and there are various species of bats within the surrounding area of the development site. In addition to the measures set out in this report to avoid and minimise effects of lighting on ecology receptors, detailed lighting proposal, for each phase of the proposed development should be subject to review by a suitably qualified ecologist.

2.4 Development layout shown below.



3.0

POLICY & GUIDANCE

Environmental Protection Act 1990 / Clean Neighbourhoods and Environment Act 2005

3.1 Light pollution was introduced within the Clean Neighbourhoods and Environment Act (2005) as a form of statutory nuisance under the Environmental Protection Act (the 'EPA', 1990), states: "artificial light emitted from premises so as to be prejudicial to health or nuisance."

National Planning Policy Framework

3.2 The National Planning Policy Framework (NPPF), published in March 2012, sets out the governments planning policies for England and how they are expected to be applied and provides a framework for local plans. Under the broad heading of "Achieving Sustainable Development", Chapter 11 "Conserving and enhancing the natural environment" deals with obtrusive light in clause 125 which states: "By encouraging good design, planning policies and decisions should limit the impact from artificial light on local amenity, intrinsically dark landscapes and nature conservation."

Relevant British Standards

3.3 The most applicable British Standards for lighting that relates to the proposed development are:

- BS5489-1:2013 Code of practice for the design of road lighting Part 1: Lighting of roads and public amenity areas

Institution of Lighting Professionals, Bat Conservation Trust Lighting Guidance (January 2008)

3.4 The Bat Conservation Trust and the ILP produced a paper in 2009, "Bats and Lighting in the UK", discussing the appropriate lighting levels, types of lamps, colour temperatures etc. which are suitable for lighting areas adjacent to bat houses.

Bat Conservation Trust 2014 Interim Guidance

3.5 The Bat Conservation Trust 2014 interim guidance provides recommendation to help minimise the impact of artificial lighting.

Guidance Notes for the Reduction of Obtrusive Light; 2011 Institution of Lighting Professionals (ILP)

3.6 Guidance notes produced by the Institution of Lighting Professionals are among the most commonly referenced guidance notes for good practice within the lighting design industry.

3.7 Obtrusive light (or sometimes referred to as light pollution) refers to any light emitted in a direction in which it is not required or wanted and as such is detrimental to other users. The assessment has been carried out in accordance with the published guidance documents from the ILP.

3.8 Light intrusion refers to the spilling of light beyond the boundary of the area to be lit. This includes the intrusion of light into bedroom windows.

3.9 Sky glow refers to the brightening of the sky above towns cause by direct or reflected upward light.

3.10 Glare refers to the uncomfortable brightness of a light source when viewed against a dark background. **Figure 1** illustrates the different types of obtrusive light.




Figure 1: Light Obtrusion characteristics

4.0

ASSESSMENT METHODOLOGY

4.1 A desk-top study has been undertaken to identify relevant legislation, planning policy and good practice guidance in relation to lighting. The methodology takes guidance from the Institution of Lighting Professionals PLG 04 document "Guidance on Undertaking Environmental Lighting Impact Assessments". This sets out good practice which was followed during the assessment.

4.2 The scope of the assessment shall cover the effects of artificial lighting as a result of the proposed development. The assessment will consider the following:

- Assess the existing baseline lighting conditions on the immediate surroundings.
- To limit light pollution and sky glow
- To limit obtrusive light, spill light and glare to neighbouring land and properties.
- To limit potential light spill to vegetation and wildlife.

5.0

BASELINE CONDITIONS

5.1 The assessment site for the proposed development currently comprises predominantly of large open fields, parcels of mature woodland, Hogwood Farm Industrial Estate and two houses. The Arborfield Garrison situated approximately 4 km south west of Wokingham town centre and about 5 km south east of M4 Junction 11 and the edge of Reading, will provide new housing in the south of Wokingham Borough.

5.2 The north east access into the site joins onto an existing adoptable road, at the junction of Hogwood Lane/Park Road. The road is maintained by Wokingham Borough Council and is currently lit near the proposed access with high pressure sodium lanterns mounted on 5m street lighting columns. **Upgrades to the existing lighting may be required but this would be subject to a design brief from WBC.**



Hogwood Lane/Park Road

5.3 The eastern access into the site joins onto an existing adoptable road, at the junction of Park Road/Nine Mile Ride. The road is maintained by Wokingham Borough Council and is currently lit near the proposed access with high pressure sodium lanterns mounted on 5m hockey stick street lighting columns. **Upgrades to the existing lighting may be required but this would be subject to a design brief from WBC.**



Park Road/Nine Mile Ride

5.4 The north west of the proposed site links to the Arborfield Local Centre, at the junction of Sheerlands Road/Nine Mile Ride Extension. The road is maintained by Wokingham Borough Council and is currently lit at the link road with high pressure sodium lanterns mounted on 10m street lighting columns. **Upgrades to the existing lighting may be required but this would be subject to a design brief from WBC.**



Sheerlands Road/Nine Mile Ride Extension

5.5 The western access into the site joins onto an existing adoptable road, Sheerlands Road. The road is maintained by Wokingham Borough Council and is currently unlit near the proposed access. **New lighting may be required but this would be subject to a design brief from WBC.**



Sheerlands Road

5.6 The application site is in a village and civil parish in the Wokingham Borough of Berkshire. There are a number of existing residential and commercial properties and a number of open fields and trees near the proposed development. The new lighting installation shall consider all aspects of the surrounding area and environment and shall comply with BS 589:2013 & BS EN 12464: 2014.

5.7 The environment surrounding the application site is low district brightness, categorised as an E2 Environmental Zone in accordance with the ILP Guidance Notes. There are some isolated areas where exterior lighting is visible from the application site; however these light sources are not significant enough to affect the Environmental Zone.

6.0

ECOLOGY

- 6.1 Several areas within the proposed development have been identified by the ecological consultants as being sensitive for wildlife. These include areas of woodland, tree belts and hedgerows that provide habitat for nocturnal wildlife in addition to retained buildings and standard trees which provide opportunities for roosting bats.
- 6.2 Within the development it is proposed that LED lighting with a correlated colour temperature of 4000 kelvin is used. LED light sources contain no UV wavelengths and the warmer colour temperatures reduce the light emitted beyond the 550 nanometer wavelengths. These requirements are consistent with current research on the impact of artificial lighting on bats, as published by the Bat Conservation Trust.
- 6.3 Light spill has the potential to affect both flora (plants etc) and fauna (from insects through to bats. Light spill can disrupt feeding patterns and force ecological receptors to leave their habitat. The lighting strategy will seek to avoid and mitigate light spill where there are potential ecological receptors that could be adversely affected. This will be sought through guidance provided by the ILP for the reduction of obtrusive light.
- 6.4 A Lighting Parameters plan has been produced by Hankinson Duckett Associates, which relates to maintenance of dark corridors and other unlit areas of habitat across the development site. These will be implemented to maintain suitable habitat for nocturnal wildlife and its movement across the site.
- 6.5 Lighting Parameters layout is shown as an appendix.
- 6.6 Section **8.0 Proposed Lighting Levels** illustrates the typical levels that should be achieved to fulfil the requirements of the Lighting Parameters plan.

7.0 DESIGN PROPOSALS

7.1 The scheme shall be designed in accordance with BS5489-1:2013 & BS EN 13201-2:2003 and designed to ensure that external lighting is focussed in the appropriate areas and that upward light is minimised, reducing unnecessary light pollution, energy consumption and nuisance to neighbouring properties. Selected luminaires are to have minimal upward light spill and a colour rendering index (Ra) greater than or equal to 60Ra. Colour rendering index relates to the accuracy of colours perceived, relative to daylight

7.2 The proposed Roundabouts within the development would be a Conflict area “C class” in accordance with BS5489-1:2013, GN01: 2011 Table 1 - Environmental Zone & the ILP ‘Guidance Notes for the Reduction of Obtrusive Light’ GN01. The initial lighting class would be C5 the required illuminance levels would be a minimum Eave of 7.50 lux to 10.00 lux (Average) and a maintained Uniformity (Emin/Eave) of 40%. Guidance from the ILP PLG02 The Application of Conflict Areas on the Highway has also been taken into consideration.

7.4 The Primary spine road through the development would be a residential “P class” in accordance with BS5489-1:2013, GN01: 2011 Table 1 - Environmental Zone & the ILP ‘Guidance Notes for the Reduction of Obtrusive Light’ GN01. The initial lighting class would be P4 with an S/P ratio of 1.61, the required illuminance levels would be a minimum Eave of 3.75 lux to 5.62 lux (Average) and a maintained Emin of 0.74 lux (minimum). The specified lighting class for this development is at a low level which further reduces the impact of the new lighting systems on the wildlife and surrounding area.

7.5 The subsidiary roads through the development would be a residential “P class” in accordance with BS5489-1:2013, GN01: 2011 Table 1 - Environmental Zone & the ILP ‘Guidance Notes for the Reduction of Obtrusive Light’ GN01. The initial lighting class would be P5 with an S/P ratio of 1.62, the required illuminance levels would be a minimum Eave of 1.99 lux to 2.99 lux (Average) and a maintained Emin of 0.40 lux (minimum). The specified lighting class for this development is at a low level which further reduces the impact of the new lighting systems on the wildlife and surrounding area.

7.6 **Figure 2** illustrates GN01:2011 Table 1 – Environmental Zones

GN01:2011 Table 1 - Environmental Zones			
Zone	Surrounding	Lighting Environment	Examples
E0	Protected	Dark	UNESCO Starlight Reserves, IDA Dark Sky Parks
E1	Natural	Intrinsically dark	National Parks, Areas of Outstanding Natural Beauty etc.
E2	Rural	Low district brightness	Village or relatively dark outer suburban locations
E3	Suburban	Medium district brightness	Small town centres or suburban locations
E4	Urban	High district brightness	Town/city centres

Figure 2: Environmental Zone Table

7.7 Based on an Environmental Zone classification of E2, the likely effects of the proposals are as follows:

- A slight increase in sky glow, in the absence of avoidance or mitigation measures, such as any lighting exclusion zones or luminance design this may result in the alteration of wildlife patterns in the area.
- A possible increase in the light 'glare' which may have an effect on the visual comfort of local residents.

7.8 The specified lantern currently approved for use within Wokingham Borough Council is the Philips Gen 3 Mini Iridium (ref: BGP381 1xGRN30_740WSO) & Philips Luma 1B R4 DS-NW 1 & Philips Luma 1B R3 DS-NW 1. **Figure 3:** Philips Lanterns.



Figure 3 Philips Luma Iridium LED



Philips Gen 3 Mini

7.9 The Mini Iridium and Luma offers a Ra value of ≥ 70 , the correlated colour temperature arrays from 3000 to 4000 Kelvin and has an IP rating of IP66.

7.10 The luminaire has a range of optics, for this development, as per Wokingham Borough Council specification the optic for the roundabouts is the Luma 1B R3 DS-NW 1 12000 lumens, for the spine road the optic is Luma Mini 1B R4 DS-NW 1 8800 lumens and the optic for the subsidiary roads are the Mini Iridium BGP381 1xGRN30_740WSO 2000 lumens. Correlated colour temperature is 4000 kelvin neutral white LED. The reason for using different optics is due to the varied road widths; the spine road is wider than the subsidiary roads, therefore the difference in optics & wattages to achieve the required lighting class. All optics have an acceptable glare rating of G3 or above, thus minimising the spread of light above horizontal. All luminaires are to have a dimmable electronic control gear.

7.11 Where possible street lighting will be located at boundary points of properties in order to further reduce the risk of disturbance from light spill. If a resident complains about light spill from a specific luminaire, rear light shields can be retrospectively installed. 10m columns are proposed for the roundabouts, 8m columns are proposed for the spine road and 6m columns for the subsidiary roads.

7.12 The Philips lantern has good light control and cut off angles to reduce light spillage. Where possible luminaires are orientated towards the site, away from the land outside the site to make them less intrusive.

7.13 Similarly, street lighting will be positioned to avoid light spill into the dark corridors presumed on the Lighting Parameters plan (see Section 6) in order to avoid and minimise effects on sensible ecological habitats and habitat corridors. Luminaires in the vicinity of these habitats will be fitted with additional shield where required in order to achieve this.

7.14 Remote Monitoring Systems will also be considered for the development site so that any installed lighting in sensitive areas can be significantly reduced during the hours of darkness or lights switched off entirely. This type of solution, if considered acceptable for this area, could further assist with minimising the potential impact of any proposed lighting on the local wildlife in the surrounding area to the development site.

8.0 PROPOSED LIGHTING LEVELS

8.1 The Hogwood Farm, Finchampstead development has been assessed under BS5489:2013 to require a lighting level of C5 for the roundabout, P4 for the spine road and P5 for the subsidiary roads for an LED light source. This lighting classes shall cover the main residential roadway areas throughout the development. The environmental zone for the area has been assessed as being E2 and this helps derive the below lighting class taken from table A.5 from within BS 5489: 2013. Please note this is an assessment and Wokingham Borough Council prefers to issue designs briefs with the lighting classifications they require. Details of our assessment are below:

Table A.5 Lighting classes for subsidiary roads with a typical speed of main user $v \leq 30$ mph

Traffic flow	Lighting class			
	Ambient luminance: very low (E1)	Ambient luminance: low (E2)	Ambient luminance: moderate (E3)	Ambient luminance: high (E4)
Busy ^{a)}	S3 or P3	S3 or P3	S2 or P2	S2 or P2
Normal ^{b)}	S4 or P4	S4 or P4	S3 or P3	S3 or P3
Quiet ^{c)}	S5 or P5	S5 or P5	S4 or P4	S4 or P4

NOTE 1 Table A.5 assumes no parked vehicles – see risk assessment in A.3.3.2.

NOTE 2 If facial recognition is important then an ES lighting class from BS EN 13201-2:2003, Table 5, or an E_{sc} lighting class from CIE 115:2010 [N1], Table 7, can be selected as an additional criterion. Good colour rendering contributes to better facial recognition. (The ES lighting class in BS EN 13201-2:2003 is expected to be replaced by SC upon publication of the revised edition.)

NOTE 3 To ensure adequate uniformity, the actual value of the maintained average illuminance is not to exceed 1.5 times the value indicated for the class.

NOTE 4 It is recommended that the actual overall uniformity of illuminance U_o be as high as reasonably practicable.

NOTE 5 Grey highlighting indicates situations that would not usually occur in the UK.

NOTE 6 The ambient luminance descriptions E1 to E4 refer to the environmental zone as defined in ILP GN01 [N5].

^{a)} Busy traffic flow refers to areas where the traffic usage is high and can be associated with local amenities such as clubs, shopping facilities, public houses, etc.

^{b)} Normal traffic flow refers to areas where the traffic usage is of a level equivalent to a housing estate access road.

^{c)} Quiet traffic flow refers to areas where the traffic usage is of a level equivalent to a residential road and mainly

A.3.2 Conflict areas

The CE or C lighting classes are intended for motorists on conflict areas within traffic routes as defined in 7.5.

Table A.4 gives lighting classes for conflict areas on traffic routes, using the CE lighting classes in BS EN 13201-2:2003, Table 2, and the C classes in CIE 115:2010 [N1], Table 5, related to the lighting class on the roads approaching the conflict area.


Where traffic routes having different lighting classes meet, the higher lighting class normally determines the class at the conflict area.

NOTE Further guidance on the selection of lighting class for conflict areas will be given in ILP PLG02 [36], currently in preparation.


Table A.4 Lighting classes for conflict areas

Traffic route lighting class	Conflict area lighting class
ME1 or M1	CE0 or C0
ME2 or M2	CE1 or C1
ME3 or M3	CE2 or C2
ME4 or M4	CE3 or C3
ME5 or M5	CE4 or C4
ME6 or M6	CE5 or C5

8.2 Below indicates the typical levels achieved using the Philips Luma 1B R3 DS-NW 1 12000 lumens LED lantern for the roundabout – lighting class C5



8.3 Below indicates the typical levels achieved using the Philips Luma Mini 1B R4 DS-NW 1 8800 lumens LED lantern for the spine road – lighting class P4 applied S/P ratio 1.61.



8.4 Below indicates the typical levels achieved using the Philips Gen 3 Mini Iridium 2000 lumens LED lantern for the subsidiary roads – lighting class P5 applied S/P ratio 1.62 (this lantern is dimmed to 60% to achieve P5 lighting class)



8.5 Lighting provided within residential areas shall be carefully considered, lighting design solutions with an overall uniformity of between 0.20 and 0.40 can be provided if deemed necessary by the developer.

Table 12.1: Obtrusive Light Limitations for Exterior Lighting Installations

Guidelines and threshold values for the environmental zones published by the ILP provides a guideline on technical limits

Environmental Zones	Sky Glow UWLR (Max%)	Light into Windows Ev (Lux) Before Curfew	Light into Windows Ev (Lux) After Curfew	Source Intensity I (Kcd) Before Curfew	Source Intensity I (Kcd) After Curfew	Building Luminance L (Cd/m ²) Average Before Curfew
E1 - Intrinsically Dark Landscapes	0	2	1	2.5	0	0
E2 - Low District Brightness Areas	2.5	5	1	7.5	0.5	5
E3- Medium District Brightness Areas	5	10	2	10	1	10
E4 - High District Brightness Areas	15	25	5	25	2.5	25

Notes to table:

UWLR (Upward Light Ratio) is the maximum permitted percentage of luminance flux that goes directly into the sky; Ev is Vertical illuminance in Lux; I is Light Intensity in Candelas; L is Luminance in Candelas per square metre. These levels relate to residential areas. Sensitive habitats for wildlife will be unlit as identified in the Lighting Parameters plan.

9.0

IMPACTS

During Construction

9.1 During construction phase, it is likely that the site will be affected through the use of temporary site lighting either for health and safety purposes, site security, or both. It is assumed that the main impacts will be spill light and luminous intensity. These levels relate to residential areas. Sensitive habitats for wildlife will be unlit as identified in the Lighting Parameters plan.

9.2 Lighting for health and safety will be needed where work is required to take place during the hours of diminishing ambient lighting levels which is likely to occur if the construction works are carried out in the winter months or if night-time working is required. Security lighting is often required to deter crime in both compounds and in areas where plans and materials are stored overnight.

Post Construction

9.3 The site is classified as Environmental Zone E2, with the proposed lighting for the site being assessed in accordance with the limiting criteria for that zone, **figure 3** illustrates GN01:2011 Table 2 – Obtrusive light limitations for exterior installations

GN01:2011 Table 2 – Obtrusive Light Limitations for Exterior Lighting Installations – General Observers						
Environmental Zone	Sky Glow ULR [Max %](1)	Light Intrusion (into Windows) Ev [lux]		Luminaire Intensity I [candelas]		Building Luminance Pre-curfew (4)
		Pre - curfew	Post - curfew	Pre – curfew	Post – curfew	
E0	0	0	0	0	0	0
E1	0	2	0 (1*)	2,500	0	0
E2	2.5	5	1	7,500	500	5
E3	5.0	10	2	10,000	1,000	10
E4	15	25	5	25,000	2,500	15

Figure 3 GN01:2011 Table 2 – Obtrusive light limitations for exterior installations

9.4 The effect of artificial light associated with the site is predicted to have a minor adverse effect on the environment. Important areas of habitat for wildlife will remain unlit by keeping within the Lighting Parameters plan and the design proposals detailed in Section 7. Modern road lighting luminaires, when mounted with 0° tilts, do not typically produce significant upward light, therefore the effects of upward light/ULR (upward light ratio) are predicted to be negligible.

10.0 MITIGATION MEASURES

During Construction

10.1 Mitigation of the effects of the lighting installation during construction phase will include the following:

- Specifying working hours, use of lighting, location of temporary floodlights in the construction compound and agreeing these with the local council. Lighting to be switched off when not required specifically for construction activities or required health and safety or security.
- Adhere to best practice measures as recommended by the Institution of Lighting Professionals (ILP), Health & Safety Executive (HSE) and CIE (International Commission on Illumination) guidance. Lighting solutions will be selected to reduce light pollution.
- Specifically, designed luminaires will be selected to minimise upward spread of light. The optics in the lanterns will control the distribution of light to avoid overspill, sky glow and glare.
- Glare will be kept to a minimum by ensuring the main beam angle of all lights directed towards any potential observer is not more than 70°. Higher mounting heights allow lower main beam angles, which can assist in reducing glare.
- Restrict lighting to the task area using horizontal cut-off optics and zero tilts.
- Operate curfew and minimise the duration of any lighting (switch off or part-night dimming).

Post Construction

10.2 The detailed lighting design will be designed to use current best practice and technology and will be agreed with Wokingham Borough Council. The impacts of external lighting will be minimised by the installation of lighting to the minimum specification required to provide a safe night time environment for residents, therefore lighting will be designed to comply with the minimum illuminance levels given within the appropriate guidance. The detailed lighting design will be in keeping with the Lighting Parameters identified in Section 6 in order to maintain the integrity of habitats for wildlife within and around the site.

10.3 Care should be taken to minimise glare from all luminaires installed, by ensuring the correct luminaires are selected and installed correctly, in line with the recommendations within the ILP Guidance Notes for the Reduction of Obtrusive Light.

11.0 CUMUATIVE EFFECT AND RESIDUAL EFFECTS

Cumulative

- 11.1 The appearance of sky glow was considered as part of the assessment of the external lighting conditions. During the lighting assessment, it was noted that the site is partially surrounded by an existing brightly lit environment and is adjacent to an established urban location.
- 11.2 The increase with sky glow associated with the proposed development is considered to be negligible.

Residual during construction

- 11.3 It is considered that following the implementation of the mitigation measures outlined in Section 9.0, overall there will be minor adverse residual effect of lighting during the construction phase of the development site on sensitive habitats for wildlife. Subject to sensitive lighting design the effects on key areas of wildlife habitat identified on the Lighting Parameters plan is expected to be negligible. The development area is assumed to currently fall into Environmental Zone E2 in accordance with a suburban location with medium district brightness.

Residual post construction

- 11.4 It is considered that there will be overall minor negative effects from the lighting of the proposed scheme on residential receptors and road users. The use of well located, modern light fittings, will minimise glare, light spill and reduce sky glow contributions to the existing sky glow above Wokingham. Subject to sensitive lighting design, including positioning and design of luminaires and use of remote monitoring systems, the effects on key areas of wildlife habitat identified on the Lighting Parameters plan is expected to be negligible.

12.0

CONCLUSION AND SUMMARY

12.1 In conclusion, subject to implementation of the above proposals, a compliant lighting scheme can be designed and installed and an acceptably low impact on the residential properties and wildlife can be achieved.

12.2 During the construction phase, the lighting impacts are likely to be associated with the requirements for temporary lighting to illuminate the contractor's compound and work areas. Installed lighting will involve the use of well located, modern light fittings which are directionally controlled and will be in accordance with current best practice standards and WBC requirements. Overall, where an effect arises the effect on sensitive receptors during the construction phase will be short term and temporary in nature and considered to be of minor negative significance.

12.3 During the operational phase, the likely impacts include the introduction of artificial light sources as part of the proposed development, which will result in changes to the current baseline conditions. The proposed lighting scheme will comply with all relevant British Standards and the Institution of Lighting Professionals lighting guidelines and will serve to ensure that the safety and security of all areas of the development can be effectively maintained.

12.4 The effects on sensitive receptors will be mitigated through the implementation of a stringent lighting design, which will include the use of low light pollution fittings which retain light spill within the development area, minimising the loss of light to the night sky and glare discomfort to on-site or neighbouring receptors.


12.5 In our considered opinion, if the measures detailed above are undertaken then we anticipate the proposed development will not have a negative impact on the immediate environment with respect to light pollution. The likely cumulative effect of artificial lighting may be a slight increase in sky glow. However, as the street lighting installed surrounding the development does not utilise dark sky technology, the visual glow of the existing estate would be greater than the proposed development site.

12.6 This report has been prepared to the best of our knowledge, any lighting designs proposed shall require technical approval by Wokingham Borough Council and all designs shall be proposed by a competent lighting consultant in accordance with BS 5489: 2013, BS EN 12464: 2014 and Wokingham Borough Council standard street lighting specification.

Prepared By: -

 (Signed) Aimie Loveday (Print Name) 12th March 2018 (Date)

Reviewed By: -

 (Signed) Simon Winch (Print Name) 22nd March 2018 (Date)

APPENDIX E

Parcels 4 and 5 Indicative Ecological and Pedestrian Permeability Plan (JNP, 2024)

- Where this drawing has been issued in electronic .dwg format it has been done so in good faith. JNP Group do not take any responsibility for any inaccuracies in the electronic data, which should be checked against the paper (or .pdf) drawing issue. Any apparent discrepancies should be immediately reported to JNP Group. The electronic .dwg file should not be assumed to be to scale and should not be used for 'overlaid', setting out or checking of third party information. All dimensions should be taken from the paper (or .pdf) version of the drawing. Electronic drawings may contain third party information. JNP Group take no responsibility for this information, which should be checked against the originators paper drawing(s).
- All dimensions to be checked on site prior to construction/fabrication.
- Any discrepancies between drawings of different scales, and between drawings and specification where appropriate to be notified to JNP Group for decision.
- Copyright reserved. This drawing may only be used for The Client and location specified in the title block. It may not be copied or disclosed to any third party without the prior written consent of JNP Group.
- This drawing should only be used for construction if the drawing status is "Construction". JNP Group take no responsibility for construction works undertaken to drawings which are not marked with this status.

LEGEND:

- Dropped Kerb (Pedestrian/Cycle Use + Access to Refuse V.C.P)
- Dropped Kerb (Ecological Use)
- Mammal Tunnel
- Wildlife Corridor Features

Notes:

- Dropped kerbs for pedestrian/cyclist use may also benefit ecology.
- Pedestrian/cyclist dropped kerbs to be accompanied with tactile paving to WBC specification.
- Ecology to further benefit from dropped kerbs applied to vehicle crossovers serving individual parking spaces that are not detailed on this plan.
- Shared surfaces also apply to private drives not detailed.
- All kerbing types remain subject to detailed design and approval with WBC.

P03 05/07/2024 Third Issue MD/EL/KM
 P02 02/07/2024 Second Issue MD/EL/KM
 P01 25/06/2024 First Issue EL/KMKM
 Rev. Date Description Dm / Chkd / Appd

Suitability: S2 - Suitable for Information

Client Logo:



J N P G R O U P
CONSULTING ENGINEERS
 • Amersham • Brighouse • Bristol • Glasgow
 • Hartlepool • Sheffield • Warwick
 www.jnpgroup.co.uk

Client: CALA Homes

Job: Hogwood Farm Parcels 4 & 5

Title: Indicative Ecological Permeability Plan

Classification: FI_60_20
 Scale @ A1: 1:1000
 Project: Originator: Value/System: Level/Location: Type: Discipline: Number:
 C86557 - JNP-66-XX-DR-T-7016
 Revision: P03

Document Drawing Number: 0 Copyright JNP Group Ltd. 2024
 JNP Group Internal Project Number: C86557

HOGWOOD FARM, FINCHAMPSTEAD

DETAILED ANCIENT WOODLAND ASSESSMENT AND MITIGATION STRATEGY: PARCELS 4 AND 5 AND THE ASSOCIATED SECONDARY ACCESS INTO PARCELS 4 AND 5

Prepared for CALA Homes Thames Ltd

by

Hankinson Duckett Associates

HDA ref: 868.1

October 2024

hankinsonduckettassociates

t 01491 838175 e consult@hda-enviro.co.uk w www.hda-enviro.co.uk
The Stables, Howbery Park, Benson Lane, Wallingford, Oxfordshire, OX10 8BA

	CONTENTS	Page
1	Introduction	1
2	Baseline Conditions and Legislative Context	4
3	Assessment and Mitigation Strategy	9
4	Roles and Responsibilities	18
5	Conclusion	19
6	References	19

HDA Document Control and Quality Assurance Record

APPENDICES

- A Phase 1 Habitat Survey Plan and Target Notes Showing Site, Wider Site and areas of Ancient and Aged Woodland
- B Pre- and post-development water catchments to the aged woodland
- C Proposed bat and bird boxes within existing woodlands

INTRODUCTION

1.1 Site location and summary description

1.1.1 This report describes a Detailed Ancient Woodland Mitigation Strategy in relation to an area of ancient woodland associated with a proposed secondary access off Sheerlands Road into the proposed residential development within the Parcels 4 and 5 site, located within approximately 110ha of land at Hogwood Farm, Finchampstead. In addition, this Detailed Ancient Woodland Mitigation Strategy will cover mitigation associated with both the remainder of the ancient woodland located along the western boundary of the Parcels 4 and 5 site and the area of aged woodland located along the eastern boundary of the Parcels 4 and 5 site. The Parcels 4 and 5 development area comprises approximately 9ha of land, hereinafter referred to as 'the site'. The proposed secondary access extends beyond the Parcel 4 and 5 site boundary to connect to Sheerlands Road, this area is also considered in this report. The site is located by National Grid Reference SU 7653 6421. The study was commissioned by CALA Homes Thames Ltd in May 2024.

1.1.2 The Parcels 4 and 5 site is located to the north-west of the village of Finchampstead, Berkshire. In general terms, it comprises two fields supporting ruderal vegetation, bare ground, a small area of scrub and a hardstanding construction access track and compound area. The fields are bounded by areas of woodland, including ancient and aged woodland, in addition to native hedgerows with wet and dry ditches. The Parcels 4 and 5 site is bordered to the south by the existing Suitable Alternative Natural Greenspace (SANG) (delivered as part of the wider Hogwood Farm development); to the north by Parcels 2 and 3 of the development which are currently under construction; to the east by a future development parcel (Parcel 6) which currently comprises modified grassland and bare ground; and to the west by the A327 and Sheerlands Road, with ancient woodland and fields beyond. The location and boundary of the Parcels 4 and 5 site is shown in *Appendix A*.

1.1.3 The Parcels 4 and 5 site is part of a larger area covering a total of 110ha, hereinafter referred to as the 'wider site'. The wider site includes residential properties associated with Parcel 1 and a construction site associated with Parcel 2 in the north-west and a SANG in the south which comprises a mix of wetland, species-rich grassland, scrub and woodland habitats. In general terms, the western area of the wider site is comprised of three fields of disturbed ground dominated by short ruderal vegetation with scattered areas of tall ruderal vegetation and large spoil heaps bordered by mature trees and woodland with scrub field margins. The central and eastern areas of the site are comprised of areas of hardstanding and construction/disturbed ground bordered by mature treelines and woodland. The south-eastern areas of the site comprise two fields of semi-improved grassland fields intersected by a ditch with associated scrub and scattered trees. A species-rich hedgerow with trees adjacent to Park Lane is present along the southern boundary. Woodland shaws and

copses are located in the northern, western and central areas of the site, including mixed, broadleaved and broadleaved plantation woodland types, some of which are included on Natural England's Inventory of Ancient Woodland. Wetland habitats within the site include drainage ditches and small streams associated with the field boundaries and several ponds in poor condition are located across the site. The wider site is bordered to the north by a construction site, the Bohunt School and the Hogwood Industrial Estate; to the east by Park Lane beyond which lie residential dwellings and park homes; to the south by Park Lane and farmland; and to the west by A327 Reading Road and Sheerlands Road beyond which lie farmland and woodland. The wider area is dominated by agricultural land interspersed with woodland and residential properties.

1.1.4 Further information on the extent and composition of habitats across the site and wider site is provided in *Appendix A*.

1.2 Development proposals

1.2.1 Planning permission (O/2014/2179 and 140764) was granted in January 2017 for a hybrid application. This comprises:

- Outline permission for demolition of all existing buildings on site; up to 1,500 new dwellings; employment floor space; a Neighbourhood Centre; a primary school; sports pitches and associated pavilion building; highways infrastructure; associated landscaping, public realm, open/green space and sustainable urban drainage systems; and
- Full permission for a 29.7ha Suitable Alternative Natural Greenspace (SANG) in the south of the site.

The hybrid planning permission was subsequently amended by a Section 73 application (181194) which was approved in November 2018.

1.2.2 Condition 22 of the outline planning consent, states:

'The Reserved Matters Applications pertaining to any sub phase of the development with a potential to impact upon Ancient Woodland shall include a detailed Ancient Woodland mitigation strategy for the Local Planning Authority's approval as part of the Reserved Matters Application. Each detailed Ancient Woodland mitigation strategy shall include the following.

- (a) No loss of the ancient woodland or mixed broadleaved woodland areas.*
- (b) Details of any ancient woodland buffer zones required to protect the retained important and/or species rich hedgerows, such buffer zones to be a minimum of 15m unless there are exceptional circumstances.*
- (c) The buffer zones required to protect the ancient woodland should be free from any development including residential gardens and should consist of a variety of semi natural habitats.*

(d) An appropriate detailed management plan for the ancient woodland areas and the 15m buffer zone that is aimed at maintaining and enhancing the ecological quality of these areas.

(e) Details of the proposed management arrangements for the ancient woodland areas and the 15m buffer zone that will secure their long term future.

The mitigation and compensation strategies approved shall be implemented in accordance with the approved plans unless otherwise agreed in writing by the local planning authority.'

1.2.3 In 2021, planning consent (181194) was granted for the clearance of a small section of the aged woodland along the eastern boundary of the Parcels 4 and 5 site to facilitate the provision of a service corridor comprising a foul rising main and gravity sewer (HDA, 2021).

1.2.4 In 2021, planning consent (210084) was also granted for the creation of a temporary construction vehicular access from Sheerlands Road located on the western boundary of the Parcels 4 and 5 site. The footprint of this temporary access was subsequently proposed to be converted to a permanent emergency access to safeguard against the current site access from Sheerlands Road being blocked¹ (HDA, 2020).

1.2.5 In the context of the approved development described above, this report relates to the following specific elements of the scheme:

1. Construction of residential development and associated infrastructure within Parcels 4 and 5 which is bordered by ancient woodland to the west and aged woodland to the east².
2. Conversion of the existing temporary construction vehicular access from Sheerlands Road to a permanent secondary vehicular access².
3. A stand-alone planning application for the short section of the existing temporary construction vehicular access from Sheerlands Road, located between Sheerlands Road and the Parcels 4 and 5 site boundary.

1.2.6 The route of the permanent secondary vehicular access is shown on the *Hogwood Farm Parcels 4 & 5: Secondary Access General Arrangement* (JNP Group, 2024a) and the proposed residential development within Parcels 4 and 5 is shown on the *Parcel 4-5, Hogwood Farm, Finchampstead: Site Layout* (Omega Architects, 2024).

1.3 Scope and purpose of the mitigation strategy

1.3.1 In accordance with the requirements of Condition 22, and to inform the planning application for the secondary access, this document provides a Detailed Ancient Woodland Mitigation

¹ The permanent emergency access formed part of the Parcel 2 Reserved Matters consent.

² This will form part of the Parcels 4 and 5 Reserved Matters application.

Strategy for Parcels 4 and 5. Areas of ancient and aged woodland associated with this comprise:

- An area of ancient woodland (MAGIC Theme ID: 1505355) comprising a 0.25ha strip of woodland listed as 'Ancient & Semi-natural' on Natural England's Inventory of Ancient Woodland sites. The area of woodland is situated within a mixed woodland along the western site boundary and is connected by hedgerows and woodlands to other woodland parcels within the site, wider site and wider area; and
- Wokingham Borough Council classified an area (approximately 0.7ha) of woodland within the eastern part of the site as *Aged Woodland*³.

1.3.2 The proposed measures have been informed by a suite of ecological surveys carried out since 2008, including an ecological desk study, extended Phase 1 habitat survey and specialist surveys for the following species/species groups:

- Bats;
- Water Voles;
- Otters;
- Dormice;
- [REDACTED]
- Breeding birds;
- Reptiles; and
- Great Crested Newts.

1.3.3 An ecological walkover survey including a Phase 1 habitat survey of the site was carried out in June 2023, with an update visit for the land associated with the proposed secondary access on 5th August 2024 to update earlier surveys, where appropriate, and to inform the development design works. Subsequent to this two trees identified with bat roost potential potentially affected by the development proposals, were subject to aerial inspections on 13th August 2024 to determine presence/probable absence of roosting bats and, where present, identify species and numbers. With regard to the outcome of this work, a summary of the ecological character of the site is provided in *Section 2* below, and measures to protect and enhance key habitats and opportunities for protected species as part of the proposed works are detailed in *Section 3*.

2 BASELINE CONDITIONS AND LEGISLATIVE CONTEXT

2.1 This section provides an overview of the current nature conservation interest of the site.

³ In addition to the consideration of ancient woodland as required under Condition 22, this document considers other 'aged' areas of woodland, which are not included in Natural England's Ancient Woodland Inventory. In light of this, the 'aged' woodland described will be treated in the same manner as appropriate for Ancient and Semi Natural Woodland.

2.2 Designated sites

Statutory designations

2.2.1 No statutory nature conservation designations pertain to land within or immediately adjacent to the site.

Non-statutory designations

2.2.2 No non-statutory nature conservation designation pertains to the site.

2.2.3 The area of woodland located on the western site boundary, is however listed on Natural England's Inventory of Ancient Woodland. Ancient woodland is defined as any wooded area that has been continuously wooded since at least 1600AD. Although ancient woodland is not subject to legal protection in its own right, ancient woodland habitats are regarded as irreplaceable under the 2023 National Planning Policy Framework (NPPF) and Natural England and the Forestry Commission have provided Standing Advice for ancient woodland (a material consideration in the planning process).

2.2.4 An area of woodland within the site, located along the eastern boundary is not listed on Natural England's Inventory of Ancient Woodland. It is however considered to be an area of woodland of some antiquity⁴. Lowland Mixed Broadleaved Woodland is also identified as a Habitat of Principal Importance under Section 40 of the 2006 NERC Act and is therefore a material consideration in the planning process.

2.2.5 A plan showing the location of the ancient woodland and aged woodland within the site is given in *Appendix A*.

2.3 Habitats

2.3.1 The results of the updated walkover surveys carried out in June 2023 and August 2024 are presented in map form with target notes (represented by numbered/letter dots) in *Appendix A*. A brief non-technical description of the habitats and features is given below.

2.3.2 In general terms, the Parcels 4 and 5 site currently comprises two fields supporting ruderal vegetation, bare ground and a small area of scrub (2, 8) and an existing hardstanding construction access track connecting Sheerlands Road to Phase 2 of the wider site and a compound area (1, H). The fields are bordered by areas of woodland, including ancient (3, E) and aged woodland (7), in addition to mature 'non-ancient' woodland (3, 10) and treelines and native hedgerows (4, 6) with wet and dry ditches.

⁴ Wokingham Borough Council classified the area of woodland within the site as Aged Woodland. While this is not strictly protected in the same terms as Ancient Semi Natural Woodland, works has been designed to be as sensitive as possible to the woodland habitats present.

2.3.3 Habitats associated with the ancient woodland and aged woodland and within 15m of the boundaries of these features, within the site, comprise the following. Numbers in brackets refer to target notes shown in *Appendix A*.

- *Ancient woodland associated with the western site boundary:*
 - The ancient woodland is dominated by Larch and other introduced coniferous species, with other species including Ash, Beech and Pedunculate Oak and an understorey comprising Elder, Hawthorn, Holly, Willow and Hazel (3, E). The ground layer is dominated by Bramble and Common Nettle with Bracken, Ground Ivy, Cleavers, Wood Avens, Herb Robert, Wood Speedwell, White Bryony, Common Figwort and Black Bindweed. Within the woodland there are collections of landscaping and other discarded waste (B). Along the eastern margin of the woodland is a bank which is likely to indicate the eastern extent of the ancient woodland as it supports Field Maple, Holly and Elder and a number of mature Hazel coppice stools (C). Along the northern and western boundaries of the ancient woodland is an approximately 1m high earth bund (A). The earth bund is of recent origin, contains much domestic/commercial waste and supports a mature, partially buried Holly in the north of the bund with occasional self-seeded Hazel, Elder and Hawthorn trees further south. The ground flora below the trees includes Wood Spurge, Common Nettle, Cleavers, Broom, Ribwort Plantain, Herb Robert and Bramble.
 - To the north of the ancient woodland and earth bund is a tarmacked approximately 4m wide temporary construction access track (H). Along the verges of the temporary construction access track is grassland comprising Yorkshire Fog, Perennial Ryegrass, Hedge Bindweed, Birds Foot Trefoil, Creeping Buttercup, Smooth Rush, Bittersweet, Cock's-foot, Wood Avens and White Clover.
 - Continuing to the north, east and south of the ancient woodland (and temporary construction access track), is broadleaved woodland supporting Beech, Field Maple, Holly and Hazel trees (3, G). The ground flora comprises False Oat Grass, Wood Meadow Grass, Herb Robert, Perennial Ryegrass, Common Hogweed, Common Nettle, Ragwort, Broadleaved Dock, Common Tare and Wood Avens. Within the woodland there are collections of building rubble and other discarded waste. To the north of the temporary construction access track is an area of recently felled Hybrid Black Poplar stools with suckers (G).
 - To the east of the ancient woodland is a field of ruderal vegetation and bare ground (8, F). The field varies in height from 10cm to 50cm and is dominated by Spear Thistle, Common Nettle, Perennial Ryegrass and White Clover with occasional Creeping Buttercup, Common Hogweed, Ragwort, Broadleaved Dock and Cleavers. Small areas within the field are sparsely vegetated with areas of bare ground with occasional ruderal species mentioned above but

also include Scarlett Pimpernel and Bird Foot Trefoil. A treeline is located within the 15m buffer of the ancient woodland within the field comprising Hawthorn and Douglas Fir (F).

- To the west of the ancient woodland is an area of the tall ruderal vegetation comprising Common Nettle, Buddleia, Lesser Burdock, Broom, Canadian Fleabane, False Oat Grass, Great Willowherb, Ragwort and Spear Thistle (D). A treeline is located along the edge of Reading Road and scattered mature trees are located within the area of tall ruderal vegetation comprising Western Red Cedar, Douglas Fir and English Oak (D, I).
- *Aged woodland associated with the eastern site boundary:*
 - The aged woodland comprises Pedunculate Oak and coppiced Ash with Wild Cherry, Field Maple, Hazel, Hawthorn and Blackthorn. The ground layer includes Bramble, Cow Parsley, Ground Ivy, Germander Speedwell, Common Sorrel and Lords-and-ladies. A dry ditch is present along the western boundary of the woodland parcel and a ditch, that was wet at the time of the survey, is located along the eastern boundary of the parcel (7). A gap comprising bare ground approximately 6m wide is located in the centre of the woodland parcel and is associated with the provision of a service corridor comprising a foul rising main and gravity sewer in this location (See Section 1.2.3 above). The aged woodland continues to the south-east of the Parcels 4 and 5 site, in association with Parcel 6 of the wider site (13).
 - To the south of the aged woodland is an area of plantation lowland mixed deciduous comprising White Poplar, Pedunculate Oak, Ash and Field Maple. The understorey supports Holly, Dog Rose, Common Nettle, Cow Parsley, Cleavers, Curled Dock, Bramble and Ground Ivy. A dry ditch is present along the southern boundary of the wooded strip (10).
 - To the north and west of the aged woodland is fields of ruderal vegetation and bare ground (2, 8). The fields vary in height from 10cm to 50cm and are dominated by Spear Thistle, Common Nettle, Perennial Ryegrass and White Clover with occasional Creeping Buttercup, Common Hogweed, Ragwort, Broadleaved Dock and Cleavers. Small areas within the fields are sparsely vegetated with areas of bare ground with occasional ruderal species mentioned above but also include Scarlett Pimpernel and Bird Foot Trefoil.

2.3.4 The ancient and aged woodland within the site are connected to each other within the site via the following:

- To the south of the ancient woodland, along the western site boundary is an area of deciduous woodland (3) which connects to the area of plantation lowland mixed deciduous woodland located along the southern site boundary (10), and from there connects to the southern margin of the aged woodland.

- Through the centre of the Parcels 4 and 5 site is a treeline/hedgerow which connects to the northern margins of both the aged woodland and ancient woodland (6). This comprises a treeline of mature Ash and Pedunculate Oak trees with relic species-rich hedgerow of Hazel, Holly, Field Maple, Hawthorn and Blackthorn. The ground layer vegetation is sparse and mostly comprised of Bramble with occasional Cowslip and Creeping Thistle.
- Connections to other areas of ancient woodland and aged woodland in the wider site are also maintained via hedgerows, treelines and woodland parcels. In addition, to the west of the ancient woodland, beyond the site and wider site boundary, is Reading Road with a further area of woodland 'Claypits' listed on Natural England's Inventory of Ancient Woodland, located to the south-west of the ancient woodland within the site.

2.4 Protected and notable species

2.4.1 Protected and notable species associated with the land within 15m of the ancient woodland and aged woodland, within the site, identified to date comprise:

- **Bats**
 - *Roosting bats*: The ancient woodland was identified as having moderate bat roosting potential (WA) and the aged woodland was identified as having high bat roosting potential (W118). In addition, woodland parcels and trees within 15m of the ancient woodland and aged woodland with bat roosting potential include W8 with high bat roost potential, W6 and the continuation of WA with moderate bat roosting potential and Trees 852, 855 and L with low bat roosting potential (HDA, 2024a). Trees 852 and 855 both with low bat roost potential are proposed to be felled to facilitate the construction of the permanent secondary access road (RPS, 2024).
 - *Foraging bats*: The woodland and woodland edge habitats comprise habitats of interest for foraging bats. The suite of bat activity transect and automated surveys carried out across the site, as part of the wider site, in 2017, 2018 and 2022 identified a low level of usage the wider site in its entirety by relatively small numbers of bats (HDA, 2023). The site comprises a low proportion of foraging habitat for individual Common Pipistrelle, Soprano Pipistrelle and Noctule and provides foraging habitat for individual Brown Long-eared bat and *Myotis* sp. bats on a more occasional or infrequent basis (HDA, 2024a).
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]

- **Reptiles** – Very low numbers of Grass Snake, Slow-worm and Common Lizard are anticipated to be associated with the Parcels 4 and 5 site (HDA, 2024c).
- **Breeding birds** - The woodland and woodland edge habitats offer nesting opportunities for several bird species. Breeding bird surveys of the site, as part of the wider site, were carried out in 2008 and 2014 (Royal Haskoning DHV, 2014) which recorded notable bird species including Lapwing, Skylark, Dunnock, Song Thrush, House Sparrow, Reed Bunting, Mistle Thrush and Red Kite.
- **Invertebrates** - No surveys for invertebrates have been undertaken as it is considered that the proposed development areas are unlikely to be of significant local interest for this group. Higher quality areas of invertebrate habitat are however provided by the areas of ancient and aged woodland within the site and wider site which will be retained and managed.
- **Other species** – Dormouse and Great Crested Newt surveys have historically been carried out of the site, as part of a survey of the wider site, no evidence of either species was recorded within the site or wider site. As such it is considered highly unlikely that Dormice or Great Crested Newts are present within the site or wider site.

3 ASSESSMENT AND MITIGATION STRATEGY

3.1

The ancient and aged woodland parcels are located on the margins of the Parcel 4 and 5 site and are to be retained. However, works within proximity to the ancient and aged woodlands as shown on the *Site Layout* (Omega Architects, 2024) and *Hogwood Farm Parcels 4 & 5: Secondary Access General Arrangement* (JNP Group, 2024a) comprise:

- *Works within proximity to the ancient woodland:*
 - Construction of a residential road along the western edge of the development parcel located approximately 18m to 24m from the ancient woodland margin and on average 21m from the ancient woodland margin;
 - Conversion of the existing temporary construction track into a permanent secondary access road located approximately 1m to 15XXm from the ancient woodland margin and on average 6m from the ancient woodland margin (as shown on Natural England's Inventory of Ancient Woodland)⁶;

and

⁶ It should be noted that HDA carried out an assessment of the extent of the ancient woodland in 2020 (HDA, 2020). The likely actual extent of the ancient woodland (as opposed to the 'high level' mapping employed by Natural England) was assessed whilst carrying out the walkover survey and this area is shown in *Appendix A*. In addition, it should be noted that the previously consented scheme for the temporary construction access utilised

- Landscape enhancement works including creation of native meadow grassland habitats with scattered tree planting.
- *Works within proximity to the aged woodland:*
 - Construction of a residential road along the eastern edge of the development parcel located approximately 12m to 16m from the aged woodland margin and on average 15m from the aged woodland margin;
 - The aged woodland will be crossed by access infrastructure at one point for a footpath, this is associated with the area of clearance for the service corridor (See Section 1.2.3) so no additional clearance of vegetation is anticipated;
 - Construction of swales, culverts, three 'play on the way' stations and a pedestrian and cycle path within 10m of the aged woodland margin; and
 - Landscape enhancement works including creation of native hedgerows, scrub and meadow grassland habitats with scattered tree planting.

3.2 Although both the ancient woodland and aged woodland will be retained within the proposed scheme, in the absence of avoidance and mitigation measures the development has the potential to indirectly affect these woodland habitats through an increase in recreational activity, lighting, impacts on rooting zones of woodland trees and impacts on hydrology during the construction and operational phases. Measures to be implemented during works in order to avoid, mitigate and compensate potential effects of the proposed works on identified features of ecological interest within the site and surrounding area are subsequently identified below. In addition, opportunities are identified by which the proposed works could enhance the current value of the site for key habitats and species of conservation concern in accordance with planning policy and the 2006 NERC Act.

Protection measures

3.3 The following measures will be implemented throughout the course of construction of the Parcel 4 and 5 site (and associated permanent secondary access road) in order to avoid effects on the ancient woodland and aged woodland habitats:

- Apart from the secondary access road to the north of the ancient woodland and footpaths, play stations, culverts and short sections of road associated with the aged woodland, a buffer of at least 15m wide will be maintained along the edge of the ancient and aged woodland within which no hard development will occur.

an existing hardstanding track within the 15m buffer of the ancient woodland. It was agreed that it was favourable to use the existing hardstanding track for the temporary construction access, rather than cause additional fragmentation by constructing the access further north resulting in unnecessary loss of this area of mature woodland. The design of the permanent secondary access has predominantly utilised the same footprint with only minor additional land take of low quality habitats required.

Fencing will be erected along the southern edge of the existing construction track (to the north of the earth bund), along the 15m buffer of the eastern side of the ancient woodland and along the 15m buffer of the western side of the aged woodland to ensure no encroachment of vehicles or site staff towards the ancient and aged woodland for the duration of the construction period (with the exception of construction of the features identified above within the 15m buffer of the aged woodland).

- Any works, such as conversion of the temporary construction track to a permanent road and works within the 15m buffer of the aged woodland, will be carried out in accordance with BS5837 'Trees in relation to Construction' or the advice of a suitably qualified arboriculturist, and have due regard to the protection of tree rooting zones. Works within these areas will be carried out in accordance with an agreed Arboricultural Method Statement and supervised by a suitably qualified arboriculturalist, where necessary.
- The existing earth bund separating the proposed works from the ancient woodland will be retained for the duration of the construction phase of the Parcels 4 and 5 site (and any further Parcels that utilise this access) to form a physical barrier to the ancient woodland. However, following completion of the construction the bund will be removed (see *Section 3.5* below).
- No compound areas or storage of materials or machinery will be located within 15m of the ancient or aged woodland in order to avoid indirect effects of noise, dust and lighting (see below for further measures).
- Construction staff will not be permitted to enter the woodlands or the buffers unless specifically instructed for approved tasks by the Site Manager.
- Measures will be employed to avoid adverse effects of dust on trees and other vegetation in the vicinity of retained woodland habitats during construction and use of the temporary construction access. Such measures will include:
 - Use of hard surfaced temporary construction access and haul routes;
 - Damping down and regular cleaning of the temporary construction access and haul roads during periods of dry weather;
 - Vehicle washing and wheel cleaning (more than 15m from the ancient and aged woodland) prior to leaving the wider site; and
 - Monitoring of dust levels.
- Measures to avoid adverse effects of noise on wildlife associated with ancient and aged woodland during construction and use of the access road as a temporary construction access will include:
 - Fitting of silencers to vehicle exhausts;
 - Restrictions on working hours as detailed in the consented scheme; and
 - Shutting/throttling down of machinery not in use.

- Measures to avoid adverse effects of lighting on wildlife associated with the ancient and aged woodland during construction and use of the access road as a temporary construction access will include:
 - Lighting will only be used during working hours (08:00–18:00) and subsequently only be required over the winter months when much British nocturnal wildlife will be hibernating (e.g. bats [REDACTED]);
 - Use of the minimum amount of light required for safety, and minimisation of upward reflected light;
 - Avoidance of bare bulbs or upward-pointing lights. The spread of light will be kept near to or below the horizontal;
 - Use of narrow spectrum bulbs (between 4000 and 2700k) and/or low UV emitting bulb types;
 - Avoidance of light-spill into adjacent areas through luminaire design or with accessories, such as hoods, cowls, louvres and shields to direct the light;
 - Minimisation of the height of lighting columns.
- To maintain the quality of water currently supporting the ancient and aged woodland habitats, construction works will be carried out in accordance with the guidance 'Pollution Prevention for Businesses' (2024) which can be found at <https://www.gov.uk/guidance/pollution-prevention-for-businesses>. The Drainage Statement (JNP, 2024b) for Parcels 4 and 5 outlines mitigation and design considerations to ensure the hydrology of the woodlands is maintained post development. The Drainage Strategy concluded: '*The Ancient Woodland area to the east of the development is relatively higher than the site. Therefore, no mitigation will be required.*' However, measures have been included to maintain the flows to the aged woodland including:
 - The provision of dropped kerbs along the roads adjacent to the aged woodland, with water treated via shallow swales before outfall into the existing ditches; and
 - An overflow pipe from the main drainage network, to ensure that some flows will enter the ditch network during storm periods.

Plans showing the pre- and post- development water catchment to the aged woodland are included in *Appendix B*.

- A pre-works 'toolbox' talk will be provided to construction workers to make them aware of the ancient and aged woodland and other ecological receptors, in addition to the measures to avoid indirect effects described above.

Enhancement Measures

3.4

The management and enhancement of the ancient and aged woodland within Parcel 4 and 5 is detailed within the site-wide LEMP (HDA, 2018a) and the LEMP for the Parcel 4 and 5 site (HDA, 2024d) but are included below for clarity. The enhancement measure below include the measures detailed with the ancient woodland mitigation strategies prepared for the construction of the temporary construction access associated with the ancient woodland (HDA, 2020) and the service corridor works in the aged woodland (HDA, 2021), in addition to further enhancement measures relating the Parcels 4 and 5 development.

3.5

Although the area of woodland along the western boundary of the site is listed as ancient woodland and several ancient woodland indicator species are present, the woodland is currently in poor condition with many non-native tree species and much construction, household and landscape debris. In comparison the aged woodland located along the eastern site boundary contains trees of varied ages which provide habitats of conservation value, including several Ash coppice stools. In order to maintain and enhance woodland habitats, a programme of management within the ancient and aged woodland will be implemented which will include:

- *Works to commence during the construction period for Parcel 4 and 5:*
 - **Removal of debris:** All man-made debris and abandoned items/waste (e.g. commercial/household waste, old fencing materials) will be cleared from the woodland and buffers.
 - **Control of non-native invasive species:** Though currently none have been identified within the ancient or aged woodland (HDA, 2024e) ongoing checks for the presence of non-native invasive plant species will be carried out at least once annually across all areas of woodland, and if presence is recorded these will be subject to control using a methodology appropriate to the species present. Gardens in close proximity to the ancient and aged areas of woodland will be provided with compost bins to discourage tipping of garden waste into the areas of woodland. This in turn will help prevent the introduction of invasive species.
 - **Felling of Larch, Scots Pine and other introduced coniferous species:** The ancient woodland and other areas of woodland along the western site boundary is dominated by introduced coniferous species, which are not native to the local area, of limited biological diversity and restricts the growth of native ground flora and shrub layer. Where the non-native conifers offer little ecological and landscape interest, these trees will be progressively removed from the woodlands through selective felling. Where felling results in any large areas (more than 10x10m) of bare ground, these will be planted with native broadleaved trees typical of the local area using stock sourced of local provenance where available. Species to be planted will include Pedunculate Oak, Crab Apple, Silver Birch, Elm, Field Maple, Hazel, Holly, Hawthorn and Blackthorn. Planting will take place immediately following the felling of the introduced coniferous species and new native tree saplings will be adequately protected from deer, squirrel and rabbit grazing using tree guards. Cleared areas less than 10x10m will be allowed to regenerate naturally.
 - **Re-establishment of coppice regime:** Areas of Hazel and Ash in the areas of ancient and aged woodland show signs of previous management by coppicing. Where appropriate, coppicing will be reinstated in order to create a diverse woodland structure and provide habitat for a wider range of woodland species. The approach to coppicing will follow Forestry Commission guidance (Forestry Commission, 1994; Forestry Commission, 2004) and the advice of a suitably qualified arboriculturalist or forester. Areas of coppice would be divided into coupes and managed on rotation and where necessary, protected from Deer grazing by temporary fencing, dead hedging or similar. Where appropriate consideration will also be given to the planting

and establishment of new Hazel or Ash coppice stools and/or replacement of dead stools. Only a small number of stools would be coppiced in any one year and these would be closely monitored to determine success of regeneration/management and guide the continuation and extent of this work.

- **Selective thinning of trees and understorey:** Dense vegetation cover including trees and native shrubs will also be thinned or coppiced where appropriate to encourage growth of ground flora and new saplings.
- **Establishment of woodland buffers:** Buffer zones will be established between areas of development and woodland habitats. These will be of varying widths, but buffers will be at least 15m wide adjacent to the ancient woodland and at least 12m wide adjacent to the aged woodland. The buffers will be dominated by semi-natural habitats such as grassland and species rich scrub. Where appropriate, 'ecotones' will be established along woodland edges, creating a gradation from scrub immediately adjacent to the woodland edge, down to rough and meadow grassland habitat with increasing distance from the woodland edge. Where possible, the scrub will be allowed to establish through natural generation. Where this is not possible or quick establishment is favoured, this will be achieved by scrub planting. All scrub and grassland within the buffers will be established in accordance with the prescriptions described in the LEMP (HDA, 2024d).
- **Access management:** No footpaths or cycleways are proposed within the ancient woodland and access routes within the aged woodland are limited to one crossing from Parcel 5 to Parcel 6 in association with the opening created for the service corridor. The following management measures will be implemented in order to further control access within sensitive areas of woodland:
 - Use of scrub planting/establishment, ditch re-profiling and post and rail fencing around woodland edges to focus users onto the designated route through the aged woodland (and to discourage access to the ancient woodland).
 - The designated route through the aged woodland will be clearly marked and interpretive signage provided to encourage use and avoid new 'desire lines' being established through the woodland.
 - The path through the aged woodland will be surfaced with Breedon Golden Amber Self-binding Gravel.
- **Maintenance and enhancement of deadwood interest:** Where safe to do so, standing and fallen deadwood habitats within the woodlands will be retained. Any arisings from woodland management, with the exception of invasive species control, should be used to construct log/brash piles throughout the woodlands and woodland edges to benefit a range of species including invertebrates, small mammals and reptiles.
- **Reinstatement of ditches:** The ditches along the eastern and western margins of the aged woodland will be re-instated.
- *Works to be carried out once the construction of Parcel 4 and 5 is complete:*
 - **Removal of earth bund:** The earth bund of recent origin along the northern and western boundaries of the ancient woodland will be removed.
 - **New complementary areas of habitat established:** The area of land to the west of the ancient woodland and the footprint of the earth bund could be

managed to encourage broadleaved woodland to naturally re-establish in order to improve habitat links and complement existing woodland habitats. The woodland buffers to the east of the ancient woodland and west of the aged woodland will be established with native hedgerows, scrub and meadow grassland habitats and scattered tree planting.

- **Bat and bird boxes:** Provision of a varied selection of bat and bird boxes will provide roosting and nesting habitat for a range of woodland dwelling species (see *Sections 3.7.3 and 3.7.8*).

3.6 Other woodland, hedgerows and trees

3.6.1 As described above, the woodland to the north, east and south of the ancient woodland, the plantation woodland along the southern site boundary and the hedgerows, treelines and trees within the site will be largely retained. Two trees (Trees 852 and 855) may however require felling to facilitate the permanent secondary access works (RPS, 2024).

Protection Measures

3.6.2 Where woodland, hedgerows and trees within the site are retained, these habitats will be protected during the course of proposed works through implementation of the following measures:

- All retained trees, hedgerows and woodland will be protected throughout the construction phase in accordance with BS5837 'Trees in Relation to Construction', unless otherwise agreed with a suitably qualified arboriculturalist and, where necessary subject to an approved Arboricultural Method Statement. Protection measures will be put in place prior to the commencement of any development activities.
- Site clearance and construction works in the vicinity of retained woodland, hedgerows and trees will avoid indirect effects of noise, dust and lighting through the measures detailed in *Section 3.3* above.

Enhancement Measures

3.6.3 A programme of management within the retained woodland and hedgerows will be implemented including:

- Removal of debris, control of non-native species, re-establishment of coppice regime and maintenance and enhancement of deadwood interest (For further information see *Section 3.5* above).
- **Refugia:** Provision of log and brash piles and a hibernacula will provide refuge and hibernation opportunities for reptiles, small mammals and invertebrates (HDA, 2024c).
- **Bat and bird boxes:** Provision of a varied selection of bat and bird boxes will provide roosting and nesting habitat for a range of woodland dwelling species (see *Sections 3.7.3 and 3.7.8*).

3.6.4 The area of land to the west of the ancient woodland and the footprint of the access road and earth bund will be managed to encourage native broadleaved woodland to naturally re-establish. In addition, the margins of the woodlands will be sown with species-rich

meadow grassland and scattered tree planting to complement existing woodland habitats. In combination these works will contribute towards a varied mosaic of habitats, benefitting a range of species and enhancing habitat connectivity of the site and wider site.

3.7 Protected and notable species

3.7.1 Ecological surveys have been undertaken between 2008 to 2024 in order to inform proposals for the site wide development. These surveys have informed the extent of any avoidance, mitigation and where necessary, licensing requirements. Based on the results of the surveys, the following section identifies the measures to be taken during the proposed works to avoid, mitigate and compensate potential effects on the protected and notable species associated with the site and to provide enhanced opportunities for these species in the long-term.

Bats

Protection measures


3.7.2 No further survey or licencing works are currently required in respect of roosting bats (HDA, 2024a). However, two trees (Trees 852 and 855) with low potential to support roosting bats may require felling (RPS, 2024). The methodology for the felling of trees with low bat roost potential (if required) is detailed in the *Detailed Bat Mitigation Strategy – Parcels 4 and 5* (HDA, 2024a).

Enhancement Measures

3.7.3 To provide new opportunities for roosting bats within the site, bat boxes will be installed on retained mature trees. A number of bat boxes on trees have been included within each of the planning applications associated with the Parcels 4 and 5 site. These are summarised below and will comprise (or similar):

- *Temporary construction vehicular access (HDA, 2020)*
 - 1 x Eco Kent Bat Box; and
 - 1 x Vincent Pro Bat Box.
- *Service corridor (HDA, 2021)*
 - 1 x Eco Kent Bat Box; and
 - 1 x Vincent Pro Bat Box.
- *Detailed Ecological Permeability Scheme - Parcels 4 and 5 (HDA, 2024f)*
 - 4 x Greenwood's Ecohabitat medium hollow bat boxes.

The proposed locations of these boxes are shown in *Appendix C*.



Birds

Protection measures

3.7.6 Where trees and scrub require removal within the site, this work will only be carried out outside the bird breeding season (March to early September inclusive). In the event that this is not possible, these works will be supervised by a suitably qualified ecologist who will check for nesting birds prior to and during works. In the event that nesting birds are found to be present, it will be necessary to delay works or maintain a suitable buffer around the nest until dependent young have fledged and nesting activity has ceased.

3.7.7 Management measures to protect birds using the site will include:

- Woodland, tree and scrub management will be carried out outside of the bird breeding season (usually taken as March to early September inclusive) unless under the supervision of a suitably qualified ecologist to check for nesting birds; and
- Coppicing or cutting of woodland and trees will be undertaken between January and February once birds have had opportunity to eat fruit and nuts.

Enhancement Measures

3.7.8 New opportunities for nesting birds will be provided on appropriate retained trees across the site. A number of bird boxes have been included within each of the planning applications associated with the Parcels 4 and 5 site. These are summarised below and will comprise (or similar):

- *Temporary construction vehicular access (HDA, 2020)*
 - 2 x Woodstone Seville Nest Box 32mm;
 - 1 x Schwegler Robin Box 2H; and
 - 1 x Schwegler Tree Creeper Box 2BN.
- *Service corridor (HDA, 2021)*
 - 1 x Woodstone Seville Nest Box 32mm;
 - 1 x Schwegler 2H Half Box; and
 - 1 x Schwegler Tree Creeper Box 2BN.
- *Detailed Ecological Permeability Scheme - Parcels 4 and 5 (HDA, 2024f)*

- 8 x WoodStone Vivara Pro Seville Nest Box with 32mm Oval Hole; and
- 7 x WoodStone Vivara Pro Barcelona Open Nest Box.

The proposed locations of these boxes is shown in *Appendix C*.

Reptiles

Protection measures

3.7.9 Very low numbers of Grass Snake, Slow-worm and Common Lizard are anticipated to be associated with the site. A precautionary approach will be taken to site clearance in those areas where potential habitat is to be lost such as tall ruderals, scrub, woodland and piles of rubble, waste, logs and brash. This would involve the displacement of any reptiles present into areas of contiguous habitat away from areas subject to ground clearance works. The methodology for these works is detailed in the *Detailed Reptile Mitigation Strategy – Parcels 4 and 5* (HDA, 2024c).

Invertebrates

Enhancement Measures

3.7.10 Creation and enhancement of the woodland habitats described above will result in improved opportunities for a number of terrestrial invertebrate species within the site. Measures by which this will be achieved will include:

- Enhanced management of the woodland habitats;
- Use of arisings from woodland, tree and scrub management to construct habitat piles; and
- Retention of deadwood habitats including standing deadwood and tree stumps in woodland areas, where safe to do so.

4 ROLES AND RESPONSIBILITIES

4.1 The overall responsibility of coordinating the project to ensure that all works are carried out in accordance with this Ancient Woodland Assessment and Mitigation Strategy lies with CALA Homes Thames Ltd. CALA Homes Thames Ltd will appoint a Site Manager who will be responsible for ensuring all site staff and contractors are aware of any ecological constraints at the site and will distribute this document accordingly. As required, CALA Homes Thames Ltd will appoint a Suitably Qualified Ecologist (SQE), Ecological Clerk of Works (ECoW) and/or specialist contractors to carry out, supervise or provide advice on carrying out works that could affect protected species or other ecologically valuable features, such as ancient woodland, associated with the site.

4.2 The SQE, ECoW or specialist contractor appointed by CALA Homes Thames Ltd will provide ongoing advice, supervise works and/or carry out specialist work in accordance with this document. In order to ensure best working practices are followed during construction works, the SQE/ECoW will provide relevant site workers with information and

training on how to best avoid potential adverse effects on protected species and existing and newly created features of ecological interest within the site, in the form of a 'Toolbox Talk' with supplementary information sheets provided where necessary.

4.3 The construction Site Manager will work with the SQE to ensure that site staff and contractors are aware of ecological constraints and carry out works in accordance with this document. The Site Manager will be responsible for identifying when assistance is required by a SQE, ECoW or specialist contractors and informing the SQE if issues arise. The Site Manager will also be responsible for ensuring the implementation of general avoidance measures in accordance with this document.

5 CONCLUSION

5.1 Measures to protect the ancient and aged woodland from indirect effects of the proposed works during the construction and operational phases are described in *Section 3.3* above together with measures to enhance the ancient, aged and other woodland habitat within the site. Through implementation of these measures no loss or deterioration of woodland habitats would arise as a result of the proposed works, and localised improvements to the quality of the habitat resource would be expected in the long-term.

5.2 Measures to ensure protection of other habitats of ecological interest and low numbers of common and widespread protected species during the construction and operational phases of the development are described in *Section 3.6* to *3.7* together with opportunities to provide enhancements for wildlife.

5.3 Subject to the implementation of the measures for the protection and enhancement of retained habitats, no reduction in the ecological interest of the site or its surrounds is likely to arise as a result of the proposed works. It is therefore concluded that, beyond the normal requirements to avoid impacts on protected species and the ancient and aged woodland, there appears to be no overriding nature conservation constraints that would preclude the proposed Parcel 4 and 5 development and permanent secondary access road.

6 REFERENCES

BCT (2023) *Bat Surveys for Professional Ecologists: Good Practice Guidelines 4th Edition*. Bat Conservation Trust, London.

Forestry Commission (1994) *Research Information Note 259: Management of Coppice Stools*. Issued by Ralph Harmer of the Research Division of the Forestry Authority.

Forestry Commission (2004) *Restoration of Neglected Hazel Coppice: Information Note*. Issued by Ralph Harmer of Forest Research.

GOV.UK (2024) *Pollution prevention for businesses*. Accessed from: <https://www.gov.uk/guidance/pollution-prevention-for-businesses>

Froglife (1999). *Reptile survey. An introduction to planning, conducting and interpreting surveys for snake and lizard conservation*. Froglife Advice Sheet 10. Froglife, Halesworth.

Harris S Cresswell P and Jefferies D (1991) *Surveying Badgers*. The Mammal Society, Bristol.

HDA (2018a). *Hogwood Farm, Finchampstead: Site-wide Landscape and Ecological Management Plan*. Rev B Hankinson Duckett Associates, Wallingford.

HDA (2020) *Hogwood Farm, Finchampstead: Detailed Ancient Woodland Assessment and Mitigation Strategy: Temporary Construction Access and Permanent Emergency Access*. Hankinson Duckett Associates, Wallingford.

HDA (2021) *Hogwood Farm, Finchampstead: Detailed Ancient Woodland Assessment and Mitigation Strategy: Construction of Service Corridor through an area of Aged Woodland*. Hankinson Duckett Associates, Wallingford.

HDA (2021) *Hogwood Farm, Finchampstead: 2021 Reptile Survey Report and Site-Wide Outline Reptile Mitigation Strategy*. Hankinson Duckett Associates, Wallingford.

HDA (2023) *Hogwood Farm, Finchampstead: 2022 Bat Survey Report*. Hankinson Duckett Associates, Wallingford.

HDA (2024a) *Hogwood Farm, Finchampstead: Detailed Bat Mitigation Strategy – Parcels 4 and 5*. Hankinson Duckett Associates, Wallingford

HDA (2024c) *Hogwood Farm, Finchampstead: Detailed Reptile Mitigation Strategy – Parcels 4 and 5*. Hankinson Duckett Associates, Wallingford.

HDA (2024d) *Hogwood Farm, Finchampstead: Landscape and Ecological Management Plan – Parcels 4 and 5*. Hankinson Duckett Associates, Wallingford

HDA (2024e). *Hogwood Farm, Finchampstead: Non-native Invasive Species Management Plan – Parcels 4 and 5*. Hankinson Duckett Associates, Wallingford.

HDA (2024f). *Hogwood Farm, Finchampstead: Detailed Ecological Permeability Scheme – Parcels 4 and 5*. Hankinson Duckett Associates, Wallingford.

Joint Nature Conservation Committee (2010) *Handbook for Phase 1 Habitat survey: a technique for environmental audit*. JNCC, Peterborough.

JNP Group (2024a) *Hogwood Farm Parcels 4 & 5: Secondary Access General Arrangement*. Dwg. No. C86557 – JNP-XX-XX-DR-C-7015. P08.

JNP Group (2024b) *Drainage Statement: Hogwood Farm Parcels 4 & 5*. Old Amersham.

Omega Architects (2024) *Parcels 4 and 5 Hogwood Farm, Finchampstead: Site Layout in Context*. Omega Architects, Thames Ditton.


Royal Haskoning DHV (2014) Chapter 7: Biodiversity, Flora and Fauna, In: *Hogwood Farm Environmental Statement Non-Technical Summary*. pp.79-103.

RPS (2024) *Hogwood Farm, Finchampstead, Wokingham – Parcels 4 & 5: Tree Survey Report and Arboricultural Impact Assessment*. RPS, Chandlers Ford, Hampshire.

Stace, C. (2019). *New Flora of the British Isles (Fourth edition)*. C&M Floristics, Stowmarket.

HDA Document Control and Quality Assurance Record

Project Title: Hogwood Farm, Finchampstead
Project Reference: 868.1
Document Title: Detailed Ancient Woodland Assessment and Mitigation Strategy: Parcels 4 and 5 and the Associated Secondary Access Into Parcels 4 and 5
Commissioning Party: CALA Homes Thames Ltd

Issue	Description	Date of Issue	Signed
1	Detailed Ancient Woodland Assessment and Mitigation Strategy: Parcels 4 and 5 and the Associated Secondary Access Into Parcels 4 and 5	October 2024	

	Personnel	Position
Author	Sarah Thornton-Mills MCIEEM	Principal Ecologist
Approved for issue	Clare Bird MCIEEM	Associate Ecologist

© Hankinson Duckett Associates. All rights reserved

No part of this report may be copied or reproduced by any means without prior written permission from Hankinson Duckett Associates. If you have received this report in error, please destroy all copies in your possession or control and notify Hankinson Duckett Associates.

This report has been prepared for the exclusive use of the commissioning party and unless otherwise agreed in writing by Hankinson Duckett Associates no other party may use, make use of or rely on the contents of the report. No liability is accepted by Hankinson Duckett Associates for any use of this report, other than for the purposes for which it was originally prepared and provided.

Opinions and information provided in the report are on the basis of Hankinson Duckett Associates using due skill, care and diligence in the preparation of the same and no explicit warranty is provided as to their accuracy. It should be noted and it is expressly stated that no independent verification of any of the documents or information supplied to Hankinson Duckett Associates has been made.

APPENDIX A

Phase 1 Habitat Plan and Target Notes Showing Site, Wider Site and areas of Ancient and Aged Woodland