

TPO APPLICATION INFORMATION:

Site Address:

15 and 17 Heathermount Drive, Edgcumbe Park,
Crowthorne, Berkshire RG45 6HJ

Applicant:

Chris Grundy (Owner / Occupier of 15 Heathermount
Drive)

Contact:

Chris_grundy2002@yahoo.co.uk



DUCKWORTHS
ARBORICULTURE LTD.

AERIAL PHOTO:



Duckworths Arboriculture Limited:

Company Number: 14330432
VAT Number: 446958541


Contact Information:

Mob: 07810 440546
sarahcduckworth@hotmail.com

Arboricultural Surveyor:

Sarah Duckworth
DipArb(RFS), M. Arbor.A
LANTRA Professional Tree Inspector

SITE PLAN:



© Crown copyright 2026 Ordnance Survey 100053143

Duckworths Arboriculture Limited:

Company Number: 14330432
VAT Number: 446958541

Contact Information:

Mob: 07810 440546
sarahcduckworth@hotmail.com

Arboricultural Surveyor:

Sarah Duckworth
DipArb(RFS), M. Arbor.A
LANTRA Professional Tree Inspector

TREE DATA

Date: 14/04/2026

Tree Number		T001		Tree Species	Oak (<i>Quercus robur</i>)			Age	Mature
Diameter	880mm @1.5m	Height	16m	Canopy spread	N: 7m	E: 7m	S: 8m	W: 4m	
Mature Oak growing centrally within a small rear garden. In this position, the entire rear garden falls beneath the canopy of T001 and nearby trees, with the eastern extent of the crown overhanging the roof of 15 Heathermount Drive and the neighbouring property, number 11. T001 is 4.2m from the rear elevation of 15 Heathermount Drive. High stilted buttress roots. Base clear, bark intact. No fungal fruiting bodies or audible decay. Single stem. Multiple branching from 6m. Broad, asymmetrical canopy due to competition with adjacent trees. Small to medium sized deadwood in crown. Canopy overhangs dwelling by 2.5-3m. Canopy previously reduced with 1.5m of new growth on previous reduction points. Buds dense and even. Good vitality									
Recommended Tree Works: • Reduce lateral spread on eastern half of canopy (towards 15 Heathermount Drive by 2-2.5m (from approximately 7m to 5m) back to suitable growth points. Tree height will not be reduced. Cuts will be graded into surrounding canopy on north and south sides of tree to leave a sympathetic and natural looking canopy shape. • Remove deadwood Reason: Works are the minimum reasonable works required in order to create reasonable clearance to property. Only a small area of the tree will be cut and the overall health and visual amenity of the tree will not be greatly impaired.						Priority	Within 1 year		
						Re-inspection due	24 Months		
						Date	28 th March 2026		

Tree Number		T002		Tree Species	Oak (<i>Quercus robur</i>)			Age	Mature
Diameter	600mm @1.5m	Height	17m	Canopy spread	N: 5.5m	E: 7m	S: 7m	W: 5m	
Offsite tree within the front garden of neighbouring 17 Heathermount Drive. Single stem tree, previously topped around 6m with dense mature branching from above this point. Broad crown, outer tips in close proximity to 15 Heathermount Drive and prone to whip the building in high winds. Risk of damage to roof tiles. Bud density normal. Fair form and vitality.									
Recommended Tree Works: • Reduce overextended branch over roof of number 15 back 2m to previous reduction points • Reduce low pendulous secondary branches (all under 40mm diameter) as required to create 2m crown clearance to dwelling, pruning back to source where necessary to avoid leaving stump-cut branches. Reason: Works are the minimum reasonable works required to create reasonable clearance to property. Only a small area of the tree will be cut, and the overall health and visual amenity of the tree will not be greatly impaired.						Priority	Within 1 year		
						Re-inspection due	24 Months		
						Date	28 th March 2026		

PHOTOS



Photo 1 – T001 (Oak) – Indicative line of proposed reduction on western half of tree to create reasonable clearance to rear elevation of 15 Heathermount Drive

Duckworths Arboriculture Limited:

Company Number: 14330432
VAT Number: 446958541

Contact Information:

Mob: 07810 440546
sarahcduckworth@hotmail.com

Arboricultural Surveyor:

Sarah Duckworth
DipArb(RFS), M. Arbor.A
LANTRA Professional Tree Inspector



Photo 2 – Indicative line of proposed reductions for T002 (Oak) to reduce branches in direct contact with property and with an allowance for future growth

Duckworths Arboriculture Limited:

Company Number: 14330432
VAT Number: 446958541

Contact Information:

Mob: 07810 440546
sarahcduckworth@hotmail.com

Arboricultural Surveyor:

Sarah Duckworth
DipArb(RFS), M. Arbor.A
LANTRA Professional Tree Inspector