

ack.

0-2

IPD-1454-2012

702


702

T035

TRD-1454-2012

Sept 26

70



705

7067 only

© Crown copyright 2025 Ordnance Survey 100053143

TPD-1454

— Value for soda height — 7 m mouth. Up on our land


~~TP62 Side line~~ - Fell to Ground - ~~TP6 - 1454 - 2012~~

• **T023** **ok** reduce canopy height by 3m, reduce deadening branches back to healthy wood
 • **T045** **ok** remove canopy height by 3m, reduce deadening branches back to healthy wood
 • **T045** **ok** remove dead wood.

7 SITE PLAN

• **T045** **ok** reduce clung dead branches on SW side of crown by 4m
 • **TPO-1454-2012**

- Dec 25
- Mar 25
- ✗ Sept 26
- TPO



• **T067** **ok**
 reduce regrowth from tips & low
 branch to create around 15m canopy
 clearance to building. **TPO-1454-2012**

• **T021** Fall and replace apple
 • **T029** Fall replace plastic tie
 and branch with strong
 and tree stake.
 • **T035** Remove dead wood
 and mulch.
TPO-1454-2012

• **T055** Working without
 roll back tips of clung dead limbs over
 access drive by 3m and crown
 lift N by 2m to reduce risk of
 branch breakage and clear
 street light

© Crown copyright 2025 Ordnance Survey 100053143
 Cadastral data is subject to Crown copyright and is reproduced with permission of HM Land Registry.

✗ **T062** **ok** **ok** - reduce to safe height - 7m max. When our land - **TPO-1454-2012**
 ✗ **T062** **ok** **ok** - Fall to ground - **TPO-1454-2012**