

REV	DATE	DESCRIPTION	DRW	CHK
COT	31.10.25	FIRST ISSUE	AJP	RJH

Surface Water Access Chamber Schedule													
MH Ref.	Cover & Invert Level (m)	Depth (m)	Sump (m)	Pipes In Dia. (mm)	Pipes In Invert Level (m)	Pipes Out Dia. (mm)	Pipes Out Invert Level (m)	MH Size (mm)	MH Type	Cover Size (mm)	Cover Grade	Eastings	Northings
S01	CL = 39.465 IL = 38.215	1.250	0.000	Ø375	38.215	Ø375	38.215	Ø1350	C	1200x675	D400	477029.814	171209.470
S02	CL = 39.240 IL = 38.640	0.600	0.000	Ø150 Ø150	38.640 38.640	Ø150	38.640	Ø300	D	300Ø or 300x300	B125	477022.478	171211.352
S03	CL = 39.246 IL = 38.190	1.056	0.000	Ø375 Ø150	38.190 38.415	Ø375	38.190	Ø1350	C	1200x675	D400	477027.155	171218.402
S04	CL = 39.361 IL = 38.115	1.247	0.000	Ø375	38.115	Ø375	38.115	Ø1350	C	1200x675	D400	477001.439	171228.377
S05	CL = 39.304 IL = 37.400	1.904	0.000	Ø375	38.100	Ø375	37.400	Ø1350	C	1200x675	D400	476997.170	171227.324
S06	CL = 38.909 IL = 36.840	2.069	0.500	Ø375 Ø375 Ø300	37.340 37.340 37.340	Ø150	37.340	Ø1500	B+Flow Control	675x675	D400	476984.698	171212.710
S07	CL = 38.880 IL = 37.254	1.626	0.000	Ø150 Ø675	37.304 37.254	Ø675	37.254	Ø1500	C	1200x675	D400	476983.624	171207.554
S10	CL = 39.337 IL = 37.905	1.432	0.500	Ø150 Ø150	38.405 38.405	Ø150	38.405	Ø1200	B+Silt Trap	675x675	D400	477019.856	171225.060
S11	CL = 39.369 IL = 37.635	1.734	0.500	Ø150	38.135	Ø225	38.135	Ø1200	B+Silt Trap	675x675	D400	477006.094	171230.399
S12	CL = 39.155 IL = 37.170	1.985	0.500	Ø225 Ø150 Ø150	38.050 37.975 37.975	Ø225	37.670	Ø1200	B+Silt Trap	675x675	D400	476989.318	171227.110
S13	CL = 38.900 IL = 37.460	1.440	0.500	Ø150 Ø150	37.960 37.960	Ø225	37.960	Ø1200	B+Silt Trap	675x675	D400	476981.035	171214.239
S14	CL = 38.962 IL = 37.420	1.542	0.500	Ø225	37.920	Ø225	37.920	Ø1200	B+Silt Trap	675x675	D400	476983.347	171220.202
S15	CL = 38.977 IL = 37.010	1.967	0.500	Ø225 Ø225 Ø150	37.585 37.585 37.660	Ø300	37.510	Ø1350	B+Silt Trap	675x675	D400	476986.137	171219.621
S20	CL = 38.655 IL = 37.145	1.510	0.500	Ø150 Ø150	37.645 37.645	Ø450	37.645	Ø1200	B+Silt Trap	675x675	D400	476924.093	171223.482
S21	CL = 38.660 IL = 37.050	1.610	0.500	Ø150 Ø450	37.775 37.550	Ø450	37.550	Ø1350	B+Silt Trap	675x675	D400	476940.644	171200.585
S22	CL = 38.771 IL = 37.300	1.471	0.500	Ø150 Ø150	37.800 37.800	Ø150	37.900	Ø1200	B+Silt Trap	675x675	D400	476962.503	171196.556
S23	CL = 38.608 IL = 37.000	1.608	0.500	Ø450 Ø150 Ø150 Ø150	37.500 37.725 37.725 37.725	Ø375	37.500	Ø1500	B+Silt Trap	675x675	D400	476950.797	171188.650
S24	CL = 38.583 IL = 36.880	1.703	0.500	Ø375 Ø300 Ø300	37.380 37.380 37.380	Ø150	37.380	Ø1800	B+Flow Control	675x675	D400	476955.055	171183.644
S25	CL = 38.566 IL = 37.244	1.322	0.000	Ø150 Ø675 Ø150	37.350 37.244 37.350	Ø675	37.244	Ø1500	C	1200x675	D400	476956.177	171179.851
S30	CL = 38.574 IL = 37.050	1.524	0.500	Ø150 Ø225 Ø150	37.700 37.625 37.700	Ø300	37.550	Ø1500	B	675x675	D400	476964.077	171170.365
S31	CL = 38.635 IL = 36.920	1.715	0.500	Ø300 Ø300 Ø300	37.420 37.420 37.420	Ø150	37.420	Ø1500	B+Flow Control	675x675	D400	476962.898	171178.018
S99	CL = 38.648 IL = 37.343	1.305	1.000			Ø150	38.343	Ø450	D	450Ø or 450x450	B125	476939.878	171190.624

Foul Access Chamber Schedule												
MH Ref.	Cover & Invert Level (m)	Depth (m)	Pipes In Dia. (mm)	Pipes In Invert Level (m)	Pipes Out Dia. (mm)	Pipes Out Invert Level (m)	MH Size (mm)	MH Type	Cover Size (mm)	Cover Grade	Eastings	Northings
F01	CL = 38.729 IL = 38.029	0.700			Ø150	38.029	Ø1350	C	1200x675	D400	476978.726	171158.226
F02	CL = 39.388 IL = 37.085	2.303	Ø150	37.085	Ø100	37.085	Ø1200	B	675x675	D400	477006.023	171228.601
F03	CL = 38.913 IL = 37.881	1.032			Ø100	37.881	Ø1350	C	1200x675	D400	476989.817	171153.924
F04	CL = 39.319 IL = 36.936	2.383	Ø100 Ø100	36.936 36.936	Ø100	36.936	Ø1200	B	675x675	D400	477017.154	171224.400
F05	CL = 39.273 IL = 38.290	0.983	Ø100 Ø100	38.290 38.290	Ø100	38.290	Ø450	D	450Ø or 450x450	B125	477023.238	171210.068
F06	CL = 39.219 IL = 37.980	1.239	Ø100	37.980	Ø100	37.980	Ø450	D	450Ø or 450x450	B125	477026.660	171216.015
F07_Pump	CL = 39.306 IL VARIES	Depth to Wet Well TBC	Ø100 Ø100	36.846 37.899	Rising Main Ø TBC	TO BE CONFIRMED BY SPECIALIST DESIGNER	Package Pump		TBC	D400	477023.884	171221.905
F08	CL = 39.995 IL = 38.300	1.695	Rising Main Ø TBC	38.300	Ø100	38.300	Ø1200	B	675x675	D400	477032.599	171228.281

GENERAL NOTES

DRAWINGS AND SPECIFICATIONS: This drawing is to be read in conjunction with all relevant Architects, Engineers and Specialists drawings together with the specification.

BUILDING REGULATIONS AND WARRANTY PROVIDER APPROVALS: Please note that it is the responsibility of the Client/Main Contractor to ensure that Building Regulations and warranty provider (e.g. NHBC) approval of all design and construction details is achieved prior to construction on site.

DRAINAGE NOTES

See drawing 12245-CDY-XX-XX-DR-C-0050

C D M : SIGNIFICANT HAZARDS
THE FOLLOWING HEALTH AND SAFETY HAZARDS ARE IDENTIFIED BY THE DESIGNER AS ABNORMAL IN PURSUANCE OF THE CURRENT CONSTRUCTION DESIGN AND MANAGEMENT REGULATIONS.
RISKS DURING CONSTRUCTION: No abnormal risks have been identified relating to this design element.
OPERATION / MAINTENANCE RISKS: No abnormal risks have been identified relating to this design element.
RISKS DURING DEMOLITION/DECOMMISSIONING/DISMANTLING/ALTERATIONS: No abnormal risks have been identified relating to this design element.
IT IS ASSUMED THAT ALL WORKS WILL BE CARRIED OUT BY COMPETENT & ADEQUATELY RESOURCED CONTRACTOR(S) TO SAFE SYSTEMS OF WORK.
THIS DRAWING IS THE COPYRIGHT OF CRADDYS LTD AND MUST NOT BE COPIED, REPRODUCED OR SUBMITTED TO OTHER PARTIES WITHOUT THEIR PERMISSION.

Client	ALDI - Aldi Stores Ltd.	
Project Title	ALDI STORE	
Project Address	GAZELLE CLOSE WINNERSH, WOKINGHAM	

Drawing Title				
PROPOSED DRAINAGE SCHEDULES				
Job No.	Originator	Functional	Spatial	Type
79-E1624 CDY	XX	XX	DR	C
Drawing No.	Suitability		Revision	
0055	A4		C01	
Drawn	Checked	Date	Scale	Size
AJP	RJH	31.10.25	N/A	A1

Approved	Craddys Job#	IF YOU HAVE A QUERY CALL US SCALING FROM THIS DRAWING OR CONTAINING DIMENSIONS ELECTRONICALLY MAY NOT PROVIDE ACCURATE INFORMATION & SHOULD BE AVOIDED. WORK ONLY FROM FIGURED DIMENSIONS
CSD	12245	
CRADDYS CIVIL & STRUCTURAL ENGINEERING DESIGN CONSULTANCY www.craddys.co.uk		