









Planning Samples Tracker- European Centre for Medium-Range Weather Forecasts- Condition 05 (Materials)

|                                                                                                                          |            |                          |                             |
|--------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|-----------------------------|
| P02                                                                                                                      | 16/10/2024 | Status: S2- For Planning | ECMWF-MAC-XX-XX-SH-X-000202 |
| Images may vary from final product and are provided to illustrate intent<br>To be read with: ECMWF-BDP-ZZ-ZZ-RP-Z-000505 |            |                          |                             |

| Condition No | ECMWF-BDP-ZZ-ZZ-RP-Z-000505<br>Elevation Reference | Location                                       | BDP Spec Reference | Materials Description                                                                                                                                                                                                                                                                                                                               | Sample Image                                                                         |
|--------------|----------------------------------------------------|------------------------------------------------|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| 5            | 1                                                  | All façade - Ground floor                      | EW5-331            | Limestone Rainscreen Cladding                                                                                                                                                                                                                                                                                                                       |    |
| 5            | 1                                                  | Granite Upstand- GF                            | EW5-331 (Upstand)  | Shackerley Group- SHG NAS NAS01 (S blast)                                                                                                                                                                                                                                                                                                           |    |
| 5            | 2                                                  | All façade - Office wings<br>Level 1, 2 and 3  | EW5-821            | 75mm (D) x 50mm (W) tilt and miss rainscreen aluminium cladding with<br>a recycled backing panel.<br>Channels -<br>Colour 1 - Interpon D2525 YW255F Golden Beach Matt<br>Colour 2 - Interpon D2015 Precis Ultra MattY2M39I Bright<br>Bronze C32<br>Colour 3 - Interpon D2525 Sable Y2304I Tasilaq Sable<br>Backing panel - RAL 7016 Anthracite grey |   |
| 5            | 3                                                  | Beacon side walls Level 1,<br>2 and 3 & soffit | EW5-822            | Rainscreen Cladding: PPC aluminium panel with vertical and<br>horizontal shadow gaps.<br>Interpon D2525 - RAL 7035 HR - Smooth Matt HR YL261F                                                                                                                                                                                                       |  |
| 5            | 4                                                  | Courtyard & beacon<br>façade<br>Picture window | GLA-211            | Spandrel panel- Ceramic frit<br>Emalit - Emalit - H Planticlear Farbe BF2WW. Soft white                                                                                                                                                                                                                                                             |  |
| 5            | 5                                                  | Courtyard & beacon<br>façade- L1,L1.2,L3       | GLA-101            | 50% Glass frit- 50 % Ceramic frit with ceramic fritted dot pattern<br>To match - Emalit - H Planticlear Farbe BF2WW. Soft white. Double Glazed unit                                                                                                                                                                                                 |  |
| 5            | 6                                                  | Courtyard & beacon<br>façade, L0,L1,L2,L3      | GLA-101            | 100% Glass frit- Ceramic frit<br>Emalit - Emalit - H Planticlear Farbe BF2WW. Soft white                                                                                                                                                                                                                                                            |  |

|   |             |                                                                                                    |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                            |
|---|-------------|----------------------------------------------------------------------------------------------------|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5 | 07, 15 & 17 | Courtyard, beacon facade<br>- picture window to L3<br>North West and GF Gym<br>Screen to Courtyard |                                     | Capped stick built curtain walling system with extruded fins as per design drawing<br><b>1. CW Ground floor</b> - all areas internal and external - east & west elevations RAL9005 Jet black<br><b>2. CW all areas above GF (beacon)</b> - East & west elevations- internal & external in RAL 7035 HR- Smooth Matt<br><b>3. Picture window (L02 &amp; 3) &amp; Gym (Ground floor)</b> - RAL 7016 Anthracite Grey |        |
| 5 | 7           | Ground Floor facade-<br>Glazed doors                                                               | <b>DRS-201, DRS-202</b>             | Glazed Framed Door- Wicstyle 75 Evo- power assisted aluminium framed glazed hinged doorset with glazed or louvred infill over panel. <b>RAL 9005 Jet Black</b>                                                                                                                                                                                                                                                   |                                                                                          |
| 5 | 7           | External Doors                                                                                     | <b>Ironmongery</b>                  | Satin finished stainless steel ironmongery and hardware                                                                                                                                                                                                                                                                                                                                                          |                                                                                          |
| 5 | 7           | GF Areas                                                                                           | <b>Manifestation</b>                | Applied film manifestation in RAL 9010 (white)                                                                                                                                                                                                                                                                                                                                                                   | <b>RAL 9010- Design To be determined</b>                                                                                                                                   |
| 5 | 8           | Main Entrance to<br>underside of Level 01                                                          | <b>CON- 111</b>                     | Column Exposed concrete Main entrance- plain finish                                                                                                                                                                                                                                                                                                                                                              |                                                                                        |
| 5 | 9           | All external solid Doors                                                                           | <b>DRS-401</b>                      | Metal Doorset- Litham's insulated metal door. RAL 7016 Anthracite Grey                                                                                                                                                                                                                                                                                                                                           |                                                                                        |
| 5 | 10          | All window reveals & all<br>door reveals                                                           | <b>At window &amp; Door Reveals</b> | RAL 7016 Anthracite Grey                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                        |
| 5 | 11, 18      | All Window frames- all<br>facades                                                                  | <b>EWS-152</b>                      | Window- Aluminium window system- Wicline 75 Evo Top<br>RAL 7016 Anthracite Grey                                                                                                                                                                                                                                                                                                                                  |   |
| 5 | 12          | Roof Plant- Level 03                                                                               | <b>EWS-721</b>                      | Solarm- fit and miss cladding (Plant areas)<br>Colour 1- Interpon D2525 YW255F Golden Beach Matt<br>Colour 2- Interpon D2015 Precis Ultra MattY2M39I Bright<br>Bronze C32<br>Colour 3- Interpon D2525 Sable Y2304I Tasilaq Sable                                                                                                                                                                                 |                                                                                        |

|   |     |                                                                                                   |                         |                                                                                                                                                                      |                                                                                                                                                                        |
|---|-----|---------------------------------------------------------------------------------------------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5 | 13  | Loading bay canopy-<br>South Elevation                                                            | CAN-231                 | Canopy Aluminium canopy. RAL 7016 Anthracite Grey                                                                                                                    |                                                                                      |
| 5 | 14  | All roof stairs                                                                                   | Roof Metalwork          | RAL 7035                                                                                                                                                             |                                                                                      |
| 5 | 16  | GF Plant areas                                                                                    | EWS-701, EWS-711        | Louvers - single bank ventilation and rain defence louvre with integrated doorset. RAL 7016 Anthracite Grey, Jansen 75 Steel Louvre                                  |   |
| 5 |     | All windows (Level 01, 02 and 03)<br>Curtain wall (Courtyard & beacon)                            | GLP-101 GLP-102 GLP-103 | GLP-101/102/103: IPSOL glazing. Product: Interpane IPSOL Neutral 72/42 GF glass only. Double Glazed unit                                                             |                                                                                      |
| 5 | 19  | Wings Roofs                                                                                       | Roof Coping- EWS-412    | Roof coping- RAL 7016 Anthracite Grey                                                                                                                                |                                                                                      |
| 5 | 20  | Beacon Roof                                                                                       | Roof coping             | Beacon roof coping- Interpon D2525 - RAL 7035 HR - Smooth Matt HR YL281F                                                                                             |                                                                                     |
| 5 | 21  | Beacon side walls Level 1, 2 and 3 & soffit                                                       | EWS-523                 | Rainscreen Cladding- PPC aluminium panel with vertical and horizontal shadow gaps. Interpon D2525 - RAL 7035 HR - Smooth Matt HR YL281F                              |                                                                                    |
| 5 | N/A | Cladding to Stair cores to level 3 external plant. Wall between level 3 office and external plant | EWS-211                 | Metal Composite Panel Cladding- Steel faced insulated composite panel wall cladding system Colour/finish: TATA Steel colourcoat Primo Oyster finish is Ral 7035 Matt |                                                                                    |
| 5 | N/A | Rooflight - Frame                                                                                 | RFS-401                 | Roof light Capped stick built curtain walling system. PPC RAL 7035 Rooflight                                                                                         |                                                                                    |
| 5 | N/A | Rooflight - Glass                                                                                 | GLP-125                 | Glass Neutral Solar Control glazing. Product: Interpane double glazed                                                                                                |                                                                                                                                                                        |
| 5 | N/A | East Elevation                                                                                    | Bird box                | Schwegler 15P Sparrow terrace Finish: Grey                                                                                                                           |                                                                                    |
| 5 | N/A | East Elevation                                                                                    | Bat Box                 | Leia Bat box- finish Wood concrete                                                                                                                                   |                                                                                    |

|   |       |                           |                                                             |                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                            |
|---|-------|---------------------------|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5 | N/A   | Façade Low Level Lighting | Façade Low Level Generally                                  | PHOTO ONLY: Wall luminaire with asymmetrical light distribution for flush or surface mounting installation. BEGA Lighting / Kazzar Lighting Recessed Wall Luminaire                                                                                                                      |                                                                                                                                                          |
| 5 | Q1    | Landscape & Externals     | Type EXT-303 Metal Fencing (Q1)                             | Purpose made metal security fencing, configured as indicated on the Design Drawings. Mild steel flats weld fixed to base plate 1800mm(h) 800mm (h) x 100mm (w) x 15mm thick, 90mm centres. Polyester powder coat finished to RAL 9005 black colour                                       |                                                                       |
| 5 | Q1    | Landscape & Externals     | Type EXT-342 Vehicle Gate (Q1)                              | Purpose made steel double leaf swing gates, configured as indicated on the Design Drawings. Mild steel blades to match fencing Type EXT-303. Mild steel perimeter frame. polyester powder coat finished to RAL 9005 black colour                                                         |  <p>④ Q1 Double Leaf, vehicle gate, 1.8m(h) Black RAL 9005</p>        |
| 5 | Q1    | Landscape & Externals     | Type EXT-343 Pedestrian Gate (Q1)                           | Purpose made steel single leaf swing gates, configured as indicated on the Design Drawings. Mild steel blades to match fencing Type EXT-303. polyester powder coat finished to RAL 9005 black colour.                                                                                    |  <p>⑤ Q1 Single Leaf, pedestrian gate, 1.8m(h) Black RAL 9005</p>  |
| 5 | Q2/Q3 | Landscape & Externals     | Type EXT-344 Emergency Access and Maintenance Gate (Q2, Q3) | Proprietary steel double and single leaf swing gates, configured as indicated on the Design Drawings. Manufacturer: Jacksons. 358 Securi-mesh Swing Gate. Welded wire mesh to match fencing Type EXT-304. polyester powder coat finished to RAL 9005 black colour                        |                                                                                                                                                        |
| 5 | Q2/Q3 | Landscape & Externals     | Type EXT-304 Metal Mesh Fencing (Q2, Q3)                    | Manufacturer: Jacksons. Reference: 358 Securi-mesh Welded Mesh Panel. Straight cut finish to the top of the panel. Sizes & heights configured as indicated on design drawings. Polyester powder coat finished to RAL 9005 black colour.                                                  |                                                                   |
| 5 | Q4    | Landscape & Externals     | Type EXT-305 Metal Mesh Fencing (Q4)                        | Proprietary welded wire mesh security fencing to ha-ha wall, configured as indicated on the Design Drawings. Manufacturer: Jacksons. Reference: 358 Securi-mesh Welded Mesh Panel. Straight cut finish to the top of the panel. Polyester powder coat finished to RAL 9005 black colour. |                                                                                                                                                        |