



Planning Samples Tracker- European Centre for Medium-Range Weather Forecasts- Condition 13 (Landscape)


|          |     |            |                          |                             |
|----------|-----|------------|--------------------------|-----------------------------|
| Revision | P02 | 07/11/2024 | Status: S2- For Planning | ECMWF-MAC-XX-XX-SH-X-000203 |
|----------|-----|------------|--------------------------|-----------------------------|


Images may vary from final product and are provided to illustrate intent  
To be read with landscape drawings and specifications



| Condition No | Location              | BDP Spec Reference                       | Materials Description                                                                                                      | Sample Image |
|--------------|-----------------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|--------------|
| 13           | Landscape & Externals | Type EXT-131 Concrete Slab Paving (NSP1) | Marshalls Modal X 600 x 300 x 80mm<br>100% Silver Grey Granite Textured                                                    |              |
| 13           | Landscape & Externals | Type EXT-141 Concrete Sett Paving (NSP2) | Marshalls Modal X Setts 100 x 100 x 80mm<br>100% Silver Grey Granite Textured                                              |              |
| 13           | Landscape & Externals | Type EXT-142 Concrete Paving (NSP3)      | Marshalls Modal X 300 x 200 x 80mm<br>80% Silver Grey Granite - Textured<br>20% Mid Grey Granite - Textured                |              |
| 13           | Landscape & Externals | Type EXT-121 Concrete Slab Paving (CS)   | Concrete Slabs to footways, 600 x 300 x80mm. Tobermore Braemar Ground Textured. Colour: Alto Silver                        |              |
| 13           | Landscape & Externals | PB- Type EXT-101 Permeable Block Paving  | Permeable Block, 210 x 105 x 100mm d. Hardscape Products Ltd. : Kellen Lavarro, H2O permeable paving system. Colour: Paars |              |

|                  |                       |                                                    |                                                                                                                                                                                                  |                                                                                       |
|------------------|-----------------------|----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 13               | Landscape & Externals | Type EXT-192 Resin Bound Gravel with Cellweb (RBC) | Resin Bound Gravel with Cellweb (RBC). Addagrip Terraco Ltd. Addabound Resin Bound Surfacing. Colour: Golden Beach . Aggregate size: 6mm. depth 30mm.                                            |    |
| 13               | Landscape & Externals | Type EXT-191 Resin Bound Gravel (RBG)              | Resin Bound Gravel with Cellweb (RBC). Addagrip Terraco Ltd. Addabound Resin Bound Surfacing. Colour: Golden Beach . Aggregate size: 6mm. depth 20mm.                                            |    |
| 13               | Landscape & Externals | Type EXT-151 Hot Rolled Asphalt Pavement (AT)      | Hot Rolled Asphalt: Hot rolled, reduced emission asphalt (REA)                                                                                                                                   |   |
| KERBS AND EDGING |                       |                                                    |                                                                                                                                                                                                  |                                                                                       |
| 13               | Landscape & Externals | K1A - Type EXT-201 Precast Concrete Kerb           | 150(w)125mm exposed upstand Concrete Kerb . Hydraulically pressed precast concrete kerbs/ edging. (Bullnosed 20mm). 125mm exposed upstand.                                                       |  |
| 13               | Landscape & Externals | K1 B - Type EXT-202 Precast Concrete Kerb          | 150mm(w) Concrete Transition Kerb . Hydraulically pressed precast concrete kerbs/edging. Bullnose (20mm), transition and quadrant profiles where required or as indicated on the Design Drawings |  |
| 13               | Landscape & Externals | K1C - EXT-203 Precast Concrete Kerb                | 150mm(w) flush Concrete Kerb (drop kerb). Hydraulically pressed precast concrete flush drop kerbs. . Profile: Straight edge.                                                                     |  |

|           |                       |                                                                             |                                                                                                                                                                                                                                                                          |                                                                                       |
|-----------|-----------------------|-----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 13        | Landscape & Externals | <b>K3-Type EXT-204 Precast Concrete Pin Kerb</b>                            | Hydraulically pressed precast concrete pin kerbs configured as indicated on the Design Drawings. Size: 50mm (W) x 150mm (D) x 914mm (L), Flat Top                                                                                                                        |    |
| 13        | Landscape & Externals | <b>K4-Type EXT-231 Metal Edging</b>                                         | Proprietary flush metal edging- Flush Metal Edge (Kinley) . Kinley Systems Limited. AluExcel.Material: 6005A grade recycled aluminium. Mill Finish                                                                                                                       |    |
| 13        | Landscape & Externals | <b>K6- Type EXT-213 Natural Stone Edging - Water Feature (K6)</b>           | Bespoke natural stone retaining edge configured as indicated on the Design Drawings. Bespoke natural stone edging to water feature.300mm (W) x 438mm (H), refer to the Design Drawings. Flush profile. Colour: Silver grey Exposed faces shall receive a hammered finish |   |
| 13        | Landscape & Externals | <b>K7-Type EXT-214 Natural Stone Edging - Water Feature</b>                 | The system build-up shall be as Type EXT-213 with the following differences. Size: 500mm (W) x 565mm (H).                                                                                                                                                                |  |
| 13        | Landscape & Externals | <b>K8 - Type EXT-215 Natural Stone Edging - Water Feature</b>               | The system build-up shall be as Type EXT-213 with the following differences: Size: 250mm (W) x 300mm (H).                                                                                                                                                                |  |
| 13        | Landscape & Externals | <b>K5T - Type EXT-216 Natural Stone Edging - Transition - Water Feature</b> | The system build-up shall be as Type EXT-213 with the following differences: Size: 300mm (W) x 565mm - 400mm (H) (transition edge).                                                                                                                                      |  |
| 13        | Landscape & Externals | <b>BS-Type EXT-122 Concrete Slab Paving - Blister</b>                       | Concrete slab blister paving. : Hardscape Products Ltd. Hydraulically pressed semi-dry concrete. Size: 400mm (W) x 400mm (L) x 80mm (D). : Blister surface. Colour: Charcoal                                                                                             |  |
| Furniture |                       |                                                                             |                                                                                                                                                                                                                                                                          |                                                                                       |

|    |                       |                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                       |
|----|-----------------------|--------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 13 | Landscape & Externals | <b>BE-Type EXT-440 Bench with Backrest</b>                   | Proprietary, purpose made bench with back rest. Mmcité. Range: Woody. Reference: <b>LWD150</b> . Mild steel support framing to sizes and profiles indicated on the Design Drawings. All exposed mild steel shall be treated with a protective layer of zinc and powder coated to a RAL 7016 anthracite grey colour. Thermally modified wooden slats to sizes and profiles indicated on the Design Drawings fixed back to support structure with stainless steel fixings.                                                                                            |    |
| 13 | Landscape & Externals | <b>BE- Type EXT-441 Bench with Backrest and Armrests</b>     | Proprietary, purpose made bench with back rest. Mmcité. Range: Woody. Reference: <b>LWD150</b> . Mild steel support framing to sizes and profiles indicated on the Design Drawings. All exposed mild steel shall be treated with a protective layer of zinc and powder coated to a RAL 7016 anthracite grey colour. Thermally modified wooden slats to sizes and profiles indicated on the Design Drawings fixed back to support structure with stainless steel fixings.                                                                                            |    |
| 13 | Landscape & Externals | <b>BE2- Type EXT-442 Bench with no Backrest or Armrest</b>   | Proprietary, purpose made bench without back or arm rest. Manufacturer: mmcité. Range: Woody. Reference: <b>LWD110</b> . Support framing/ legs: Mild steel support framing to sizes and profiles indicated on the Design Drawings. Mild steel finish: All exposed mild steel shall be treated with a protective layer of zinc and powder coated to a RAL 7016 anthracite grey colour. Thermally modified wooden slats to sizes and profiles indicated on the Design Drawings fixed back to support structure with stainless steel fixings.                          |   |
| 13 | Landscape & Externals | <b>BE3- Type EXT-443 Wide Bench with no Back or Arm Rest</b> | Proprietary, purpose made bench without back or arm rest. Manufacturer: mmcité. Range: Woody. Reference: <b>LWD110</b> . Support framing/ legs: Mild steel support framing to sizes and profiles indicated on the Design Drawings. Mild steel finish: All exposed mild steel shall be treated with a protective layer of zinc and powder coated to a RAL 7016 anthracite grey colour. Thermally modified wooden slats to sizes and profiles indicated on the Design Drawings fixed back to support structure with stainless steel fixings                           |  |
| 13 | Landscape & Externals | <b>TA-Type EXT-451 Table - Wheelchair Accessible</b>         | Proprietary, wheelchair accessible table. Manufacturer: mmcité. Range: Woody. Reference: Wheelchair accessible table rectangular LWD900.Support framing/ legs: Mild steel support framing to sizes and profiles indicated on the Design Drawings. Mild steel finish: All exposed mild steel shall be treated with a protective layer of zinc and powder coated to a RAL 7016 anthracite grey colour. Table top: Thermally modified wooden slats to sizes and profiles indicated on the Design Drawings fixed back to support structure with stainless steel fixings |  |
| 13 | Landscape & Externals | <b>FP-Type EXT-491 Flagpole</b>                              | Proprietary aluminium flagpole. Manufacturer: Flagpole Express Ltd. Reference: Premier aluminium architectural flagpoles. Type: 8000mm two-part Site assembled flagpole with 90mm diameter base with a step taper to 60mm diameter at the top. Finish/ colour: Powder coated to a white colour.                                                                                                                                                                                                                                                                     |  |
| 13 | Landscape & Externals | <b>WF- Type EXT-495 Water Feature</b>                        | Water Feature. Water feature kerbs: Natural stone kerbs Silver grey granite 80mm thick various heights see drawings and Kerb types detailed above.                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                       |

|                            |                       |                                                     |                                                                                                                                                                                                                                                                           |                                                                                       |
|----------------------------|-----------------------|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 13                         | Landscape & Externals | CS-Type EXT-421 Cycle Stand                         | Cycle Stands . Manufacturer: Marshalls Mono Ltd. Reference: Sheffield Cycle Stand (Essentials Cycle Stand). Size: Above Ground Height 750mm x Width 798mm x Overall Height 1000mm. Material: 304 grade stainless steel. Finish: Brushed satin with anti-graffiti coating  |    |
| 13                         | Landscape & Externals | BI-Type EXT-401 Bin                                 | Litter bin with rain cover to match benches and table specified. Manufacturer: mmcité UK . Reference: Quinbin - QB145. Frame: Mild steel frame. Sheathing finish: Thermally modified wooden slats. Accessories: Rain cover, Stainless steel cigarette stubber and ashtray |    |
| 13                         | Landscape & Externals | EV & Type EXT-492 Disabled Parking Bay Signage (SP) | Electric Vehicle Charging Point :Rolec EV Autocharge in colour Black. With Proprietary bespoke disabled bay signage to EV chargers in disabled parking bay configured as indicated on the Design Drawings                                                                 |   |
| 13                         | Landscape & Externals | DP- AWM301 (A/B/C)                                  | Door Post - AMW-301 Door Actuator Posts- Jet Black RAL9005                                                                                                                                                                                                                |  |
| 13                         | Landscape & Externals | BAL-371 Door Barrier                                | Galvanised mild steel tubular frame with welded flat horizontal spanning elements- polyester powder coated, colour shall be RAL 9005 Jet Black. Auto door locations same barrier with a glass infill                                                                      |  |
| RETAINING WALL AND RAILING |                       |                                                     |                                                                                                                                                                                                                                                                           |                                                                                       |
| 13                         | Landscape & Externals | Type EXT-342 Vehicle Gate (Q1)                      | Purpose made steel double leaf swing gates, configured as indicated on the Design Drawings. Mild steel blades to match fencing Type EXT-303.Mild steel perimeter frame. polyester powder coat finished to RAL 9005 black colour                                           |  |

|       |                       |                                                             |                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                          |
|-------|-----------------------|-------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 13    | Landscape & Externals | Type EXT-343 Pedestrian Gate (Q1)                           | Purpose made steel single leaf swing gates, configured as indicated on the Design Drawings. Mild steel blades to match fencing Type EXT-303. polyester powder coat finished to RAL 9005 black colour.                                                                                     |  <p>5 Q1 Single Leaf, pedestrian gate, 1.8m(h) Black RAL 9005</p>  |
| 13    | Landscape & Externals | Type EXT-344 Emergency Access and Maintenance Gate (Q2, Q3) | Proprietary steel double and single leaf swing gates, configured as indicated on the Design Drawings. Manufacturer: Jacksons. 358 Securi-mesh Swing Gate. Welded wire mesh to match fencing Type EXT-304. polyester powder coat finished to RAL 9005 black colour                         |                                                                   |
| 13    | Landscape & Externals | Type EXT-303 Metal Fencing (Q1)                             | Purpose made metal security fencing, configured as indicated on the Design Drawings. Mild steel flats weld fixed to base plate1800mm(h) 800mm (h) x 100mm (w) x 15mm thick, 90mm centres. Polyester powder coat finished to RAL 9005 black colour                                         |                                                                                                                                                     |
| 13    | Landscape & Externals | Type EXT-304 Metal Mesh Fencing (Q2, Q3)                    | Manufacturer: Jacksons. Reference: 358 Securi-mesh Welded Mesh Panel. Straight cut finish to the top of the panel. Sizes & heights configured as indicated on design drawings. Polyester powder coat finished to RAL 9005 black colour.                                                   |                                                                |
| 13    | Landscape & Externals | Type EXT-305 Metal Mesh Fencing (Q4)                        | Proprietary welded wire mesh security fencing to ha-ha wall, configured as indicated on the Design Drawings. 'Manufacturer: Jacksons. Reference: 358 Securi-mesh Welded Mesh Panel. Straight cut finish to the top of the panel. Polyester powder coat finished to RAL 9005 black colour. |                                                                                                                                                     |
| OTHER |                       |                                                             |                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                          |

|    |                       |                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                        |
|----|-----------------------|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 13 | Landscape & Externals | SH                                    | <b>Security Hut</b> - external Dimensions: 2350mmx1770mmx2750mm(H) - Colour Standard White                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                     |
| 13 | Landscape & Externals | Type EXT-494 Vehicle Stopper          | Vehicle Stopper / Barrier . Manufacturer: Rediweld. Reference: TruckStop 150.<br>Material: Recycled rubber with high visibility yellow markings moulded into the material.<br>Height: 150mm. Length: 1000mm. Width: 300mm. Fixings: in accordance with the manufacturer's recommendations                                                                                                                                                                 |                                                                                                                     |
| 13 | Landscape & Externals | L8- Type EXT-471 Lighting Columns     | Lighting column ( 8m) Proprietary lighting columns.<br>Manufacturer: iGuzzini<br>Range: Lavinia<br>2. References (refer also to the Luminaire schedule and external lighting drawings)<br>Colour: Grey<br>Note: These columns have a range of different brackets, single head, twin arms with staggered 8m brackets for road/car park lighting                                                                                                            |                                                                                                                    |
| 13 | Landscape & Externals | L6-Type EXT-475 Lighting Columns      | Proprietary single head lighting columns configured as indicated on the Luminaire schedule and external lighting design drawings<br>Manufacturer: iGuzzini<br>Range: Street<br>Height: 6m.<br>Colour: Grey<br><b>Locations:</b> Eastern Access Road                                                                                                                                                                                                       |                                                                                                                   |
| 13 | Landscape & Externals | L6-Type EXT-475 Lighting Columns      | Proprietary single head lighting columns configured as indicated on the Luminaire schedule and external lighting design drawings<br>Manufacturer: Selux<br>Height: 6m.<br>Colour: Grey<br><b>Locations:</b> South of Flag poles                                                                                                                                                                                                                           |                                                                                                                   |
| 13 | Landscape & Externals | L6- Type EXT-471 Lighting Columns     | Lighting column ( 6m) Proprietary lighting columns.<br>Manufacturer: iGuzzini<br>Range: Lavinia<br>2. References (refer also to the Luminaire schedule and external lighting drawings)<br>Colour: Grey<br>Note: These columns have a range of different brackets, single head, twin arms with staggered 6m brackets for road/car park lighting<br><b>Locations:</b> Accessible parking and Loading bay                                                    |                                                                                                                   |
| 13 | Landscape & Externals | LB/LB1- Type EXT-414 Lighting Bollard | Bollard lighting . Surface-mounted exterior luminaire for ground illumination.<br>Manufacturer: Bega<br>Range:<br>LB: Bollard 84 750 K3<br>LB1: System Bollard 84 690 K3 & 84 006<br>Type: Refer to the Lighting Specialist's documentation.<br>Width: Refer to the Design Drawings and the Lighting Specialist's documentation.<br>Height:<br>LB: 495mm.<br>LB1: 940mm - includes in ground section.<br>Colour:<br>LB: Dark Grey.<br>LB1: Graphite Grey. | <br><b>LB</b> <br><b>LB1</b> |

|    |                       |                                            |                                                                                                                                                                                          |                                                                                     |  |
|----|-----------------------|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|
| 13 | Landscape & Externals | <b>LU-Type EXT-472 Inground Uplighters</b> | Proprietary recessed inground uplighter with a medium flood optic. Manufacturer: LineaLight.<br>2. Reference: Range: Suelo Rx,<br>3. Finish: Stainless steel bezel.                      |  |  |
| 13 | Landscape & Externals | <b>CCV-Type EXT-473 CCTV Columns (CCV)</b> | Proprietary CCTV columns configured as indicated on the Design Drawings. Manufacturer: TBC, finish galvanized steel, heights to be confirmed following Security specialist design input. |  |  |