



Job no: 6827
 Date: 29.02.2024
 Assessor name: AES Sustainability Consultants Ltd
 Registration no:
 Development name: Arborfield Parcel O2

BRE Global 2010. BRE Certification is a registered trademark owned by BRE Global and may not be used without BRE Global's written permission.

Permission is given for this tool to be copied without infringement of copyright for use only on projects where a Code for Sustainable Homes assessment is carried out. Whilst every care is taken in preparing the Wat 1 assessment tool, BREG cannot accept responsibility for any inaccuracies or for consequential loss incurred as a result of such inaccuracies arising through the use of the Wat 1 tool.

PRINTING: before printing please make sure that in "Page Setup" you have selected the page to be as "Landscape" and that the Scale has been set up to 70% (maximum)

WATER EFFICIENCY CALCULATOR FOR NEW DWELLINGS - (BASIC CALCULATOR)

House Type:		Type 1		Type 2		Type 3		Type 4		Type 5		Type 6		Type 7		Type 8		Type 9		Type 10		
Description:		Open Market Dwellings up to 3 Bed		Open Market Dwellings over 3 Bed		Shared Ownership Dwellings		Social Rented Dwellings														
Installation Type	Unit of measure	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day	
Is a dual or single flush WC specified?		Dual		Dual		Dual		Dual		Select option:		Select option:		Select option:		Click to Select		Click to Select		Click to Select		
WC	Full flush volume	4.5	6.57	4.5	6.57	4.5	6.57	4.5	6.57		0.00		0.00		0.00		0.00		0.00		0.00	
	Part flush volume	3	8.88	3	8.88	3	8.88	3	8.88		0.00		0.00		0.00		0.00		0.00		0.00	
Taps (excluding kitchen and external taps)		Flow rate (litres / minute)	4	7.90	4	7.90	4	7.90	4	7.90		0.00		0.00		0.00		0.00		0.00		0.00
Are both a Bath & Shower Present?		Bath & Shower		Bath & Shower		Bath & Shower		Bath & Shower		Select option:		Select option:		Select option:		Select option:		Select option:		Select option:		
Bath	Capacity to overflow	156	17.16	156	17.16	162	17.82	162	17.82		0.00		0.00		0.00		0.00		0.00		0.00	
Shower	Flow rate (litres / minute)	8	34.96	8	34.96	8	34.96	8	34.96		0.00		0.00		0.00		0.00		0.00		0.00	
Kitchen sink taps	Flow rate (litres / minute)	5	12.56	5	12.56	5	12.56	5	12.56		0.00		0.00		0.00		0.00		0.00		0.00	
Has a washing machine been specified?		Yes		Yes		No		No		Select option:		Select option:		Select option:		Select option:		Select option:		Select option:		
Washing Machine	Litres / kg	6	12.60	6	12.60		17.16		17.16		0.00		0.00		0.00		0.00		0.00		0.00	
Has a dishwasher been specified?		No		Yes		No		No		Select option:		Select option:		Select option:		Select option:		Select option:		Select option:		
Dishwasher	Litres / place setting		4.50	0.679	2.44		4.50		4.50		0.00		0.00		0.00		0.00		0.00		0.00	
Has a waste disposal unit been specified?		No		No		No		Select option:		Select option:		Select option:		Select option:		Select option:		Select option:		Select option:		
Water Softener	Litres / person / day		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	
Calculated Use		105.1		103.1		110.3		110.3		0.0		0.0		0.0		0.0		0.0		0.0		0.0
Normalisation factor		0.91		0.91		0.91		0.91		0.91		0.91		0.91		0.91		0.91		0.91		0.91
Code for Sustainable Homes	Total Consumption	95.7		93.8		100.4		100.4		0.0		0.0		0.0		0.0		0.0		0.0		0.0
	Mandatory level	Level 3/4		Level 3/4		Level 3/4		Level 3/4		-		-		-		-		-		-		-
Building Regulations 17.K	External use	5.0		5.0		5.0		5.0		5.0		5.0		5.0		5.0		5.0		5.0		5.0
	Total Consumption	100.7		98.8		105.4		105.4		0.0		0.0		0.0		0.0		0.0		0.0		0.0
	17.K Compliance?	Yes		Yes		Yes		Yes		-		-		-		-		-		-		-