



Roof tiles to match existing house colour on battens and breathable felt (e.g. Klobber Permo Air open underlay roofing breather felt - or similar).

Roof tiles selected must be suitable for roof pitch e.g. Marley "Malvern" roof tiles for 15 degree minimum pitch with 100mm headlap.



Any glazing lower than 800mm above finished floor level to be toughened safety glass. All glazing in door panels to be toughened safety glass. All glazing within 300mm of a door to be toughened safety glass to a height of 1500mm above ground level. If the area of glazing within 1m from any boundary exceeds 1m<sup>2</sup>, windows must be fixed shut and half-hour fire resistant glass and frames provided.



**Brickwork to match existing  
on all new elevations**



|                                                                                       |                                                                         |    |                    |                                                               |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----|--------------------|---------------------------------------------------------------|
|  | <b>S BIDDLE Ltd</b>                                                     |    |                    | Stephen Biddle BSc CEng FICE                                  |
|                                                                                       | Email: <a href="mailto:stephen@sbiddle.co.uk">stephen@sbiddle.co.uk</a> |    | Mob: 07864 122 313 | Web: <a href="http://www.sbiddle.co.uk">www.sbiddle.co.uk</a> |
| Client                                                                                | A. Palmer                                                               |    |                    |                                                               |
| Address                                                                               | 30 Willowside, Woodley, Reading RG5 4HJ                                 |    |                    |                                                               |
| Drwg No                                                                               | PALMER-0825-02                                                          |    |                    | Scale: (A2) 1:100                                             |
| Title                                                                                 | PROPOSED ELEVATIONS                                                     |    |                    |                                                               |
|                                                                                       | 2m                                                                      | 4m | 6m                 | 8m                                                            |