







2 PROPOSED FIRST FLOOR REFLECTED CEILING PLAN



Existing ceiling hatch (appx. 600 x 800mm) - to be used to access the ceiling void to carry out the proposed repairs



- Notes:
1. Contractor to check all dimensions and report omissions and errors to the Architect.
 2. Claire Truman of Heritage Revival accepts no liability for use of this drawing by parties other than those for which it was prepared.
 3. When issued in dwg format as an uncontrolled version of this drawing it is to enable the recipient to prepare their own documents/drawings/models for which they are solely responsible. This drawing is based upon project information current at the time of issue. Claire Truman of Heritage Revival accepts no liability for any alterations after it is issued by Heritage Revival.
 4. This drawing does not contain shared coordinates and is not issued for coordination purposes.

- KEY
- Existing fabric
 - Ceiling repair area: damaged laths to be replaced with riven laths; modern plaster finishes to be removed where possible to reduce weight on existing laths.
15 mm scratch coat haired lime mortar,
10 mm float coat unhaired lime mortar,
3 mm top coat of heritage lime plaster (based on Mike Wye products, or similar).

00 Planning Issue 29.07.26

REV	DESCRIPTION	DATE
-----	-------------	------



t: +44 (0) 7704 543 872 | e: info@heritagerevivaluk | w: www.heritagerevivaluk

PROJECT
The Old Cottage, Sonning RG4 6UH
PROJECT NUMBER
1362
TITLE
Proposed First Floor Ceiling Beam Repair
LISTED BUILDING APPLICATION
Existing & Proposed First Floor RCP Plans

SCALE	DATE	DRAWN BY
1:100 @ A3	04.07.2026	CT
DRAWING NO.	REV	
1362-HR-A-TP-XX-0122	00	