EXISTING 150mm DIA. SOIL DRAIN.

EXISTING INSPECTION CHAMBER IN GARDEN OF 'GREENACRES'. INVERT OF 1400mm

* PLANTING OF MAHONIA
ROSE
LILAC (SYRINGA) AND FLOWERING CURRENT

7600 (CHECK ON SITE)

INSPECTION CHAMBER. C.L. - 9.850 (approx). I.L. - 9.400

3325

1100

EX. 9.960

EX. 9.830

FWP

STUB STACK

INSPECTION CHAMBER. C.L. - 9.850 (approx). I.L. - 9.325

NEW 1200mM DIA. SOAKAWAY POSITIONED A MINIMUM OF 4500mm FROM ANY BUILDING AND TO A DEPTH OF ATLEAST 1200mm BELOW LOWEST INCOMING PIPE INVERT.

PROPOSED HOUSE

BEAM & BLOCK LEVEL - 10.000

FINISHED FLOOR LEVEL - 10.083

RWP

SVP

MANHOLE C.L. - 9.850 (approx). I.L. - 9.400

NEW 1200mM DIA. SOAKAWAY POSITIONED A MINIMUM OF 4500mm FROM ANY BUILDING AND TO A DEPTH OF ATLEAST 1200mm BELOW LOWEST INCOMING PIPE INVERT.

FINISHED FLOOR LEVEL AND FOOTPATH AT FRONT DOOR TO BE AT THE SAME LEVEL TO COMPLY WITH PART 'M' OF THE BUILDING REGS.

EX. 9.780

EX. 10.440

EX. 9.840

EX. 9.990

DRAINAGE DITCH.

GRASS VERGE.

FOOTPATH.

OLD BATH ROAD.

INSPECTION CHAMBER.

F

E

SURFACE OF DRIVE / SITE ACCESS TO BE FINISHED IN A MATERIAL TO GIVE ACCESS FOR PEOPLE USING WHEELCHAIRS / STICKS / CRUTCHES. (SUCH MATERIALS AS GRAVEL OR SHINGLE ARE NOT SUITABLE) ALL TO COMPLY WITH PART 'M' OF THE BUILDING REGULATIONS.

5.0m.

TARMAC

PROPOSED NEW DROPPED KERB.

A

B

GRAVEL BOARD

EX. 10.050

EX. 9.950

RWP

RAMP UP TO GARAGE FLOOR

GARAGE

GRAVEL BOARD ALONG THIS EDGE

ROCKING EYE.

1000

400

DATUM LEVEL 10.000 (GPO COVER IN FOOTPATH ON OPPOSITE SIDE OF OLD BATH ROAD.)

TELEPHONE CABLE (550M ABOVE GROUND LEVEL

MEADOW VIEW

A - BRICK PIERS 335 square with 12mm dia. re-bar in centre and void filled with concrete.

B - gravel board edging.

C - facing brick dwarf wall (600 high) on conc. foundation.

D - Concrete path 100 thick.

E - Limestone scalping surfacing

F - Paving slab path (client to supply slabs).

NOTES:

DO NOT SCALE FROM THIS DRAWING

ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO WORK COMMENCING OR PREPERATION OF SHOP WORKING DRAWINGS ANY DISCREPANCES SHOULD BE NOTIFIED IMMEDIATELY

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT STRUCTURAL ENGINEERS DRAWINGS AND SPECIFICATIONS

All work to be carried out to comply with
1. The latest building regulations approved documents
2. N.H.B.C.
3. T.R.A.D.A. for timber frames
4. Our factory reserves the right to amend any detail or specification as required

Clients must take their own assurance on:
1. Soil conditions including gradiant of land
2. Suitability of storm water drainage
3. Position of main sewer (if applicable)
4. Trees and their effect on the foundation design
5. All notes on the Plan Order Form

We cannot be responsible for any additional building cost for problems caused by the above (or other problems related to a particular site)

REVISIONS

A. 24-7-01
1. NOTE REFERING TO TYPE OF MATERIAL TO BE USED ON DRIVE / ACCESS ADDED.

B. 13-2-02
1. EXISTING & PROPOSED LEVELS ADDED.
2. ROAD, FOOTPATH, VERGE & DITCH ADDED.
3. BOUNDARY LINE CORRECTED.
4. SETTING OUT DIMENSIONS ADDED.

PLANS TO MEET CONDITIONS

2942

CLIENT

MR. & MRS. R. MURPHY

PROJECT

PROPOSED DWELLING & DETACHED GARAGE :-
OLD BATH ROAD,
CHARVIL,
READING.

DRAWING

PROPOSED SITE PLAN.

CUSTOM HOMES™
106 Balcombe Road, Horley, Surrey, RH6 9BW, England
Tel.U.K.(01293) 822898 Fax: (01293) 782229
Tel: Int. (+44) 01293 822898 Fax: (+44) 01293 782229
Email: info@customhomes.co.uk

SCALE	DATE	DRAWN	CHECKED
1:100	30-3-01		

DRAWING NUMBER: 5525 - L06 | REV: B

Copyright
This document and the design are the copyright of Custom Homes and are made available on the express condition that they shall not be used in connection with the erection of any building or the production of any components for such a building unless the building to be erected or the components are supplied by Custom Homes or their timber frame manufacturer / supplier
©Custom Homes

EXISTING 150mm DIA. SOIL DRAIN.

EXISTING INSPECTION CHAMBER IN GARDEN OF 'GREENACRES'. INVERT OF 1400mm

7600 (CHECK ON SITE)

INSPECTION CHAMBER. C.L. - 9.850 (approx). I.L. - 9.400

INSPECTION CHAMBER. C.L. - 9.850 (approx). I.L. - 9.325

1325

1100

EX. 9.960

EX. 9.830

RWP

STOB STACK

NEW 1200mM DIA. SOAKAWAY POSITIONED A MINIMUM OF 4500mm FROM ANY BUILDING AND TO A DEPTH OF ATLEAST 1200mm BELOW LOWEST INCOMING PIPE INVERT.

PROPOSED HOUSE

BEAM & BLOCK LEVEL - 10.000

FINISHED FLOOR LEVEL - 10.083

SVP

MANHOLE C.L. - 9.850 (approx). I.L. - 9.400

NEW 1200mM DIA. SOAKAWAY POSITIONED A MINIMUM OF 4500mm FROM ANY BUILDING AND TO A DEPTH OF ATLEAST 1200mm BELOW LOWEST INCOMING PIPE INVERT.

EX. 9.780

EX. 9.990

EX. 9.840

EX. 10.440

DRAINAGE DITCH.

GRASS VERGE.

FOOTPATH.

OLD BATH ROAD.

PROPOSED NEW DROPPED KERB.

FINISHED FLOOR LEVEL AND FOOTPATH AT FRONT DOOR TO BE AT THE SAME LEVEL TO COMPLY WITH PART 'M' OF THE BUILDING REGS.

INSPECTION CHAMBER

SURFACE OF DRIVE / SITE ACCESS TO BE FINISHED IN A MATERIAL TO GIVE ACCESS FOR PEOPLE USING WHEELCHAIRS / STICKS / CRUTCHES. (SUCH MATERIALS AS GRAVEL OR SHINGLE ARE NOT SUITABLE) ALL TO COMPLY WITH PART 'M' OF THE BUILDING REGULATIONS.

EX. 10.050

EX. 9.950

GARAGE

RODDING EYE.

1000

400

TELEPHONE CABLE (5.50M ABOVE GROUND LINE)

DATUM LEVEL 10.000 (GPO COVER IN FOOTPATH ON OPPOSITE SIDE OF OLD BATH ROAD.)

0 10 20 30 40 50 60 70 80 90 100

MEADOW VIEW

NOTES

DO NOT SCALE FROM THIS DRAWING

ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO WORK COMMENCING OR PREPERATION OF SHOP WORKING DRAWINGS ANY DISCREPANCES SHOULD BE NOTIFIED IMMEDIATELY

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT STRUCTURAL ENGINEERS DRAWINGS AND SPECIFICATIONS

All work to be carried out to comply with

1. The latest building regulations approved documents
2. N H B C
3. T R A D A for timber frames
4. Our factory reserves the right to amend any detail or specification as required

Clients must take their own assurance on

1. Soil conditions including gradiant of land
2. Suitability of storm water drainage
3. Position of main sewer (if applicable)
4. Trees and their effect onthe foundation design
5. All notes on the Plan Order Form

We cannot be responsible for any additional building cost for problems caused by tthe above (or other problems related to a particular site)

REVISIONS

A. 24-7-01

1. NOTE REFERING TO TYPE OF MATERIAL TO BE USED ON DRIVE / ACCESS ADDED.

B. 13-2-02

1. EXISTING & PROPOSED LEVELS ADDED.
2. ROAD, FOOTPATH, VERGE & DITCH ADDED.
3. BOUNDARY LINE CORRECTED.
4. SETTING OUT DIMENSIONS ADDED.

CLIENT

MR. & MRS. R. MURPHY

PROJECT

PROPOSED DWELLING & DETACHED GARAGE :-
OLD BATH ROAD,
CHARVIL,
READING.

DRAWING


PROPOSED SITE PLAN.

CUSTOM HOMES™
106 Balcombe Road, Horley, Surrey, RH6 9BW, England
Tel: U K (01293) 822898 Fax: (01293) 782229
Tel: Int. (+44) 01293 822898 Fax: (+44) 01293 782229
Email: info@customhomes.co.uk

SCALE	DATE	DRAWN	CHECKED
1:100	30-3-01		

DRAWING NUMBER: **5525 - L06** REV: **B**

Copyright
This document and the design are the copyright of Custom Homes and are made available on the express condition that they shall not be used in connection with the erection of any building or the production of any components for such a building unless the building to be erected or the components are supplied by Custom Homes or their timber frame manufacturer / supplier
©Custom Homes



NOTES:

1. COPYRIGHT RESERVED
2. DO NOT SCALE DIMENSIONS FROM THIS DRWG.
3. SITE DIMENSIONS WHERE INDICATED TO BE CHECKED BEFORE PROCEEDING.
4. IF ENCOUNTERED, DISCREPANCIES BETWEEN DRWGS./ SPECIFICATION/SCHEDULES, TO BE REFERRED TO THE ARCHITECTS FOR DECISION.
5. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE TYPE WRITTEN CONSTRUCTION NOTES WHERE APPLICABLE.

REVISIONS:

The TLJ Partnership.
CHARTERED ARCHITECTS
86, Easton Street, High Wycombe, Bucks, HP11 1NB.
Tel. 01494 522581 Fax. 01494 446142
E. mail geoff@tljpartnership.demon.co.uk

PROJECT

SCALE DRAWN.

CHECKED

DRWG. TITLE

EMPLOYER

JOB No.	DRWG.	Date.	REV.	Date.

PLANS TO MEET CONDITIONS
2942

EXISTING 150mm DIA. SOIL DRAIN.

EXISTING INSPECTION CHAMBER IN GARDEN OF 'GREENACRES'. INVERT OF 1400mm

7600 (CHECK ON SITE)

INSPECTION CHAMBER. C.L. - 9.850 (approx). I.L. - 9.400

INSPECTION CHAMBER. C.L. - 9.850 (approx). I.L. - 9.325

EX. 9.960

EX. 9.830

1325

1100

RWP

STUB STACK

NEW 1200mM DIA. SOAKAWAY POSITIONED A MINIMUM OF 4500mm FROM ANY BUILDING AND TO A DEPTH OF ATLEAST 1200mm BELOW LOWEST INCOMING PIPE INVERT.

PROPOSED HOUSE

BEAM & BLOCK LEVEL - 10.000

FINISHED FLOOR LEVEL - 10.083

NEW 1200mM DIA. SOAKAWAY POSITIONED A MINIMUM OF 4500mm FROM ANY BUILDING AND TO A DEPTH OF ATLEAST 1200mm BELOW LOWEST INCOMING PIPE INVERT.

SVP

MANHOLE C.L. - 9.850 (approx). I.L. - 9.400

FINISHED FLOOR LEVEL AND FOOTPATH AT FRONT DOOR TO BE AT THE SAME LEVEL TO COMPLY WITH PART 'M' OF THE BUILDING REGS.

INSPECTION CHAMBER

EX. 10.050

EX. 9.950

EX. 9.780

EX. 10.440

EX. 9.840

EX. 9.990

DRAINAGE DITCH.

GRASS VERGE.

FOOTPATH.

OLD BATH ROAD.

PROPOSED NEW DROPPED KERB.

5.0M.

TARMAC

SURFACE OF DRIVE / SITE ACCESS TO BE FINISHED IN A MATERIAL TO GIVE ACCESS FOR PEOPLE USING WHEELCHAIRS / STICKS / CRUTCHES. (SUCH MATERIALS AS GRAVEL OR SHINGLE ARE NOT SUITABLE) ALL TO COMPLY WITH PART 'M' OF THE BUILDING REGULATIONS.

DATUM LEVEL 10.000 (GPO COVER IN FOOTPATH ON OPPOSITE SIDE OF OLD BATH ROAD.)

GRAVEL BOARD

RAMP UP TO GARAGE FLOOR

GRAVEL BOARD ALONG THIS EDGE

GARAGE

RODDING EYE.

1000

400

TELEPHONE CABLE (5.50M ABOVE GROUND LEVEL)

MEADOW VIEW

A - BRICK PIERS 335 square with 12 mm dia. re-bar in centre and void filled with concrete.

B - gravel board edging.

C - facing brick dwarf wall (600 high) on conc. foundation.

D - Concrete path 100 thick.

E - Limestone scalping surfacing

F - Paving slab path (client to supply

NOTES:

DO NOT SCALE FROM THIS DRAWING

ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO WORK COMMENCING OR PREPERATION OF SHOP WORKING DRAWINGS ANY DISCREPANCES SHOULD BE NOTIFIED IMMEDIATELY

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT STRUCTURAL ENGINEERS DRAWINGS AND SPECIFICATIONS

All work to be carried out to comply with

1. The latest building regulations approved documents
2. N.H.B.C.
3. T.R.A.D.A. for timber frames
4. Our factory reserves the right to amend any detail or specification as required

Clients must take their own assurance on;

1. Soil conditions including gradiant of land
2. Suitability of storm water drainage
3. Position of main sewer (if applicable)
4. Trees and their effect onthe foundation design
5. All notes on the Plan Order Form

We cannot be responsible for any additional building cost for problems caused by the above (or other problems related to a particular site)

REVISIONS

A. 24-7-01

1. NOTE REFERING TO TYPE OF MATERIAL TO BE USED ON DRIVE / ACCESS ADDED.

B. 13-2-02

1. EXISTING & PROPOSED LEVELS ADDED.
2. ROAD, FOOTPATH, VERGE & DITCH ADDED.
3. BOUNDARY LINE CORRECTED.
4. SETTING OUT DIMENSIONS ADDED.

PLAN DRIVE
SC
BC
ME
CS
28 JUN 2002

CLIENT
MR. & MRS. R. MURPHY

PROJECT
PROPOSED DWELLING & DETACHED GARAGE :-
OLD BATH ROAD,
CHARVIL,
READING.

DRAWING
PROPOSED SITE PLAN.

CUSTOM HOMES™
106 Balcombe Road, Horley, Surrey, RH6 9BW, England
Tel:U.K.(01293) 822898 Fax: (01293) 782229
Tel: Int. (+44) 01293 822898 Fax: (+44) 01293 782229
Email: info@customhomes.co.uk


SCALE	DATE	DRAWN	CHECKED
1:100	30-3-01		

DRAWING NUMBER 5525 - L06 - REV B


Copyright
This document and the design are the copyright of Custom Homes and are made available on the express condition that they shall not be used in connection with the erection of any building or the production of any components for such a building unless the building to be erected or the components are supplied by Custom Homes or their timber frame manufacturer / supplier
©Custom Homes




NORTH-WEST ELEVATION.




NORTH-EAST ELEVATION.




SOUTH-EAST ELEVATION.




SOUTH-WEST ELEVATION.




NORTH-WEST ELEVATION.




SOUTH-WEST ELEVATION.




SOUTH-EAST ELEVATION.



NORTH-EAST ELEVATION.




PLAN.




GROUND FLOOR PLAN.

WINDOW / DOOR SCHEDULE.				
WG1	1774mm	WIDE x	1350mm	HIGH
WG2	2162mm	WIDE x	2081mm	HIGH
WG3	2162mm	WIDE x	2081mm	HIGH
WG4	1200mm	WIDE x	1050mm	HIGH
WG5	1200mm	WIDE x	1050mm	HIGH
WG6	626mm	WIDE x	1050mm	HIGH
WG7	626mm	WIDE x	1050mm	HIGH
WG8	1774mm	WIDE x	1350mm	HIGH
WG9	626mm	WIDE x	1050mm	HIGH
WF1	1200mm	WIDE x	1200mm	HIGH
WF2	1200mm	WIDE x	1200mm	HIGH
WF3	1774mm	WIDE x	1200mm	HIGH
WF4	1200mm	WIDE x	1200mm	HIGH
WF5	1200mm	WIDE x	1050mm	HIGH
WF6	1200mm	WIDE x	1200mm	HIGH
DG1	921mm	WIDE x	2076mm	HIGH



FIRST FLOOR PLAN.



SITE PLAN.
Scale:- 1:500

NOTES:

DO NOT SCALE FROM THIS DRAWING

ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO WORK COMMENCING OR PREPERATION OF SHOP WORKING DRAWINGS ANY DISCREPANCES SHOULD BE NOTIFIED IMMEDIATELY

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT STRUCTURAL ENGINEERS DRAWINGS AND SPECIFICATIONS

All work to be carried out to comply with
1. The latest building regulations approved documents
2. N.H.B.C.
3. T.R.A.D.A. for timber frames
4. Our factory reserves the right to amend any detail or specification as required

Clients must take their own assurance on:
1. Soil conditions including gradiant of land
2. Suitability of storm water drainage
3. Position of main sewer (if applicable)
4. Trees and their effect onthe foundation design
5. All notes on the Plan Oder Form


We cannot be responsible for any additional building cost for problems caused by trhe above (or other problems related to a particular site)


REVISIONS

ALL EXTERNAL MATERIALS & FINISHES TO BE AGREED WITH THE LOCAL AUTHORITY.

A. 2-11-00
1. GROUND FLOOR REPLANNED AS REQUESTED BY THE CLIENT.

B. Location Plan Added





CLIENT
MR. & MRS. R. MURPHY
GREENACRES, PARK LANE, CHARVIL

PROJECT
PROPOSED DWELLING & DETACHED GARAGE :-
OLD BATH ROAD,
CHARVIL.
READING.

DRAWING
PROPOSED PLANS & ELEVATIONS.

CUSTOM HOMES™
106 Balcombe Road, Horley, Surrey, RH6 9BW, England
Tel:U.K.(01293) 822898 Fax: (01293) 782229
Tel: Int. (+44) 01293 822898 Fax: (+44) 01293 782229
Email: Info@customhomes.co.uk

SCALE	DATE	DRAWN	CHECKED
1:100, 1:50			

DRAWING NUMBER: 5525 - SK1 REV: B

Copyright
This document and the design are the copyright of Custom Homes and are made available on the express condition that they shall not be used in connection with the erection of any building or the production of any components for such a building unless the building to be erected or the components are supplied by Custom Homes or their timber frame manufacturer / supplier
©Custom Homes

15/8/01