

ARBORFIELD SPORTS PAVILION

NEW CYCLE RACK

Manufacturer – Broxap

Model – Sheffield Cycle Rack (BXMW / GS)

Construction – Mild Steel Frame.

BREEAM Compliant.

Finish – Hot Dip Galvanised to BSEN ISO 1461:2022

Size – (5 hoops for 10 cycle standard storage) L = 3340mm

(Manufacturers details and specification overleaf)

Cycle Parking Specification Sheet

Sheffield Cycle Rack BXMW/GS

broxap[®]
cycle parking & storage






Individual Stand Dimensions:

Width: 715mm
Height: 800mm

Length with No. of Hoops:

1740mm (3 Hoops)
2540mm (4 Hoops)
3340mm (5 Hoops)
4140mm (6 Hoops)

Colours/Finishes:

		
Galvanised Only	White Aluminium	Anthracite Grey
		
BS 4800 10 A 07 Nimbus Grey	Traffic Red	Jet Black
		
BS 4800 14 C 39 Holly Green	Traffic Yellow	Goose Grey
		
Mid Blue	Dark Blue	Traffic White

The colours shown are a guide only.
Please check a colour chart to see the actual colour.

Product Information

Sold Secure Bronze and Secured by Design Certified

The Sheffield Cycle Rack offers a simple way to store cycles. Utilising the Sheffield Cycle Stands, this is one of our most popular cycle racks. It provides simple yet secure cycle storage on a double sided basis.

Sold Secure Options



Sold Secure Bronze



Sold Secure Silver

Broxap Limited, Rowhurst Industrial Estate, Chesterton, Newcastle-under-Lyme, Staffordshire, ST5 6BD T: 01782 564411 E: info@broxap.com W: www.broxap.com



All dimensions are in millimeters, weights in kilograms and capacities in litres, are approximate and do not form any part of the contract. All prices are guide prices only and should be used for estimating purposes only. Broxap Limited reserve the right to change the design, specification or price of any item sold at any time. All prices exclude VAT and delivery. Please Note: All information on this data sheet is subject to orientation (N.E.W) altitude and proximity to buildings, but is sufficient for use as general/preliminary information.

Sheffield Cycle Rack BXMW/GS

Features

- 5 Sheffield stands on rack as standard (Also available as 3,4 and 6 stand versions)
- 800mm centres as standard (Also available as 700mm and 1000mm versions)
- Storage for 10 bikes as standard (2 cycles per stand)
- Bolt together design enables the replacement of individual stands if they become worn or damaged.
- Hot dipped galvanised to BS EN ISO 1461
- Can contribute towards gaining ENE8 credits when used in the appropriate situation, under the Code for Sustainable Homes.
- BREEAM and Code for Sustainable Homes Compliant.

Materials Used

- Framework - Mild Steel
- Hoop to Frame Fixing - M12 x 35mm hex socket button head bolts
- Rack to Floor Fixing - M12 x 121mm long Fischer Sleeve Anchor Bolts

Finish Options

- Galvanised to BS EN ISO 1461
- Galvanised to BS EN ISO 1461 & Polyester Powder Coated

Guarantees, Warranties, Design-Life and Life-Expectancies


- 34 year (min) life expectancy for Hot Dip Galvanizing
- 8-10 year life expectancy on standard powder coatings
- 10-15 year life expectancy on Duplex (Zinc Coated) powder coatings
- 12 months' warranty* on parts & labour

*Maintenance and other qualifying criteria apply

Options

- Also available in junior size - See Sheffield Junior Cycle Rack for details
- Other sizes / numbers of hoops available
- Available in grade 304 stainless steel

Diagram






Individual Stand Dimensions:

Width: 715mm
Height: 800mm

Length with No. of Hoops:

1740mm (3 Hoops)
2540mm (4 Hoops)
3340mm (5 Hoops)
4140mm (6 Hoops)

Colours/Finishes:

		
Galvanised Only	White Aluminium	Anthracite Grey
		
Nimbus Grey	Traffic Red	Jet Black
		
Holly Green	Traffic Yellow	Goose Grey
		
Mid Blue	Dark Blue	Traffic White

The colours shown are a guide only.
Please check a colour chart to see the actual colour.

Broxap Limited, Rowhurst Industrial Estate, Chesterton, Newcastle-under-Lyme, Staffordshire, ST5 6BD T: 01782 564411 E: info@broxap.com W: www.broxap.com

