



U-Value = 0.22 W/m²K (Kingspan calc: 1-JS-250321-132114-971)

External Wall_EW-G1
External Brick Wall




U-Value = 0.22 W/m²K (Kingspan calc: 1-JS-250321-132114-971)

External Wall_EW-G1a/R1a



U-Value = 0.22 W/m²K (Kingspan calc: 1-JS-250321-132114-971)


External Wall_EW-G1b/R1b
External Brick Wall



U-Value = 0.22 W/m²K (Kingspan calc: 1-JS-250321-132114-971)


External Wall_EW-G1c
External Brick Wall

All blockwork strengths to be confirmed by Structural engineers.
Wall stability and slenderness ratio to be checked/ confirmed by engineer.
Truss setting out by engineer.




U-Value = 0.22 W/m²K (Kingspan calc: 1-JS-250321-140516-995)

External Wall_EW-R2a
External Brick Wall



U-Value = 0.22 W/m²K (Kingspan calc: 1-JS-250321-140516-995)

External Wall_EW-R2b
External Brick Wall



U-Value = 0.22 W/m²K (Kingspan calc: 1-JS-250321-140516-995)

External Wall_EW-R2c
External Brick Wall

1:10



0.2m 0 0.2m 0.4m 0.6m 0.8m 1m

[illegible]

EDGINGTON
SPINK + HYNE
CHARTERED ARCHITECTS

External Wall Types

MERIDIAN HOUSE, 2 RUSSELL STREET, WINDSOR,
 B E R K S H I R E , S L 4 1 H Q
 TEL: 01753 857092 FAX: 01753 857096
 WEB: www.edgingtons.co.uk EMAIL: mail@edgingtons.co.uk

SCALE (A1)	1:10	CAD REF	5709-1200	
DATE	Mar 25	DRAWN	VK	
JOB No.	5709	DWG No.	21.01	A