



Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

PRELIMINARY ECOLOGICAL APPRAISAL (DBW) AT 247 FINCHAMPSTEAD ROAD WOKINGHAM



**Prepared for:
Russell Highbury Properties Ltd
16 The Avenue
Crowthorne
RG45 6PD**

19 September 2025

Ref: SPH/PEA-25/03.09



Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

Bramley House
Newnham Bridge
Tenbury Wells
Worcestershire
WR15 8NX
Tel: 0118 976 2902
Email: info@batsurveys-uk.com

CONTENTS

Executive Summary

1. Introduction

- 1.1 Instruction
- 1.2 Aims and Objectives
- 1.3 Proposed works
- 1.4 Surveyor Background and Experience

2. Legislation and Planning Policy

- 2.1 Legislative Background

3. Site Location and Description

- 3.1 Site Location
- 3.2 Site Description

4. Survey Methodology

- 4.1 Pre-Survey Data Search
- 4.2 Daylight Survey
- 4.3 Constraints

5. Survey Findings

- 5.1 External Inspection
- 5.2 Internal Inspection

6. Evaluation

7. Conclusions

- 7.1 Interpretation
- 7.2 Contingency plan

8. References

9. Queries

Appendix 1

©2024 Urban Tree Experts

All rights in this report are reserved. No part of it may be reproduced, edited or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in any retrieval system of any nature, without our written permission. Its content and format are for the exclusive use of Russell Highbury Properties Ltd and their clients/agents in dealing with this site. It may not be sold, lent, hired out or divulged to any third party not directly involved in this site without the written consent of Urban Tree Experts. It may be reproduced as part of a planning application.

This report is valid for 12 months from the site inspection. The lifespan of this report may be subject to change if the site conditions change due to unspecified works that affect the site.



Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

Executive Summary

Urban Tree Experts was commissioned by Mr A Russell of Russell Highbury Properties Ltd to conduct a preliminary ecological appraisal (daytime bat walkover [DBW]) of 247 Finchampstead Road, Wokingham, RG40 3JR. This is to support a forthcoming planning application to Wokingham Borough Council.

The site visit was carried out on Wednesday 3 September 2025 at 1.15pm, during daylight hours. An internal and external inspection of the property took place to look for signs of bats.

The preliminary ecological appraisal consists of a desk top study prior to the survey to review existing information about the site and its surroundings and to inform the design of subsequent bat surveys, if required. The desk top study was conducted based upon a minimum 2km search radius and it revealed that one statutory designated site is located within, and one current European Protected Species Licences (EPSLs) for bats has been granted within 2km of the proposed development site. The habitat to the east and west of the site consists of golf courses, copses, farmland and fishing lakes that provide rich and diverse habitats suitable for a wide range of bat species and there is good ecological connectivity to these areas from the site.

The DBW comprised a detailed search of the interior and exterior of the building for bats, signs of bats and features suitable for use by roosting bats. This includes droppings, scratch marks, rubbing and staining at exit holes, live or dead bats and other features such as missing tiles, this list is not exhaustive.

The building's suitability to support roosting bats was assessed and, as a result of the building's poor structural condition, open roof and lack of potential roosting opportunities, the property was characterised as having negligible potential¹ to support roosting bats.

In line with best practice guidelines², no further survey effort is required.

¹ Table 4.1 Guidelines for assessing the potential suitability of proposed development sites for bats. Bat Surveys for Professional Ecologists Good Practice Guidelines 4th Edition.

² Collins, J. (ed) (2023) Bat Surveys for Professional Ecologists Good Practice Guidelines (4th Edition).



Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

1. Introduction

1.1 Instruction

Urban Tree Experts was instructed by Mr A Russell of Russell Highbury Properties Ltd to conduct a DBW of 247 Finchampstead Road, Wokingham RG40 3JR to support a forthcoming planning application to Wokingham Borough Council.

1.2 Aims and Objectives

The DBW is designed to:

- Identify the presence/likely absence of bats within the building.
- Provide information on previous bat ecological surveys/reports.
- Provide information on the status of bats using the building currently or previously.
- To add confidence where no bats are found, or to categorise the nature of a roost where evidence of bats are found.
- To establish whether further surveys, mitigation or an EPSL is required.

The preliminary ecological appraisal (bats) and report writing were carried out in accordance with Bat Surveys for Professional Ecologists Good Practice Guidelines 4th edition.

1.3 Proposed Works

The survey was commissioned in connection with a forthcoming planning application to Wokingham Borough Council that will seek to construct a replacement dwelling following demolition of the current property.

1.4 Surveyor Background and Experience

The preliminary ecological appraisal for bats was completed by, and report written by Simon Holmes MSc. CEnv.

Simon holds Class 3 (CL19) and 4 Bat (CL20) Licenses (Nos. 17637 and 17638) and a Science and Education license (SCI64844). He has 35 years' experience of carrying out bat surveys and bat conservation work.

2. Legislation and Planning Policy

2.1 Legislative Background

All species of British bat are protected under the Conservation of Habitats and Species Regulations 2017 and the Wildlife and Countryside Act 1981, as amended. Under this legislation it is an offence to kill or injure a bat or interfere with any roosting or resting site. A bat roost is interpreted as "*any structure or place used for shelter or protection*" whether or not bats are present at the time. A summary of the main legislation and planning considerations are included at Appendix 1.

Seven species of bat are also Species of Principal Importance for nature conservation in England under Section 41 of the Natural Environment and Rural Communities Act 2006. This places a duty on all government departments to have regard for the conservation of these species and on the Secretary of State to further, or promote others to further, the conservation of these species.



Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

3. Site Location and Description

3.1 Site Location

The building is located at Grid Reference SU80246605, see Figure 1 below. An overview of the immediate area is shown on Figure 2, courtesy of Bing Maps.

Figure 1. 247 Finchampstead Road, Wokingham, highlighted.





Figure 2. 247 Finchampstead Road, Wokingham, overview of the immediate area.





3.2 Site Description

The application site comprises a derelict, single storey detached, brick-built property. The remainder of the site comprises overgrown front and rear gardens with mature trees at the rear, see Figure 3 below. The site itself offers some foraging and commuting habitat for bats and there is good ecological connectivity to bat foraging and commuting habitat in the wider landscape.

Figure 3. Rear garden. 247 Finchampstead Road, Wokingham. 03.09.25



4. Survey Methodology

4.1 Pre-Survey Data Search

A preliminary ecological appraisal and preliminary roost assessment was conducted by Arbtech in June 2022 and updated in September 2023, which concluded that the property had negligible potential to support roosting bats. Google Earth and MAGIC maps (magic.defra.gov.uk) websites were used prior to the survey to determine the suitability of the surrounding habitat to support roosting bats and to identify any statutory designated sites or EPSLs within 2km of the site. Due to the scale of the proposed development, and the very local impact that may occur, no data was sought from the local records centre at this time.

The site is in a semi-rural area to the south of Wokingham town centre with industrial premises and properties varying in size and style to the north, east and south. To the west and with direct ecological connectivity via the rear garden is a large golf course which connects to tree and hedge lines agricultural land, improved grassland and fishing lakes, providing diverse habitats suitable for a wide range of bat species.



Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

Longmoor Bog Site of Special Scientific Interest (SSSI) and Longmoor Bog Local Nature Reserve (LNR) lie to the southwest, just within 2km of the proposed development site and there is no ecological connectivity from the site to this designated site. A search of the Magic interactive website revealed one current EPSLs for bats has been granted within 2km of the site, the details of which are provided in Table 1 below.

Table 1. Current EPSLs for bats within 2km of the site

EPSL reference	Licence end date	Species on licence
2020-45340-EPS-MIT	09/2025	Brown long-eared

4.2 Daylight Survey

The DBW of 247 Finchampstead Road, Wokingham RG40 3JR was carried out by Simon Holmes on Wednesday 11 September 2025 at 1.15pm. The weather conditions for the survey were overcast with occasional showers and a temperature of 18 degrees. Equipment used included a high-powered torch, a digital camera on a telescopic pole, endoscope and a ladder.

During the DBW, an internal and external inspection of the property was carried out to identify any signs of occupation by bats and features that could offer potential roosting sites following standard survey guidelines. Features investigated included:

- Construction of the building – soffits, loft space, tiles/slates, lead flashings etc.
- Building condition – structure of roof and walls.
- Internal conditions – microclimate stability, draughts etc.
- Access points – potential entry and exit points for bats.
- Roosting points – cracks and crevices, between underlay and roofing tiles/slates.

Field signs that would indicate the presence of bats were searched for. These included:

- Bat droppings on the floor and walls of the building.
- Feeding remains (particularly butterfly and moth wings).
- Evidence of urine and/or oily staining around possible roost entrances.
- Presence of areas cleared of cobwebs.
- Where a breathable roofing membrane has been fitted staining on the membrane may suggest use by bats.
- Odour can sometimes suggest the present of bats.
- Squeaking and chattering can reveal bats roosting between the tiles and roofing underlay.

Buildings or structures that were not to be affected by the current proposals or with no bat roosting potential were not inspected.

4.3 Constraints

Full access to the site during the visit was made possible by the client. The building is derelict and unsafe, however we were able access the building internally from a ground floor window allowing a full inspection of all the internal rooms and roof void.



Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

5. Survey Findings

5.1 External Inspection

The external features of the property were examined for signs described in section 4.2. Windowsills, exposed features around the windows, fascias and walls were inspected for any evidence of bat droppings or staining.

The detached, single-storey, brick-built and painted property is in a derelict state. The rendered walls are standing however all the roof tiles have been removed and there is no lining to the rafters or roof battens, see examples at Figure 4 below. To the rear is a single storey brick built and rendered extension, the roof of which is covered in plastic sheeting which has been firmly attached at the edges affording no access to roosting opportunities, see Figure 5 on page 9.

No bats or evidence of bats was recorded during the external inspection of the property, and due to the state of the building, it offers no roosting potential.

Figure 4. 247 Finchampstead Road, Wokingham. 03.09.25





Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

Figure 5. Rear extension. 247 Finchampstead Road, Wokingham. 03.09.25





5.2 Internal Inspection

An internal inspection of the property was undertaken and it was examined for any signs of bats (as described in section 4.2).

There are no ceilings internally and it was possible to examine the joists, rafters and roof battens, see Figure 6 below. The flat roof, single storey element at the rear has no void having been boarded internally, see Figure 7 on page 11. It is covered in a plastic tarpaulin that is battened to the building providing no access for bats in which to roost, see Figure 5 on the previous page.

No bats or evidence of bats was recorded during the internal inspection of the property and internally, due to the condition of the building, it offers no roosting opportunities.

Figure 6. Internal view of building. 247 Finchampstead Road, Wokingham. 03.09.25





Figure 7. Internal view of single storey rear building. 247 Finchampstead Road, Wokingham. 03.09.25



6. Evaluation

The bat roost potential of the features within the site have been assessed with reference to the following criteria and include seasonal variation where increased or decreased probability may arise. Where features are present, they are **highlighted in bold**.

The likelihood of bat roosts being present will be higher where structures:

- are of a pre-20th Century construction;
- are in a lowland rural setting;
- **have** woodland, **mature trees**, species-rich grassland **and/or water nearby**;
- have large dimension roof timbers with cracks, joints and holes;
- have numerous crevices in stonework and structures;
- have an uneven roof covering with gaps, though not too draughty;
- have hanging tiles or roof cladding, especially on south-facing walls;
- have a roof warmed by the sun;
- are disused or little used; largely undisturbed;
- provide appropriate hibernation conditions, such as abandoned mines, tunnels, kilns, or fortifications; or
- **Recent and historical records of bat roosts in the general area.**

The likelihood of bat roosts being present will be lower where structures:

- are in an urban setting with little green space;
- are subject to heavy disturbance (constant movement due to draughts and noise, also unstable microclimate);
- have a small, cluttered roof void (particularly for brown long-eared);
- are of a modern construction with few gaps or crevices that bats can fly or crawl through (though pipistrelle bats may still be present);
- are comprised of prefabricated steel or sheet materials; (some sections);
- are active industrial premises.



Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

Please note that the list on page 11 provides generic screening criteria only and there are exceptions to consider.

7. Conclusions

7.1 Interpretation

The combined evidence from the desktop study, historical data and the internal and external inspection of the property provides a high level of confidence in support of the opinions set out in this report. There are no features externally on the building which could be utilised by roosting bats, and the building has no potential roosting opportunities for bats. The poor condition, extreme thermal changes and constant draughts are not conducive to roosting bats.

Informed by the results of the survey and the factors highlighted in Section 6, it is concluded that there is negligible potential for roosting bats within the property. Based on recommendations in the Bat Workers Manual and the Bat Surveys Good Practice Guidelines, no further survey effort is required.

7.2 Contingency Plan

In the unlikely event that bats are found during the proposed works, all work must stop, and advice sought from Urban Tree Experts or another licensed bat ecologist.

If, for whatever reason, there is a time delay of greater than 12 months between this survey and the commencement of work, then the survey should be repeated as the condition of the building may change and bats may start roosting at the site.

8. References

Collins, J (ed.) (2023). Bat Surveys for Professional Ecologists: Good Practice Guidelines (4th Edition). The Bat Conservation Trust, London.

HM Government (2017) Conservation of Habitats and Species Regulations as (amended).

HM Government (1981) The Wildlife and Countryside Act (as amended).

HM Government (2006) Natural Environment and Rural Communities Act.

Mitchell-Jones, A.J. & McLeish, A.P. (2004). Bat Workers' Manual (3rd Edition). Joint Nature Conservation Committee.

9. Queries

Any queries regarding this report should be addressed, in the first instance, to Urban Tree Experts:

Telephone: 01189 762902
Email: info@batsurveys-uk.com

Urban Tree Experts
Bramley House
Newnham Bridge
Tenbury Wells
WR15 8NX

Simon Holmes MSc. CEnv.
Consultant, Urban Tree Experts
Natural England Licence CLS-CLS-17637, CLS-CLS-17638



Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

APPENDIX 1

In summary, the legislation combined makes it an offence to:

- Intentionally or recklessly damage, destroy or obstruct access to a structure or place used for shelter by a bat.
- Intentionally or recklessly disturb bats; in particular any disturbance which is likely to impair the ability of bats to survive, breed or reproduce or nurture their young; or in the case of hibernating or migrating bats, to hibernate or migrate.
- Intentionally or deliberately kill, injure or take any bat.

Planning Considerations:

Government guidance to Local Planning Authorities stipulates the need to consider biodiversity and protected species during the consideration of planning applications. The NPPF makes clear that the planning system should help minimise the impacts that development can have on biodiversity and provide net gains in biodiversity where possible. In addition, the ODPM Circular 04/2005 states *“It is essential that the presence or otherwise of protected species, and the extent that they may be affected by the proposed development, is established before the planning permission is granted, otherwise all relevant material considerations may not have been addressed in making the decision”*.

Policy CP7 of the Wokingham Borough Core Strategy (planning policy relating to the site) states *“Development which may harm habitats or, species of principle importance in England for nature conservation, veteran trees or features of the landscape that are of major importance for wild flora and fauna (including wildlife and river corridors), whether directly or indirectly will be only permitted if it has been clearly demonstrated that the need for the proposal outweighs the need to safeguard the nature conservation importance, that no alternative site that would result in less or no harm is available which will meet the need, and*

- i) Mitigation measures can be put in place to prevent damaging impacts; or*
- ii) Appropriate compensation measures to offset the scale and kind of losses are provided”*.

Developments that compromise the protection afforded to bats or roosts under the provisions of the Conservation of Habitats and Species Regulations 2017 and the Wildlife and Countryside Act 1981 will require a European Protected Species (EPS) licence from Natural England (NE).

NE, the government’s statutory conservation advisory organisation, is responsible for issuing EPS licences that would permit activities that would otherwise lead to an infringement of the Habitat Regulations.

Three tests must be satisfied before this licence (to permit otherwise prohibited acts) can be issued:

- Reg 44(2)(e) – the derogation is “in the interests of public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance for the environment”.
- Reg 44(3)(a) – there is “no satisfactory alternative” to the derogation.
- Reg 44(3)(b) –the derogation is “not detrimental to the maintenance of the populations of the species concerned at a favourable conservation status in their natural range”.

Tests (a) and (e) can be met with the issue of planning permission for the proposed works. Test (b) is determined by NE’s ecology department that requires the development of a suitable mitigation strategy that would ensure that any bats present on site, are retained at the same population level or better.