	Luminaire D
Type	Indicative GU10 Down Light
Lamp(s)	1 LED 2700K
Lamp Flux (klm)	0.55
Maintenance Factor	1.00
No. in Project	5

DFL
LIGHTING DESIGN·ELECTRICAL·SMART CITIES·
ENERGY REDUCTION·LIGHTING IMPACT

PROJECT NAME:
6 Johnson Drive, Finchampstead

PROJECT No:
4487-DFL-ELG-XX-LD-EO-13001

SCALE:
1:500

DATE:
18 August 2026

CALCULATION:
Horizontal Illuminance (lux)

DESIGNER:
DFL-UK (SP)

Indicative light spill diagram.
> Not for construction.
> Initial light levels shown.
> Light spill diagram does not consider blocking or shading effects of light limiting objects and represents worst-case horizontal light spill at ground floor level.
> Light spill diagram to be read in conjunction with Lighting Strategy: 4487-DFL-ELG-XX-RP-EO-13001-S3

Isolux contours shown:
10 Lux: Red
5.0 Lux: Teal
1.0 Lux: Pink
0.5 Lux: Yellow
0.2 Lux: Blue

Page Size: A4
Scale: 1:500

CHECKED BY:
AJB

APPROVED BY:
AJB

REVISION:
P02

SUITABILITY:
S3

PREPARED BY:

DFL-UK
+44 (0)1962 855080
17/18 City Business Centre,
Winchester Hants,
SO23 7TA.
e-mail: info@dfl-uk.com
website: www.dfl-uk.com