



Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 



Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

Additional Markings (Warning)

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com

01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.


Plans generated by DigSAFE Pro™ software provided by Linesearchbeforeldg.




Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area: 

Line: 

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252


Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG


Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend





Additional Features (Warning)



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com


01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage

cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORM. DEPTH TO THE TOP OF THE CABLE WHEN LAID	Services			
	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

Additional Information (Warning)

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com

01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.





Scale: 1:500 (When plotted at A4)

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294

0 20m Dig Sites Area:



Scale: 1:500 (When plotted at A4)

WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GSC SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Age

- 0-20
- 21-30
- 31-40
- 41-50
- 51-60
- 61-70
- 71-80
- 81-90
- 91-100
- 101-110
- 111-120
- 121-130
- 131-140
- 141-150
- 151-160
- 161-170
- 171-180
- 181-190
- 191-200

Published Month(s)

- July
- July & August
- August & September
- September
- October
- November
- December

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)

LV (Low Voltage) and Services

Up to 1,000V

HV (High Voltage)

Over 1,000V to 11,000V

EHV (Extra High Voltage)

22,000V to 132,000V

Transmission

275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID

Services

	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend

Overhead Supply

27.5kV

110kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

132kV

275kV

400kV

132kV

110kV

27.5kV

52

Drain

Track

Warning: PDF designed for A4 colour print only with no page scaling


0 20m Dig Sites Area: Line: Extra High Voltage cables in vicinity

Legend

- Green: Agricultural
- Yellow: Urban
- Orange: Forest
- Red: Water
- Purple: Wetland
- Blue: Other

Sampling Locations (Legend)

- Black: Road
- Red: Field
- Green: Forest
- Blue: Water
- Purple: Wetland



WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Tanner's Copse


53

Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 


Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294


BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.

Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 



Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)






Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.

[illegible]

0  20m Dig Sites Area:  Line:  Extra High Voltage cables in vicinity  

Scale: 1:500 (When plotted at A4)

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m


There may have been subsequent alteration to the surface and Safety Executive – Avoiding Danger from Buried Cable WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)




Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294





Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

Additional Annotations (Warning)

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com



01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.

58



Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDINANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro® software provided by Lineasafe beforeLdng.

Farm

Silos

59

Warning: PDF designed for A4 colour print only with no page scaling

0 20m

Dig Sites


Area:



Line:



Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024


Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services		Up to 1,000V		
HV (High Voltage)		Over 1,000V to 11,000V		
EHV (Extra High Voltage)		22,000V to 132,000V		
Transmission		275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294


Scale: 1:500 (When plotted at A4)

Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 



Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



61

High Copse

Warning: PDF designed for A4 colour print only with no page scaling

0

20m

Dig Sites

Area:

Line:

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

	NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

Additional Markings (Warning)

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com


01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by Linesearchbeforeldg.



Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage

cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)

LV (Low Voltage) and Services

Up to 1,000V

HV (High Voltage)

Over 1,000V to 11,000V

EHV (Extra High Voltage)

22,000V to 132,000V

Transmission

275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID

Services

LV

HV

EHV

Footpath/Unmade

0.45m

0.45m

0.6m

0.8m

Road Crossing

0.6m

0.6m

0.75m

0.9m

Agricultural

1m

1m

1m

1.1m

Legend

Overhead Cable

27.5kV

110kV

132kV

275kV

400kV

110kV

132kV

275kV

400kV

Dig Site

Cable Crossing

Cable Crossing

Cable Crossing

Cable Crossing

Cable Crossing

Cable Crossing

Cable Crossing

Cable Crossing

Cable Crossing

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com

01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

0 20m Dig Sites Area: Line: Extra High Voltage cables in vicinity

Scale: 1:500 (When plotted at A4)

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m


There may have been subsequent alteration to the surface and Safety Executive – Avoiding Danger from Buried Cables WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294

Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 



Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294


BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.

Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 



Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)






Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.

67

0  20m Dig Sites Area:  Line:  Extra High Voltage cables in vicinity  


Scale: 1:500 (When plotted at A4)

Voltages (V)				
LV (Low Voltage) and Services		Up to 1,000V		
HV (High Voltage)		Over 1,000V to 11,000V		
EHV (Extra High Voltage)		22,000V to 132,000V		
Transmission		275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

[illegible]

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)

LV (Low Voltage) and Services

Up to 1,000V

HV (High Voltage)

Over 1,000V to 11,000V

EHV (Extra High Voltage)

22,000V to 132,000V

Transmission

275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID

Services

LV

HV

EHV

Footpath/Unmade

0.45m

0.45m

0.6m

0.8m

Road Crossing

0.6m

0.6m

0.75m

0.9m

Agricultural

1m

1m

1m

1.1m

Legend

Overhead Cables

275kV

132kV

110kV

66kV

33kV

10kV

11kV

6.6kV

3.3kV

1.1kV

0.66kV

0.33kV

0.11kV

0.066kV

0.033kV

0.011kV

0.0066kV

0.0033kV

0.0011kV

0.00066kV

0.00033kV

0.00011kV

0.000066kV

0.000033kV

110kV

132kV

110kV

66kV

33kV

10kV

11kV

6.6kV

3.3kV

1.1kV

0.66kV

0.33kV

0.11kV

0.066kV

0.033kV

0.011kV

0.0066kV

0.0033kV

0.0011kV

0.00066kV

0.00033kV

0.00011kV

0.000066kV

0.000033kV

Warning

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scottish & Southern
Electricity Networks

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com

01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by Linesearchbeforedig.

Warning: PDF designed for A4 colour print only with no page scaling



Scale: 1:500 (When plotted at A4)


WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GSC SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294





020m

Dig Sites

Area: 

Line: 

Extra High Voltage
cables in vicinity




Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG


Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend



Other Electrical Structures (Warning)



There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.


This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.


Plans generated by DigSAFE Pro™ software provided by Linesearchbeforedig.

Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 

Extra High Voltage
cables in vicinity



Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252


Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend



WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.

72

0 20m Dig Sites Area: Line: Extra High Voltage cables in vicinity

Scale: 1:500 (When plotted at A4)

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		


NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.5m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

- Overhead cables
- 21 kV HV
- 2 - 5 kV LV
- 0.45m
- 0.6m
- 0.75m
- 0.9m
- 1.1m
- 1.2m
- 1.5m
- 1.8m
- 2.1m
- 2.4m
- 2.7m
- 3.0m
- 3.3m
- 3.6m
- 3.9m
- 4.2m
- 4.5m
- 4.8m
- 5.1m
- 5.4m
- 5.7m
- 6.0m
- 6.3m
- 6.6m
- 6.9m
- 7.2m
- 7.5m
- 7.8m
- 8.1m
- 8.4m
- 8.7m
- 9.0m
- 9.3m
- 9.6m
- 9.9m
- 10.2m
- 10.5m
- 10.8m
- 11.1m
- 11.4m
- 11.7m
- 12.0m
- 12.3m
- 12.6m
- 12.9m
- 13.2m
- 13.5m
- 13.8m
- 14.1m
- 14.4m
- 14.7m
- 15.0m
- 15.3m
- 15.6m
- 15.9m
- 16.2m
- 16.5m
- 16.8m
- 17.1m
- 17.4m
- 17.7m
- 18.0m
- 18.3m
- 18.6m
- 18.9m
- 19.2m
- 19.5m
- 19.8m
- 20.1m
- 20.4m
- 20.7m
- 21.0m
- 21.3m
- 21.6m
- 21.9m
- 22.2m
- 22.5m
- 22.8m
- 23.1m
- 23.4m
- 23.7m
- 24.0m
- 24.3m
- 24.6m
- 24.9m
- 25.2m
- 25.5m
- 25.8m
- 26.1m
- 26.4m
- 26.7m
- 27.0m
- 27.3m
- 27.6m
- 27.9m
- 28.2m
- 28.5m
- 28.8m
- 29.1m
- 29.4m
- 29.7m
- 30.0m
- 30.3m
- 30.6m
- 30.9m
- 31.2m
- 31.5m
- 31.8m
- 32.1m
- 32.4m
- 32.7m
- 33.0m
- 33.3m
- 33.6m
- 33.9m
- 34.2m
- 34.5m
- 34.8m
- 35.1m
- 35.4m
- 35.7m
- 36.0m
- 36.3m
- 36.6m
- 36.9m
- 37.2m
- 37.5m
- 37.8m
- 38.1m
- 38.4m
- 38.7m
- 39.0m
- 39.3m
- 39.6m
- 39.9m
- 40.2m
- 40.5m
- 40.8m
- 41.1m
- 41.4m
- 41.7m
- 42.0m
- 42.3m
- 42.6m
- 42.9m
- 43.2m
- 43.5m
- 43.8m
- 44.1m
- 44.4m
- 44.7m
- 45.0m
- 45.3m
- 45.6m
- 45.9m
- 46.2m
- 46.5m
- 46.8m
- 47.1m
- 47.4m
- 47.7m
- 48.0m
- 48.3m
- 48.6m
- 48.9m
- 49.2m
- 49.5m
- 49.8m
- 50.1m
- 50.4m
- 50.7m
- 51.0m
- 51.3m
- 51.6m
- 51.9m
- 52.2m
- 52.5m
- 52.8m
- 53.1m
- 53.4m
- 53.7m
- 54.0m
- 54.3m
- 54.6m
- 54.9m
- 55.2m
- 55.5m
- 55.8m
- 56.1m
- 56.4m
- 56.7m
- 57.0m
- 57.3m
- 57.6m
- 57.9m
- 58.2m
- 58.5m
- 58.8m
- 59.1m
- 59.4m
- 59.7m
- 60.0m
- 60.3m
- 60.6m
- 60.9m
- 61.2m
- 61.5m
- 61.8m
- 62.1m
- 62.4m
- 62.7m
- 63.0m
- 63.3m
- 63.6m
- 63.9m
- 64.2m
- 64.5m
- 64.8m
- 65.1m
- 65.4m
- 65.7m
- 66.0m
- 66.3m
- 66.6m
- 66.9m
- 67.2m
- 67.5m
- 67.8m
- 68.1m
- 68.4m
- 68.7m
- 69.0m
- 69.3m
- 69.6m
- 69.9m
- 70.2m
- 70.5m
- 70.8m
- 71.1m
- 71.4m
- 71.7m
- 72.0m
- 72.3m
- 72.6m
- 72.9m
- 73.2m
- 73.5m
- 73.8m
- 74.1m
- 74.4m
- 74.7m
- 75.0m
- 75.3m
- 75.6m
- 75.9m
- 76.2m
- 76.5m
- 76.8m
- 77.1m
- 77.4m
- 77.7m
- 78.0m
- 78.3m
- 78.6m
- 78.9m
- 79.2m
- 79.5m
- 79.8m
- 80.1m
- 80.4m
- 80.7m
- 81.0m
- 81.3m
- 81.6m
- 81.9m
- 82.2m
- 82.5m
- 82.8m
- 83.1m
- 83.4m
- 83.7m
- 84.0m
- 84.3m
- 84.6m
- 84.9m
- 85.2m
- 85.5m
- 85.8m
- 86.1m
- 86.4m
- 86.7m
- 87.0m
- 87.3m
- 87.6m
- 87.9m
- 88.2m
- 88.5m
- 88.8m
- 89.1m
- 89.4m
- 89.7m
- 90.0m
- 90.3m
- 90.6m
- 90.9m
- 91.2m
- 91.5m
- 91.8m
- 92.1m
- 92.4m
- 92.7m
- 93.0m
- 93.3m
- 93.6m
- 93.9m
- 94.2m
- 94.5m
- 94.8m
- 95.1m
- 95.4m
- 95.7m
- 96.0m
- 96.3m
- 96.6m
- 96.9m
- 97.2m
- 97.5m
- 97.8m
- 98.1m
- 98.4m
- 98.7m
- 99.0m
- 99.3m
- 99.6m
- 99.9m
- 100.2m
- 100.5m
- 100.8m
- 101.1m
- 101.4m
- 101.7m
- 102.0m
- 102.3m
- 102.6m
- 102.9m
- 103.2m
- 103.5m
- 103.8m
- 104.1m
- 104.4m
- 104.7m
- 105.0m
- 105.3m
- 105.6m
- 105.9m
- 106.2m
- 106.5m
- 106.8m
- 107.1m
- 107.4m
- 107.7m
- 108.0m
- 108.3m
- 108.6m
- 108.9m
- 109.2m
- 109.5m
- 109.8m
- 110.1m
- 110.4m
- 110.7m
- 111.0m
- 111.3m
- 111.6m
- 111.9m
- 112.2m
- 112.5m
- 112.8m
- 113.1m
- 113.4m
- 113.7m
- 114.0m
- 114.3m
- 114.6m
- 114.9m
- 115.2m
- 115.5m
- 115.8m
- 116.1m
- 116.4m
- 116.7m
- 117.0m
- 117.3m
- 117.6m
- 117.9m
- 118.2m
- 118.5m
- 118.8m
- 119.1m
- 119.4m
- 119.7m
- 120.0m
- 120.3m
- 120.6m
- 120.9m
- 121.2m
- 121.5m
- 121.8m
- 122.1m
- 122.4m
- 122.7m
- 123.0m
- 123.3m
- 123.6m
- 123.9m
- 124.2m
- 124.5m
- 124.8m
- 125.1m
- 125.4m
- 125.7m
- 126.0m
- 126.3m
- 126.6m
- 126.9m
- 127.2m
- 127.5m
- 127.8m
- 128.1m
- 128.4m
- 128.7m
- 129.0m
- 129.3m
- 129.6m
- 129.9m
- 130.2m
- 130.5m
- 130.8m
- 131.1m
- 131.4m
- 131.7m
- 132.0m
- 132.3m
- 132.6m
- 132.9m
- 133.2m
- 133.5m
- 133.8m
- 134.1m
- 134.4m
- 134.7m
- 135.0m
- 135.3m
- 135.6m
- 135.9m
- 136.2m
- 136.5m
- 136.8m
- 137.1m
- 137.4m
- 137.7m
- 138.0m
- 138.3m
- 138.6m
- 138.9m
- 139.2m
- 139.5m
- 139.8m
- 140.1m
- 140.4m
- 140.7m
- 141.0m
- 141.3m
- 141.6m
- 141.9m
- 142.2m
- 142.5m
- 142.8m
- 143.1m
- 143.4m
- 143.7m
- 144.0m
- 144.3m
- 144.6m
- 144.9m
- 145.2m
- 145.5m
- 145.8m
- 146.1m
- 146.4m
- 146.7m
- 147.0m
- 147.3m
- 147.6m
- 147.9m
- 148.2m
- 148.5m
- 148.8m
- 149.1m
- 149.4m
- 149.7m
- 150.0m
- 150.3m
- 150.6m
- 150.9m
- 151.2m
- 151.5m
- 151.8m
- 152.1m
- 152.4m
- 152.7m
- 153.0m
- 153.3m
- 153.6m
- 153.9m
- 154.2m
- 154.5m
- 154.8m
- 155.1m
- 155.4m
- 155.7m
- 156.0m
- 156.3m
- 156.6m
- 156.9m
- 157.2m
- 157.5m
- 157.8m
- 158.1m
- 158.4m
- 158.7m
- 159.0m
- 159.3m
- 159.6m
- 159.9m
- 160.2m
- 160.5m
- 160.8m
- 161.1m
- 161.4m
- 161.7m
- 162.0m
- 162.3m
- 162.6m
- 162.9m
- 163.2m
- 163.5m
- 163.8m
- 164.1m
- 164.4m
- 164.7m
- 165.0m
- 165.3m
- 165.6m
- 165.9m
- 166.2m
- 166.5m
- 166.8m
- 167.1m
- 167.4m
- 167.7m
- 168.0m
- 168.3m
- 168.6m
- 168.9m
- 169.2m
- 169.5m
- 169.8m
- 170.1m
- 170.4m
- 170.7m
- 171.0m
- 171.3m
- 171.6m
- 171.9m
- 172.2m
- 172.5m
- 172.8m
- 173.1m
- 173.4m
- 173.7m
- 174.0m
- 174.3m
- 174.6m
- 174.9m
- 175.2m
- 175.5m
- 175.8m
- 176.1m
- 176.4m
- 176.7m
- 177.0m
- 177.3m
- 177.6m
- 177.9m
- 178.2m
- 178.5m
- 178.8m
- 179.1m
- 179.4m
- 179.7m
- 180.0m
- 180.3m
- 180.6m
- 180.9m
- 181.2m
- 181.5m
- 181.8m
- 182.1m
- 182.4m
- 182.7m
- 183.0m
- 183.3m
- 183.6m
- 183.9m
- 184.2m
- 184.5m
- 184.8m
- 185.1m
- 185.4m
- 185.7m
- 186.0m
- 186.3m
- 186.6m
- 186.9m
- 187.2m
- 187.5m
- 187.8m
- 188.1m
- 188.4m
- 188.7m
- 189.0m
- 189.3m
- 189.6m
- 189.9m
- 190.2m
- 190.5m
- 190.8m
- 191.1m
- 191.4m
- 191.7m
- 192.0m
- 192.3m
- 192.6m
- 192.9m
- 193.2m
- 193.5m
- 193.8m
- 194.1m
- 194.4m
- 194.7m
- 195.0m
- 195.3m
- 195.6m
- 195.9m
- 196.2m
- 196.5m
- 196.8m
- 197.1m
- 197.4m
- 197.7m
- 198.0m
- 198.3m
- 198.6m
- 198.9m
- 199.2m
- 199.5m
- 199.8m
- 200.1m
- 200.4m
- 200.7m
- 201.0m
- 201.3m
- 201.6m
- 201.9m
- 202.2m
- 202.5m
- 202.8m
- 203.1m
- 203.4m
- 203.7m
- 204.0m
- 204.3m
- 204.6m
- 204.9m
- 205.2m
- 205.5m
- 205.8m
- 206.1m
- 206.4m
- 206.7m
- 207.0m
- 207.3m
- 207.6m
- 207.9m
- 208.2m
- 208.5m
- 208.8m
- 209.1m
- 209.4m
- 209.7m
- 210.0m
- 210.3m
- 210.6m
- 210.9m
- 211.2m
- 211.5m
- 211.8m
- 212.1m
- 212.4m
- 212.7m
- 213.0m
- 213.3m
- 213.6m
- 213.9m
- 214.2m
- 214.5m
- 214.8m
- 215.1m
- 215.4m
- 215.7m
- 216.0m
- 216.3m
- 216.6m
- 216.9m
- 217.2m
- 217.5m
- 217.8m
- 218.1m
- 218.4m
- 218.7m
- 219.0m
- 219.3m
- 219.6m
- 219.9m
- 220.2m
- 220.5m
- 220.8m
- 221.1m
- 221.4m
- 221.7m
- 222.0m
- 222.3m
- 222.6m
- 222.9m
- 223.2m
- 223.5m
- 223.8m
- 224.1m
- 224.4m
- 224.7m
- 225.0m
- 225.3m
- 225.6m
- 225.9m
- 226.2m
- 226.5m
- 226.8m
- 227.1m
- 227.4m
- 227.7m
- 228.0m
- 228.3m
- 228.6m
- 228.9m
- 229.2m
- 229.5m
- 229.8m
- 230.1m
- 230.4m
- 230.7m
- 231.0m
- 231.3m
- 231.6m
- 231.9m
- 232.2m
- 232.5m
- 232.8m
- 233.1m
- 233.4m
- 233.7m
- 234.0m
- 234.3m
- 234.6m
- 234.9m
- 235.2m
- 235.5m
- 235.8m
- 236.1m
- 236.4m
- 236.7m
- 237.0m
- 237.3m
- 237.6m
- 237.9m
- 238.2m
- 238.5m
- 238.8m
- 239.1m
- 239.4m
- 239.7m
- 240.0m
- 240.3m
- 240.6m
- 240.9m
- 241.2m
- 241.5m
- 241.8m
- 242.1m
- 242.4m
- 242.7m
- 243.0m
- 243.3m
- 243.6m
- 243.9m
- 244.2m
- 244.5m
- 244.8m
- 245.1m
- 245.4m
- 245.7m
- 246.0m
- 246.3m
- 246.6m
- 246.9m
- 247.2m
- 247.5m
- 247.8m
- 248.1m
- 248.4m
- 248.7m
- 249.0m
- 249.3m
- 249.6m
- 249.9m
- 250.2m
- 250.5m
- 250.8m
- 251.1m
- 251.4m
- 251.7m
- 252.0m
- 252.3m
- 252.6m
- 252.9m
- 253.2m
- 253.5m
- 253.8m
- 254.1m
- 254.4m
- 254.7m
- 255.0m
- 255.3m
- 255.6m
- 255.9m
- 256.2m
- 256.5m
- 256.8m
- 257.1m
- 257.4m
- 257.7m
- 258.0m
- 258.3m
- 258.6m
- 258.9m
- 259.2m
- 259.5m
- 259.8m
- 260.1m
- 260.4m
- 260.7m
- 261.0m
- 261.3m
- 261.6m
- 261.9m
- 262.2m
- 262.5m
- 262.8m
- 263.1m
- 263.4m
- 263.7m
- 264.0m
- 264.3m
- 264.6m
- 264.9m
- 265.2m
- 265.5m
- 265.8m
- 266.1m
- 266.4m
- 266.7m
- 267.0m
- 267.3m
- 267.6m
- 267.9m
- 268.2m
- 268.5m
- 268.8m
- 269.1m
- 269.4m
- 269.7m
- 270.0m
- 270.3m
- 270.6m
- 270.9m
- 271.2m
- 271.5m
- 271.8m
- 272.1m
- 272.4m
- 272.7m
- 273.0m
- 273.3m
- 273.6m
- 273.9m
- 274.2m
- 274.5m
- 274.8m
- 275.1m
- 275.4m
- 275.7m
- 276.0m
- 276.3m
- 276.6m
- 276.9m
- 277.2m
- 277.5m
- 277.8m
- 278.1m
- 278.4m
- 278.7m
- 279.0m
- 279.3m
- 279.6m
- 279.9m
- 280.2m
- 280.5m
- 280.8m
- 281.1m
- 281.4m
- 281.7m
- 282.0m
- 282.3m
- 282.6m
- 282.9m
- 283.2m
- 283.5m
- 283.8m
- 284.1m
- 284.4m
- 284.7m
- 285.0m
- 285.3m
- 285.6m
- 285.9m
- 286.2m
- 286.5m
- 286.8m
- 287.1m
- 287.4m
- 287.7m
- 288.0m
- 288.3m
- 288.6m
- 288.9m
- 289.2m
- 289.5m
- 289.8m
- 290.1m
- 290.4m
- 290.7m
- 291.0m
- 291.3m
- 291.6m
- 291.9m
- 292.2m
- 292.5m
- 292.8m
- 293.1m
- 293.4m
- 293.7m
- 294.0m
- 294.3m
- 294.6m
- 294.9m
- 295.2m
- 295.5m
- 295.8m
- 296.1m
- 296.4m
- 296.7m
- 297.0m
- 297.3m
- 297.6m
- 297.9m
- 298.2m
- 298.5m
- 298.8m
- 299.1m
- 299.4m
- 299.7m
- 300.0m
- 300.3m
- 300.6m
- 300.9m
- 301.2m
- 301.5m
- 301.8m
- 302.1m
- 302.4m
- 302.7m



Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294



74

Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line:

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG


Scale: 1:500 (When plotted at A4)

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

75

Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line: Extra High Voltage cables in vicinity





BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 



Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



Warning: PDF designed for A4 colour print only with no page scaling

0

20m

Dig Sites

Area:

Line:

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

Other Features (Warning)

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com


01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



Warning: PDF designed for A4 colour print only with no page scaling

0

20m

Dig Sites

Area:

Line:

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

Additional Features (Warning)

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Legend

Disturbances/Obstacles (Warning)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:


Asset.Data@sse.com

01256 337 294

Based upon the Ordnance Survey map with the sanction of the Controller of Her Majesty's Stationery Office Crown Copyright Reserved.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



Warning: PDF designed for A4 colour print only with no page scaling

0

20m

Dig Sites

Area:

Line:

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMA L DEPT H TO THE TOP OF THE CABLE WHEN LAID	Services			
	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

Disturbance Markers (Warning)

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com

01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



Area:



Line:



Scale: 1:500 (When plotted at A4)

Transmission 275,000V and 400,000V				
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

[illegible]


WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd, Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.



Warning: PDF designed for A4 colour print only with no page scaling

0

20m

Dig Sites

Area:

Line:

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

Additional Annotations (Warning)

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com


01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage

cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

Additional Structures (Warning)

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com


01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.


Plans generated by DigSAFE Pro™ software provided by Linesearchbeforedig.




Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 

Extra High Voltage
cables in vicinity




Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG


Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend



Other Electrical Structures (Warning)



There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.

0 20m Dig Sites Area: Line: Extra High Voltage cables in vicinity



If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)

LV (Low Voltage) and Services Up to 1,000V

HV (High Voltage) Over 1,000V to 11,000V

EHV (Extra High Voltage) 22,000V to 132,000V

Transmission 275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID

Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1m

Legend

Overhead Cable

21 kV Cable

110 kV

132 kV

170 kV

275 kV

400 kV

110 kV

132 kV

170 kV

275 kV

400 kV

110 kV

132 kV

170 kV

275 kV

400 kV

Other Features (Warning)

Any existing overhead

Interfering existing cables - single

Non-Drainage Footings position - N

PVI Study

Cross Section Lines

Scottish & Southern Electricity Networks

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com

01256 337 294

Scale: 1:500 (When plotted at A4)

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



0 20m Dig Sites Area: Line: Extra High Voltage cables in vicinity



If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team
Asset.Data@sse.com
 01256 337 294

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltagess (V)

LV (Low Voltage) and Services Up to 1,000V

HV (High Voltage) Over 1,000V to 11,000V

EHV (Extra High Voltage) 22,000V to 132,000V

Transmission 275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID

	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

Sewer/Drainage

20kV Main

4-11kV

110kV

132kV

275kV

400kV

132kV

275kV

400kV

132kV

275kV

400kV

Shallow Burial (Depth)

Deep Burial (Depth)

Shallow Burial (Depth)

Deep Burial (Depth)

Shallow Burial (Depth)

Deep Burial (Depth)

Shallow Burial (Depth)

Deep Burial (Depth)

Shallow Burial (Depth)

Deep Burial (Depth)

Shallow Burial (Depth)

Deep Burial (Depth)

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)



GUIDE TO INTERPRETING MAINS RECORDS PLAN



INTRODUCTION

The Health & Safety Executive have produced a document entitled 'Avoiding danger from underground services'. Copies are available from HMSO's accredited agents and good booksellers, Ref HS(G)47, ISBN 0118854925.

WHEN WORKING IN THE VICINITY OF ELECTRICITY CABLES AND OVERHEAD LINES PLEASE FOLLOW THE DO'S & DON'T'S LISTED BELOW.

DO'S

- Do** Make sure that you have plans of the cables in the area before any excavation work starts. Remember that some cables such as service cables may not be shown on the plans. Cables owned by other companies are not shown, e.g. local authorities, Department of the Environment, National Grid Co. etc.
- Do** Make sure that you understand the plans that have been supplied to you. For detailed explanation of the symbols used by Scottish & Southern Electricity Networks Distribution (SSEN Distribution) refer to this guide & the key shown on the plan
- Do** Use a cable avoidance tool (CAT) to determine the position of the existing cables in the work area. The positions should be clearly marked, and further tests made as work proceeds. **If in doubt, get advice from your supervisor.**
- Do** Hand dig trial holes over the indicated route of the cable, excavate alongside.
- Do** Ask for a cable to be made dead if it is buried in concrete. Please note that this is likely to be a costly process.
- Do** Watch for signs of cables as work progresses, such as marker tapes or cable covers which may be exposed.
- Do** Backfill carefully using stone free soil around cables, replacing marker tapes and covers.

- Do** Ensure that there is maximum clearance above all cable & joints.
- Do** Notify SSEN Distribution immediately should accidental damage to cables occur however large or small. Arrange to keep people well clear of the cable that has been damaged. Do not backfill an area where cable damage has occurred.

DON'T'S

- Don't** Operate a bulldozer, scraper, dragline or excavator unless you are satisfied that there are no buried cables or overhead lines in the working area.
- Don't** Use picks, forks or pointed instruments in soft clay or soil where cables are present, exercise extreme caution where such instruments are used to free lumps of stone or to break up firmly compacted ground.
- Don't** Use exposed cables as a convenient step or handhold.
- Don't** Handle or attempt to alter the position of any cable.

REMEMBER THAT A DAMAGED CABLE MAY CAUSE EXTENSIVE LOSS OF SUPPLIES, MAKE EXPENSIVE REPAIRS NECESSARY AND CAUSE SERIOUS OR EVEN FATAL INJURY.

IF IN DOUBT ASK SSEN DISTRIBUTION




UNDERSTANDING THE INFORMATION ON THE PLANS.

AVERAGE DEPTH OF CABLES: Footpaths 0.6 metres
 Road Crossings 0.75metres

NB These depths are only approximate, depths may vary. It should also be noted that surface levels can change subsequent to the cables being laid.

Mains records symbols definitions and examples:

A. Overhead lines & Poles – These are depicted as follows:



1. Overhead Line – These can be either High Voltage or Low Voltage, colour denotes voltage.
2. Poles.
3. Pole Mounted Transformer.

B. Typical example of Low Voltage cable records:



1. Sub Station
2. Low Voltage Underground cable.
3. Link Boxes: This is a box with a manhole cover marked as belonging to SSEN Distribution containing links. Either two or four cables will lead away from a link box.
4. Straight Joint: This is where two separate cables are joined together.
5. Breech Joint: This is where another cable is attached to the main.
6. Pot End: This is the end of the cable. In certain circumstances service cables to properties can be taken from the pot end. These services may not be shown on the plans.
7. Road crossing duct where a cable is routed under a path or road.
8. Cable terminations/Pole Box: Where underground cables are connected to overhead lines
9. Overhead line.
10. Street Lamps.































11. Services to properties: The service cable to an individual property are not always shown on the mains records that SSEN Distribution supply.
In some cases, a service can be looped from an adjacent property.



















C) Typical example of High Voltage cable record.



1. Sub Station
2. High Voltage Underground cable – Colour denotes voltage.
3. Straight Joint: This is where two separate cables are joined together.
4. Breech Joint: This is where another cable is attached to the main.
5. Cable terminations/Pole Box: Where underground cables are connected to overhead lines
6. Overhead Switch.

SSEN DISTRIBUTION ELECTRIC SYMBOLS

Service cable		Single Poles	
LV Mains		H Poles	
LV Mains and Services (Split Phase)		3 Poles	
2-3.3kV		Tower	
6.6kV		Pole Mounted Transformer	
11kV		Circuit Breaker	
22kV		Switch Disconnector/ OH Air Break	
33kV		Pole Box	
66kV		Straight Joint	
132kV		Mains Breech Joint (Tee)	
Fibre Optic		Service Breech Joint	
Pilot Cable		Trifurcating Joint	
Assumed Route		Pot End	
Out of Service		Capped End	
Ducting		Sealing End	

Service Connector Joint		Surge Diverters	
Overhead Connector		Pillar	
Wall Box Joint		Substation	
Flying Stay		Non Electrical Item	
Stay		Street Furniture	
PME Earth		LV Link Box	
Neutral Earth		LV Supply Point	
Pit		ASLs	
Other Network		Embedded Network	

Watch it!

Safety advice brought to you by

Scottish and Southern Electricity Networks Distribution (SSEN Distribution)

These notes are intended to help all those who have to work in the vicinity of electrical apparatus. Employers have a legal obligation to ensure that their operatives are fully instructed in the correct procedures.

The Electricity at Work Regulations 1989 impose health and safety requirements upon employers, employees and self-employed persons with respect to electricity at work. The regulations impose restrictions on persons being engaged in work activities on or near live conductors.

Regulation 14 requires that: "No person shall be engaged in any work activity on or near any live conductor (other than one suitably covered with insulating material so as to prevent danger) that danger may arise unless:

- ♦ it is **unreasonable** in all circumstances for it to be dead; and
- ♦ it is **reasonable** in all circumstances for him to be at work on or near it while it is live; and
- ♦ suitable precautions (including where necessary the provision of suitable protective equipment) are taken to prevent injury."

The purpose of the regulations is to require precautions to be taken against the risk of death or personal injury from electricity in work activities.

Publications

The Health and Safety Executive have produced a document entitled 'Avoiding Danger from Underground Services', and the Appendix 1 deals specifically with electric cables. Copies are available from the HSE's Accredited Agents and good booksellers, Ref. HS (G) 47.

Copies of Health and Safety Guidance note GS 6 relating to safe working in proximity to overhead lines, are available from the Health and Safety Executive's website - www.hse.gov.uk.

Note

In situations of emergency or danger, or where the advice contained in these notes cannot be followed, you must consult SSEN Distribution immediately. Tel. 0800 0727282 for southern England or 0800 300999 for Scotland.

Additional copies of these "Watch it!" leaflets can be obtained from our Asset Data Team office upon request. Tel. 01256 337294, or asset.data@sse.com.

You must read and accept the following safety notes as part of the contract to receive our network plans. You will have the option to print these and issue them to site staff.

Watch it! - Working in the vicinity of underground cables

Our plans show the positions and normal depths for the buried cables and pipes at the time when they were installed. However, alterations to road alignments surface levels and buildings may have occurred subsequently without our knowledge. If you discover plant or cables that are not marked or incorrectly marked, then you are required to contact us as soon as possible to give us the opportunity to amend our plans.

These plans show the equipment owned by SSEN Distribution. There may be other privately owned plant in the area, which is outside of our control. You should always check with the Local Authority, National Grid Company, Department of the Environment, other Electricity Companies and other utilities before proceeding.

It is not intended that the issue of these plans will absolve either party from their obligation under any of the acts that control digging in the public highways.

Supplies To Properties, etc.

The location of cables supplying individual properties, street lighting, traffic signs, telephone kiosks etc. are not always shown on the plans. You should assume that each property, streetlight etc. will have its own supply cable.

Major Circuits

Where our plans indicate the presence of cables with a voltage exceeding 11,000 volts, you are advised to contact our local depot (telephone number is on the plans), before commencing any excavations within the vicinity of these cables. These major circuits form an extremely important link in SSEN Distributions' networks, damaging or modifying these circuits is a major and costly undertaking. Any development should therefore be designed to allow these circuits to remain undisturbed and accessible in their present location.

For your own and your workmates' safety, please follow the **do's** and **don'ts** listed below:

- ✓ **do** make sure you have plans of the underground cables in the area **before** any excavation work starts. Remember that some cables may not be shown on plans. If carrying out emergency work, excavate as though there are buried live cables in the vicinity.
- ✓ **do** use a cable locator to determine the position of existing cables in the work area. The positions should be marked and tests made as work proceeds. **If in doubt, get advice from your supervisor.**
- ✓ **do** ask for a cable to be made dead if it is buried in concrete.

- ✓ **do** backfill carefully, using stone-free soil around the cables, replacing marker-tapes and / or covers.
- ✓ **do** notify us immediately if you accidentally damage our cables. Arrange to keep people well clear of a cable that has been damaged until we have confirmed it has been made safe.
- ✓ **do** make sure before starting to demolish a building that all cables have been disconnected. We welcome prior notice of the intention to demolish buildings. This enables us to ensure that the site has been made safe electrically.
- ✓ **don't** operate a bulldozer, scraper, dragline or excavator; unless you are satisfied that there are no buried cables in the working area.
- ✓ **don't** use picks, pins, forks or pointed instruments in soft clay or soil when cables are present. Exercise extreme caution where such instruments are used to free lumps of stone, or break up firmly compacted ground. **Never** throw a fork or sharp instrument into the ground.
- ✓ **don't** dig trial holes over the indicated route of the cable. Excavate alongside instead.
- ✓ **don't** use exposed cables as a convenient step or handhold.
- ✓ **don't** handle or attempt to alter the position of any cable.

Remember that a damaged cable may cause extensive loss of supplies, make expensive repairs necessary and cause serious or even fatal injury.

If effective measures are not adopted to protect our equipment, we will take steps to recover the cost of any damage caused. Persons causing damage resulting in loss of supply to customers can be held legally responsible for any claims made by those customers. Promptness in reporting an incident will minimise costs.

In most cases it is not practicable to make cables dead without interrupting supplies to our customers. But given adequate notice, we will wherever possible, give advice regarding special precautions which may be necessary on any site where particular problems are likely to be encountered. The right is reserved to make a charge for this service.

Electricity cables can exist anywhere - under paths or roads, in gardens or driveways, on new housing or industrial development sites or even farmland.

Watch it! - Working in the vicinity of overhead lines

For your own and your workmates' safety, please follow the **do's** and **don'ts** listed below

- ✓ **do** carefully note the position of all overhead lines before commencing work.
- ✓ **do** co-operate with us during planning and sitework stages.
- ✓ **do** follow the advice given in HSE Guidance Note GS 6 when siting barriers, goal posts, bunting etc.
- ✓ **do** keep overhead lines in view when moving scaffolding or machinery and take special care when felling or lopping trees.
- ✓ **do** remember that the raising or slewing of a crane or excavator jib may cause danger when operating near an overhead line.

- ✓ **do** avoid any machinery that is in contact with an overhead line until we confirm that conditions are safe.
- ✓ **do** warn others to keep well clear.
- ✓ **don't** drive a high vehicle below an overhead line when an alternative route is available.
- ✓ **don't** raise the bed of a tipper lorry beneath an overhead line or drive under the line with the body of the vehicle raised.
- ✓ **don't** steady any suspended load until you are satisfied that there is no danger from overhead lines.
- ✓ **don't** handle or use scaffold platforms, poles, pipes or ladders unless they are at a safe distance from overhead lines.
- ✓ **don't** transport long objects beneath overhead lines, unless they are carried in a horizontal position.
- ✓ **don't** approach or touch any broken or fallen overhead lines.

Always remember that:

- Electricity can jump gaps.
- Contact or near contact with a crane jib, scaffold or ladder can cause a discharge of electricity with a risk of fatal or severe shock and burns to any person in the vicinity.

If effective measures are not adopted to protect our equipment, we will take steps to recover the cost of any damage caused. Persons causing damage resulting in loss of supply to customers can be held legally responsible for any claims made by those customers. Promptness in reporting an incident will minimise costs.

In most cases it is not practicable to make overhead lines dead without interrupting supplies to customers. However, provided adequate notice is given, then we will, whenever possible, give advice regarding special precautions which may be necessary on site where specific problems may be encountered. The right is reserved to make a charge for this service.

Scottish and Southern Electricity Networks is a trading name of: Scottish and Southern Energy Power Distribution Limited Registered in Scotland No. SC213459; Scottish Hydro Electric Transmission plc Registered in Scotland No. SC213461; Scottish Hydro Electric Power Distribution plc Registered in Scotland No. SC213460 (all having their Registered Offices at Inveralmond House 200 Dunkeld Road Perth PH1 3AQ); and Southern Electric Power Distribution plc Registered in England & Wales No. 04094290 having its Registered Office at No.1 Forbury Place 43 Forbury Road Reading RG1 3JH which are members of the SSE Group www.ssen.co.uk