



Scale: 1:500 (When plotted at A4)


WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GSG SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage

cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Legend

Additional Annotations (Warning)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com


01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinsearchbeforeDigging.



Scale: 1:500 (When plotted at A4)

Voltages (V)				
LV (Low Voltage) and Services		Up to 1,000V		
HV (High Voltage)		Over 1,000V to 11,000V		
EHV (Extra High Voltage)		22,000V to 132,000V		
Transmission		275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agri Cultural	1m	1m	1m	1.1m

[illegible]

WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294

0 20m Dig Sites Area:



Scale: 1:500 (When plotted at A4)

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

[illegible]






Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294

52

Drain

Track

Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area:  Line:  Extra High Voltage cables in vicinity  

Legend


- Dendroica
- Zonotrichia
- T. virens
- T. palmarum
- T. carolinensis
- T. striata
- T. fusca
- T. palmarum
- T. carolinensis
- T. striata
- T. fusca

Distribution Attributes (Density)

- Only existing locations
- Distribution & existing locations - single
- Distribution & existing locations - all

Map Labels

- PAID Study
- Coastal Forest Reserve



WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Tanner's Copse


53

Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 



Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294


BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by Linesearchbeforedig.


55

Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 



Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516



Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.





Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites Area:  Line: 



Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.

58



Extra High Voltage
cables in vicinity



Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Farm

Silos

59

Warning: PDF designed for A4 colour print only with no page scaling

0 20m

Dig Sites


Area:



Line:



Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024


Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294


Scale: 1:500 (When plotted at A4)

Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area: 

Line: 

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			


NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

WARNING


There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Legend



Disturbances/Markings







Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com

01256 337 294


Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.



This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.


Plans generated by DigSAFE Pro™ software provided by Linesearchbeforedig.

•



Warning: PDF designed for A4 colour print only with no page scaling

0  20m Dig Sites Area: 



Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Legend

- Green: Healthy
- 20-30 Mins
- 30-45 Mins
- 45-60 Mins
- 60-75 Mins
- 75-90 Mins
- 90-105 Mins
- 105-120 Mins
- 120-135 Mins
- 135-150 Mins
- 150-165 Mins
- 165-180 Mins
- 180-195 Mins
- 195-210 Mins
- 210-225 Mins
- 225-240 Mins
- 240-255 Mins
- 255-270 Mins
- 270-285 Mins
- 285-300 Mins
- 300-315 Mins
- 315-330 Mins
- 330-345 Mins
- 345-360 Mins
- 360-375 Mins
- 375-390 Mins
- 390-405 Mins
- 405-420 Mins
- 420-435 Mins
- 435-450 Mins
- 450-465 Mins
- 465-480 Mins
- 480-495 Mins
- 495-510 Mins
- 510-525 Mins
- 525-540 Mins
- 540-555 Mins
- 555-570 Mins
- 570-585 Mins
- 585-600 Mins
- 600-615 Mins
- 615-630 Mins
- 630-645 Mins
- 645-660 Mins
- 660-675 Mins
- 675-690 Mins
- 690-705 Mins
- 705-720 Mins
- 720-735 Mins
- 735-750 Mins
- 750-765 Mins
- 765-780 Mins
- 780-795 Mins
- 795-810 Mins
- 810-825 Mins
- 825-840 Mins
- 840-855 Mins
- 855-870 Mins
- 870-885 Mins
- 885-900 Mins
- 900-915 Mins
- 915-930 Mins
- 930-945 Mins
- 945-960 Mins
- 960-975 Mins
- 975-990 Mins
- 990-1005 Mins
- 1005-1020 Mins
- 1020-1035 Mins
- 1035-1050 Mins
- 1050-1065 Mins
- 1065-1080 Mins
- 1080-1095 Mins
- 1095-1110 Mins
- 1110-1125 Mins
- 1125-1140 Mins
- 1140-1155 Mins
- 1155-1170 Mins
- 1170-1185 Mins
- 1185-1200 Mins
- 1200-1215 Mins
- 1215-1230 Mins
- 1230-1245 Mins
- 1245-1260 Mins
- 1260-1275 Mins
- 1275-1290 Mins
- 1290-1305 Mins
- 1305-1320 Mins
- 1320-1335 Mins
- 1335-1350 Mins
- 1350-1365 Mins
- 1365-1380 Mins
- 1380-1395 Mins
- 1395-1410 Mins
- 1410-1425 Mins
- 1425-1440 Mins
- 1440-1455 Mins
- 1455-1470 Mins
- 1470-1485 Mins
- 1485-1500 Mins
- 1500-1515 Mins
- 1515-1530 Mins
- 1530-1545 Mins
- 1545-1560 Mins
- 1560-1575 Mins
- 1575-1590 Mins
- 1590-1605 Mins
- 1605-1620 Mins
- 1620-1635 Mins
- 1635-1650 Mins
- 1650-1665 Mins
- 1665-1680 Mins
- 1680-1695 Mins
- 1695-1710 Mins
- 1710-1725 Mins
- 1725-1740 Mins
- 1740-1755 Mins
- 1755-1770 Mins
- 1770-1785 Mins
- 1785-1800 Mins
- 1800-1815 Mins
- 1815-1830 Mins
- 1830-1845 Mins
- 1845-1860 Mins
- 1860-1875 Mins
- 1875-1890 Mins
- 1890-1905 Mins
- 1905-1920 Mins
- 1920-1935 Mins
- 1935-1950 Mins
- 1950-1965 Mins
- 1965-1980 Mins
- 1980-1995 Mins
- 1995-2010 Mins
- 2010-2025 Mins
- 2025-2040 Mins
- 2040-2055 Mins
- 2055-2070 Mins
- 2070-2085 Mins
- 2085-2100 Mins
- 2100-2115 Mins
- 2115-2130 Mins
- 2130-2145 Mins
- 2145-2160 Mins
- 2160-2175 Mins
- 2175-2190 Mins
- 2190-2205 Mins
- 2205-2220 Mins
- 2220-2235 Mins
- 2235-2250 Mins
- 2250-2265 Mins
- 2265-2280 Mins
- 2280-2295 Mins
- 2295-2310 Mins
- 2310-2325 Mins
- 2325-2340 Mins
- 2340-2355 Mins
- 2355-2370 Mins
- 2370-2385 Mins
- 2385-2400 Mins
- 2400-2415 Mins
- 2415-2430 Mins
- 2430-2445 Mins
- 2445-2460 Mins
- 2460-2475 Mins
- 2475-2490 Mins
- 2490-2505 Mins
- 2505-2520 Mins
- 2520-2535 Mins
- 2535-2550 Mins
- 2550-2565 Mins
- 2565-2580 Mins
- 2580-2595 Mins
- 2595-2610 Mins
- 2610-2625 Mins
- 2625-2640 Mins
- 2640-2655 Mins
- 2655-2670 Mins
- 2670-2685 Mins
- 2685-2700 Mins
- 2700-2715 Mins
- 2715-2730 Mins
- 2730-2745 Mins
- 2745-2760 Mins
- 2760-2775 Mins
- 2775-2790 Mins
- 2790-2805 Mins
- 2805-2820 Mins
- 2820-2835 Mins
- 2835-2850 Mins
- 2850-2865 Mins
- 2865-2880 Mins
- 2880-2895 Mins
- 2895-2910 Mins
- 2910-2925 Mins
- 2925-2940 Mins
- 2940-2955 Mins
- 2955-2970 Mins
- 2970-2985 Mins
- 2985-3000 Mins
- 3000-3015 Mins
- 3015-3030 Mins
- 3030-3045 Mins
- 3045-3060 Mins
- 3060-3075 Mins
- 3075-3090 Mins
- 3090-3105 Mins
- 3105-3120 Mins
- 3120-3135 Mins
- 3135-3150 Mins
- 3150-3165 Mins
- 3165-3180 Mins
- 3180-3195 Mins
- 3195-3210 Mins
- 3210-3225 Mins
- 3225-3240 Mins
- 3240-3255 Mins
- 3255-3270 Mins
- 3270-3285 Mins
- 3285-3300 Mins
- 3300-3315 Mins
- 3315-3330 Mins
- 3330-3345 Mins
- 3345-3360 Mins
- 3360-3375 Mins
- 3375-3390 Mins
- 3390-3405 Mins
- 3405-3420 Mins
- 3420-3435 Mins
- 3435-3450 Mins
- 3450-3465 Mins
- 3465-3480 Mins
- 3480-3495 Mins
- 3495-3510 Mins
- 3510-3525 Mins
- 3525-3540 Mins
- 3540-3555 Mins
- 3555-3570 Mins
- 3570-3585 Mins
- 3585-3600 Mins
- 3600-3615 Mins
- 3615-3630 Mins
- 3630-3645 Mins
- 3645-3660 Mins
- 3660-3675 Mins
- 3675-3690 Mins
- 3690-3705 Mins
- 3705-3720 Mins
- 3720-3735 Mins
- 3735-3750 Mins
- 3750-3765 Mins
- 3765-3780 Mins
- 3780-3795 Mins
- 3795-3810 Mins
- 3810-3825 Mins
- 3825-3840 Mins
- 3840-3855 Mins
- 3855-3870 Mins
- 3870-3885 Mins
- 3885-3900 Mins
- 3900-3915 Mins
- 3915-3930 Mins
- 3930-3945 Mins
- 3945-3960 Mins
- 3960-397

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294

Scale: 1:500 (When plotted at A4)



Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

Additional Markings (Warning)

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com






01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.

0  20m Dig Sites Area:  Line:  Extra High Voltage cables in vicinity  

Scale: 1:500 (When plotted at A4)

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m


There may have been subsequent alteration to the surface and Safety Executive – Avoiding Danger from Buried Cables WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294

Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 

Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252


Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG


Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend



Additional Features (Warning)



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:


Asset.Data@sse.com

01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

Additional Structures (Warning)

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com

01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.


This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.


Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.

Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 



Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294


BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.

Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area: 

Line: 

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252


Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG


Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend





Additional Markings (Warning)



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com


01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by Linesearchbeforedig.

Warning: PDF designed for A4 colour print only with no page scaling



Scale: 1:500 (When plotted at A4)

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294




Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 

Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252


Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG


Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend



Additional Markings (Warning)



There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com


01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



Warning: PDF designed for A4 colour print only with no page scaling

020m Dig Sites Area: Line:

Extra High Voltage cables in vicinity

Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.


This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.


Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.

Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 



Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

Additional Markings (Warning)

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com

01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.

Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites

Area:



Line:

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252


Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Scale: 1:500 (When plotted at A4)

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 



Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.


Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.




Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 

Extra High Voltage cables in vicinity



Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252


Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG


Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m


Legend



Additional Markings (Warning)



Other Markings



There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com

01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Legend

Disturbances/Markings

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294


Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.





020m

Dig Sites

Area:

Line:

Extra High Voltage cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMA L DEPTH TO THE TOP OF THE CABLE WHEN LAID	Services			
	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

Additional Annotations (Warning)

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com


01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by Linesearchbeforedig.



Warning: PDF designed for A4 colour print only with no page scaling

0

20m

Dig Sites

Area:

Line:

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

Additional Features (Warning)

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.


Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.




Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 

Extra High Voltage
cables in vicinity




Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG


Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend



Additional Annotations (Warning)



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.


This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.


Plans generated by DigSAFE Pro™ software provided by Linesearchbeforedig.

Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 



Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.





87

Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area: 

Line: 

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252


Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG


Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend





Disturbance Markers (Warning)



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com


01256 337 294

Scale: 1:500 (When plotted at A4)


BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.




Warning: PDF designed for A4 colour print only with no page scaling

Dig Sites Area: 

Line: 

Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024


Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294


Scale: 1:6150 (When plotted at A4)



020m

Dig Sites

Area: 

Line: 

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG


Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



Scottish & Southern
Electricity Networks

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com


01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by Linesearchbeforeldg.



Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)

LV (Low Voltage) and Services

Up to 1,000V

Over 1,000V to 11,000V

22,000V to 132,000V

275,000V and 400,000V

Services

Footpath/Unmade

Road Crossing

Agricultural

LV

0.45m

0.6m

1m

HV

0.45m

0.6m

1m

EHV

0.8m

0.9m

1.1m

Legend

Green

1-10kV

Blue

11-33kV

Red

33-110kV

Yellow

110-132kV

Orange

132-175kV

Purple

175-275kV

Dark Blue

275-400kV

Light Blue

400-1000kV

Dark Green

1000-2200kV

Light Green

2200-4000kV

Dark Purple

4000-10000kV

Light Purple

10000-22000kV

Dark Red

22000-40000kV

Light Red

40000-100000kV

Dark Orange

100000-220000kV

Light Orange

220000-400000kV

Dark Yellow

400000-1000000kV

Light Yellow

1000000-2200000kV

Dark Green

2200000-4000000kV

Light Green

4000000-10000000kV

Dark Purple

10000000-22000000kV

Light Purple

22000000-40000000kV

Dark Red

40000000-100000000kV

Light Red

100000000-220000000kV

Dark Orange

220000000-400000000kV

Light Orange

400000000-1000000000kV

Dark Yellow

1000000000-2200000000kV

Light Yellow

2200000000-4000000000kV

Dark Green

4000000000-10000000000kV

Light Green

10000000000-22000000000kV

Dark Purple

22000000000-40000000000kV

Light Purple

40000000000-100000000000kV

Dark Red

100000000000-220000000000kV

Light Red

220000000000-400000000000kV

Dark Orange

400000000000-1000000000000kV

Light Orange

1000000000000-2200000000000kV

Dark Yellow

2200000000000-4000000000000kV

Light Yellow

4000000000000-10000000000000kV

Dark Green

10000000000000-22000000000000kV

Light Green

22000000000000-40000000000000kV

Dark Purple

40000000000000-100000000000000kV

Light Purple

100000000000000-220000000000000kV

Dark Red

220000000000000-400000000000000kV

Light Red

400000000000000-1000000000000000kV

Dark Orange

1000000000000000-2200000000000000kV

Light Orange

2200000000000000-4000000000000000kV

Dark Yellow

4000000000000000-10000000000000000kV

Light Yellow

10000000000000000-22000000000000000kV

Dark Green

22000000000000000-40000000000000000kV

Light Green

40000000000000000-100000000000000000kV

Dark Purple

100000000000000000-220000000000000000kV

Light Purple

220000000000000000-400000000000000000kV

Dark Red

400000000000000000-1000000000000000000kV

Light Red

1000000000000000000-2200000000000000000kV

Dark Orange

2200000000000000000-4000000000000000000kV

Light Orange

4000000000000000000-10000000000000000000kV

Dark Yellow

10000000000000000000-22000000000000000000kV

Light Yellow

22000000000000000000-40000000000000000000kV

Dark Green

40000000000000000000-100000000000000000000kV

Light Green

100000000000000000000-220000000000000000000kV

Dark Purple

220000000000000000000-400000000000000000000kV

Light Purple

400000000000000000000-1000000000000000000000kV

Dark Red

1000000000000000000000-2200000000000000000000kV

Light Red

2200000000000000000000-4000000000000000000000kV

Dark Orange

4000000000000000000000-10000000000000000000000kV

Light Orange

10000000000000000000000-22000000000000000000000kV

Dark Yellow

22000000000000000000000-40000000000000000000000kV

Light Yellow

40000000000000000000000-100000000000000000000000kV

Dark Green

100000000000000000000000-220000000000000000000000kV

Light Green

220000000000000000000000-400000000000000000000000kV

Dark Purple

400000000000000000000000-1000000000000000000000000kV

Light Purple

1000000000000000000000000-2200000000000000000000000kV

Dark Red

2200000000000000000000000-4000000000000000000000000kV

Light Red

4000000000000000000000000-10000000000000000000000000kV

Dark Orange

10000000000000000000000000-22000000000000000000000000kV

Light Orange

22000000000000000000000000-40000000000000000000000000kV

Dark Yellow

40000000000000000000000000-100000000000000000000000000kV

Light Yellow

100000000000000000000000000-220000000000000000000000000kV

Dark Green

220000000000000000000000000-400000000000000000000000000kV

Light Green

400000000000000000000000000-1000000000000000000000000000kV

Dark Purple

1000000000000000000000000000-2200000000000000000000000000kV

Light Purple

2200000000000000000000000000-4000000000000000000000000000kV

Dark Red

4000000000000000000000000000-10000000000000000000000000000kV

Light Red

10000000000000000000000000000-22000000000000000000000000000kV

Dark Orange

22000000000000000000000000000-40000000000000000000000000000kV

Light Orange

40000000000000000000000000000-100000000000000000000000000000kV

Dark Yellow

100000000000000000000000000000-220000000000000000000000000000kV

Light Yellow

220000000000000000000000000000-400000000000000000000000000000kV

Dark Green

400000000000000000000000000000-1000000000000000000000000000000kV

Light Green

1000000000000000000000000000000-2200000000000000000000000000000kV

Dark Purple

2200000000000000000000000000000-4000000000000000000000000000000kV

Light Purple

4000000000000000000000000000000-10000000000000000000000000000000kV

Dark Red

10000000000000000000000000000000-22000000000000000000000000000000kV

Light Red

22000000000000000000000000000000-40000000000000000000000000000000kV

Dark Orange

40000000000000000000000000000000-100000000000000000000000000000000kV

Light Orange

100000000000000000000000000000000-220000000000000000000000000000000kV

Dark Yellow

220000000000000000000000000000000-400000000000000000000000000000000kV

Light Yellow

400000000000000000000000000000000-1000000000000000000000000000000000kV

Dark Green

1000000000000000000000000000000000-2200000000000000000000000000000000kV

Light Green

2200000000000000000000000000000000-4000000000000000000000000000000000kV

Dark Purple

4000000000000000000000000000000000-10000000000000000000000000000000000kV

Light Purple

10000000000000000000000000000000000-22000000000000000000000000000000000kV

Dark Red

22000000000000000000000000000000000-40000000000000000000000000000000000kV

Light Red

40000000000000000000000000000000000-100000000000000000000000000000000000kV

Dark Orange

100000000000000000000000000000000000-220000000000000000000000000000000000kV

Light Orange

220000000000000000000000000000000000-400000000000000000000000000000000000kV

Dark Yellow

400000000000000000000000000000000000-1000000000000000000000000000000000000kV

Light Yellow

1000000000000000000000000000000000000-2200000000000000000000000000000000000kV

Dark Green

2200000000000000000000000000000000000-4000000000000000000000000000000000000kV

Light Green

4000000000000000000000000000000000000-10000000000000000000000000000000000000kV

Dark Purple

10000000000000000000000000000000000000-22000000000000000000000000000000000000kV

Light Purple

22000000000000000000000000000000000000-40000000000000000000000000000000000000kV

Dark Red

40000000000000000000000000000000000000-100000000000000000000000000000000000000kV

Light Red

100000000000000000000000000000000000000-220000000000000000000000000000000000000kV

Dark Orange

220000000000000000000000000000000000000-400000000000000000000000000000000000000kV

Light Orange

400000000000000000000000000000000000000-1000000000000000000000000000000000000000kV

Dark Yellow

1000000000000000000000000000000000000000-2200000000000000000000000000000000000000kV

Light Yellow

2200000000000000000000000000000000000000-4000000000000000000000000000000000000000kV

Dark Green

4000000000000000000000000000000000000000-10000000000000000000000000000000000000000kV

Light Green

10000000000000000000000000000000000000000-22000000000000000000000000000000000000000kV

Dark Purple

22000000000000000000000000000000000000000-40000000000000000000000000000000000000000kV

Light Purple

40000000000000000000000000000000000000000-100000000000000000000000000000000000000000kV

Dark Red

100000000000000000000000000000000000000000-220000000000000000000000000000000000000000kV

Light Red

220000000000000000000000000000000000000000-400000000000000000000000000000000000000000kV

Dark Orange

400000000000000000000000000000000000000000-1000000000000000000000000000000000000000000kV

Light Orange

1000000000000000000000000000000000000000000-2200000000000000000000000000000000000000000kV

Dark Yellow

2200000000000000000000000000000000000000000-4000000000000000000000000000000000000000000kV

Light Yellow

4000000000000000000000000000000000000000000-10000000000000000000000000000000000000000000kV

Dark Green

10000000000000000000000000000000000000000000-22000000000000000000000000000000000000000000kV

Light Green

22000000000000000000000000000000000000000000-40000000000000000000000000000000000000000000kV

Dark Purple

40000000000000000000000000000000000000000000-100000000000000000000000000000000000000000000kV

Light Purple

100000000000000000000000000000000000000000000-220000000000000000000000000000000000000000000kV

Dark Red

220000000000000000000000000000000000000000000-400000000000000000000000000000000000000000000kV

Light Red

400000000000000000000000000000000000000000000-1000000000000000000000000000000000000000000000kV

Dark Orange

1000000000000000000000000000000000000000000000-2200000000000000000000000000000000000000000000kV

Light Orange

2200000000000000000000000000000000000000000000-4000000000000000000000000000000000000000000000kV

Dark Yellow

4000000000000000000000000000000000000000000000-10000000000000000000000000000000000000000000000kV

Light Yellow

10000000000000000000000000000000000000000000000-22000000000000000000000000000000000000000000000kV

Dark Green

22000000000000000000000000000000000000000000000-40000000000000000000000000000000000000000000000kV

Light Green

40000000000000000000000000000000000000000000000-100000000000000000000000000000000000000000000000kV

Dark Purple

100000000000000000000000000000000000000000000000-220000000000000000000000000000000000000000000000kV

Light Purple

22000000






Scale: 1:500 (When plotted at A4)

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1m

Legend

- Green: Healthy
- Yellow: At Risk
- Orange: 1-2 Day
- Red: 3-5 Day
- Dark Red: 6-10 Day
- Black: 11-15 Day
- Dark Blue: 16-20 Day
- Light Blue: 21-25 Day
- White: 26-30 Day
- Grey: 31-35 Day
- Dark Grey: 36-40 Day
- Black: 41-45 Day
- Dark Blue: 46-50 Day
- Light Blue: 51-55 Day
- White: 56-60 Day
- Grey: 61-65 Day
- Dark Grey: 66-70 Day
- Black: 71-75 Day
- Dark Blue: 76-80 Day
- Light Blue: 81-85 Day
- White: 86-90 Day
- Grey: 91-95 Day
- Dark Grey: 96-100 Day

- **Shift-Share Analysis (Hendry)**
 - *Key underlying features:*
 - *Time dimension: existing location, length*
 - *Area dimension: a changing location, etc.*
- **Port Model**
- **Export-Import Model**

WARNING


There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294






Scottish & Southern
Electricity Networks

[illegible]

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered in England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516


Subject to revision – Master held by SSEN Asset Data Team:
Asset_Data@sse.com
01256 337 294




Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area: 

Line: 

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252


Requested by: Mr Ben Evans


Your Scheme/Reference: 217896/YG


Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		


NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1m
			1.1m


Legend


 Overhead Supply


 275kV


 132kV


 110kV


 66kV


 33kV


 11kV


 1000V


 400V


 240V


 110V


 240V


 110V


 1000V


 400V


 240V


 110V


 Dig Site


 Extra High Voltage


 132kV


 110kV


 66kV


 33kV

 11kV

 1000V

 400V

 240V


 110V


Warning


There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Legend


 Overhead Supply


 275kV


 132kV


 110kV


 66kV


 33kV


 11kV


 1000V


 400V


 240V


 110V


 Dig Site


 Extra High Voltage


 132kV


 110kV


 66kV


 33kV


 11kV


 1000V

 400V

 240V

 110V





Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com

01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDigging.

0 20m Dig Sites Area: Line: Extra High Voltage cables in vicinity

Scale: 1:500 (When plotted at A4)

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.5m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

The diagram illustrates the required burial depth for different cable types. A legend identifies the following:

- Overhead cables:** Represented by a yellow line.
- 2P Cable:** Represented by a purple line.
- 4-5kV:** Represented by a pink line.
- 0.6/1kV:** Represented by a blue line.
- 1.8kV:** Represented by a green line.
- 3.3kV:** Represented by a light green line.
- 6.6kV:** Represented by a teal line.
- 11kV:** Represented by a dark green line.
- 132kV:** Represented by a dark blue line.
- 275kV:** Represented by a very dark blue line.
- 400kV:** Represented by a black line.
- 15kV-25kV:** Represented by a light blue line.
- 20kV-30kV:** Represented by a medium blue line.
- 30kV-40kV:** Represented by a dark blue line.
- 40kV-50kV:** Represented by a very dark blue line.
- 50kV-60kV:** Represented by a black line.
- 60kV-70kV:** Represented by a dark blue line.
- 70kV-80kV:** Represented by a very dark blue line.
- 80kV-90kV:** Represented by a black line.
- 90kV-100kV:** Represented by a dark blue line.
- 100kV-110kV:** Represented by a very dark blue line.
- 110kV-120kV:** Represented by a black line.
- 120kV-132kV:** Represented by a dark blue line.
- 132kV-150kV:** Represented by a very dark blue line.
- 150kV-175kV:** Represented by a black line.
- 175kV-200kV:** Represented by a dark blue line.
- 200kV-220kV:** Represented by a very dark blue line.
- 220kV-240kV:** Represented by a black line.
- 240kV-275kV:** Represented by a dark blue line.
- 275kV-300kV:** Represented by a very dark blue line.
- 300kV-330kV:** Represented by a black line.
- 330kV-360kV:** Represented by a dark blue line.
- 360kV-390kV:** Represented by a very dark blue line.
- 390kV-420kV:** Represented by a black line.
- 420kV-450kV:** Represented by a dark blue line.
- 450kV-480kV:** Represented by a very dark blue line.
- 480kV-500kV:** Represented by a black line.



The diagram also shows the required burial depth for different cable types. A legend identifies the following:


- Overhead cables:** Represented by a yellow line.
- 2P Cable:** Represented by a purple line.
- 4-5kV:** Represented by a pink line.
- 0.6/1kV:** Represented by a blue line.
- 1.8kV:** Represented by a green line.
- 3.3kV:** Represented by a light green line.
- 6.6kV:** Represented by a teal line.
- 11kV:** Represented by a dark green line.
- 132kV:** Represented by a dark blue line.
- 275kV:** Represented by a very dark blue line.
- 400kV:** Represented by a black line.
- 15kV-25kV:** Represented by a light blue line.
- 20kV-30kV:** Represented by a medium blue line.
- 30kV-40kV:** Represented by a dark blue line.
- 40kV-50kV:** Represented by a very dark blue line.
- 50kV-60kV:** Represented by a black line.
- 60kV-70kV:** Represented by a dark blue line.
- 70kV-80kV:** Represented by a very dark blue line.
- 80kV-90kV:** Represented by a black line.
- 90kV-100kV:** Represented by a dark blue line.
- 100kV-110kV:** Represented by a very dark blue line.
- 110kV-120kV:** Represented by a black line.
- 120kV-132kV:** Represented by a dark blue line.
- 132kV-150kV:** Represented by a very dark blue line.
- 150kV-175kV:** Represented by a black line.
- 175kV-200kV:** Represented by a dark blue line.
- 200kV-220kV:** Represented by a very dark blue line.
- 220kV-240kV:** Represented by a black line.
- 240kV-275kV:** Represented by a dark blue line.
- 275kV-300kV:** Represented by a very dark blue line.
- 300kV-330kV:** Represented by a black line.
- 330kV-360kV:** Represented by a dark blue line.
- 360kV-390kV:** Represented by a very dark blue line.
- 390kV-420kV:** Represented by a black line.
- 420kV-450kV:** Represented by a dark blue line.
- 450kV-480kV:** Represented by a very dark blue line.
- 480kV-500kV:** Represented by a black line.

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

	
<p>Southern Electric Power Distribution plc Registered Office: No.1 Forbury Place 43 Forbury Road Reading RG1 3JH Registered in England & Wales No.04094290</p>	
<p>If you're unsure & need to seek advice before commencing excavations, please contact: General Enquiries: 0800 048 3516</p>	
<p>Subject to revision – Master held by SSEN Asset Data Team: AssetData@sse.com 01256 337 294</p>	





There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED

THIS COPY HAS BEEN MADE BY OR WITH THE AUTHORITY OF SCOTTISH AND SOUTHERN ENERGY POWER DISTRIBUTION LTD. PURSUANT TO SECTION 47 OF THE COPYRIGHT, DESIGNS AND PATENTS ACT 1988 ('THE ACT'). UNLESS THE ACT PROVIDES A RELEVANT EXCEPTION TO COPYRIGHT THE COPY MUST NOT BE COPIED WITHOUT PRIOR PERMISSION OF THE COPYRIGHT OWNER.
PLANS GENERATED BY DIGSAFE PRO™ SOFTWARE PROVIDED BY LINESEARCHBEFOREU.DIG.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig



Warning: PDF designed for A4 colour print only with no page scaling

0

20m

Dig Sites

Area:

Line:

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.8m
Agricultural	1m	1m	1.1m

Legend

Additional Information (Notes)

Warning

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive - Avoiding Danger from Buried Cables - should be consulted before commencing excavation work.

When Working in the Vicinity of Overhead Lines the Health and Safety Guidance Notes G56 should be consulted (available from the HSE website)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision - Master held by SSEN Asset Data Team:

Asset.Data@sse.com

01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.


This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.


Plans generated by DigSAFE Pro™ software provided by Linesearchbeforeldg.



Scottish & Southern
Electricity Networks

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeUdig.





020m

Dig Sites

Area:

Line:

Extra High Voltage cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend

Overhead cables

275kV

132kV

66kV

33kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

Dig Site

Extra High Voltage

275kV

132kV

66kV

33kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Scale: 1:500 (When plotted at A4)

Based upon the Ordnance Survey map with the sanction of the Controller of HM Stationery Office Crown Copyright Reserved.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by Linesearchbeforedig.

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290


If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com

01256 337 294



020m

Dig Sites

Area:

Line:

Extra High Voltage cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Legend

Additional Features (Warning)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com


01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

Additional Features (Warning)

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com

01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.


This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.

Track

Warning: PDF designed for A4 colour print only with no page scaling

Extra High Voltage
cables in vicinity



Scale: 1:500 (When plotted at A4)

WARNING


There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Legend

Demography	Pop. Density
2 Miles	Pop. Density
1 - 5 Miles	Pop. Density
6 Miles	Pop. Density
7 Miles	Pop. Density
8 Miles	Pop. Density
9 Miles	Pop. Density
10 Miles	Pop. Density
11 Miles	Pop. Density
12 Miles	Pop. Density
13 Miles	Pop. Density
14 Miles	Pop. Density
15 Miles	Pop. Density
16 Miles	Pop. Density
17 Miles	Pop. Density
18 Miles	Pop. Density
19 Miles	Pop. Density
20 Miles	Pop. Density
21 Miles	Pop. Density
22 Miles	Pop. Density
23 Miles	Pop. Density
24 Miles	Pop. Density
25 Miles	Pop. Density
26 Miles	Pop. Density
27 Miles	Pop. Density
28 Miles	Pop. Density
29 Miles	Pop. Density
30 Miles	Pop. Density
31 Miles	Pop. Density
32 Miles	Pop. Density
33 Miles	Pop. Density
34 Miles	Pop. Density
35 Miles	Pop. Density
36 Miles	Pop. Density
37 Miles	Pop. Density
38 Miles	Pop. Density
39 Miles	Pop. Density
40 Miles	Pop. Density
41 Miles	Pop. Density
42 Miles	Pop. Density
43 Miles	Pop. Density
44 Miles	Pop. Density
45 Miles	Pop. Density
46 Miles	Pop. Density
47 Miles	Pop. Density
48 Miles	Pop. Density
49 Miles	Pop. Density
50 Miles	Pop. Density
51 Miles	Pop. Density
52 Miles	Pop. Density
53 Miles	Pop. Density
54 Miles	Pop. Density
55 Miles	Pop. Density
56 Miles	Pop. Density
57 Miles	Pop. Density
58 Miles	Pop. Density
59 Miles	Pop. Density
60 Miles	Pop. Density
61 Miles	Pop. Density
62 Miles	Pop. Density
63 Miles	Pop. Density
64 Miles	Pop. Density
65 Miles	Pop. Density
66 Miles	Pop. Density
67 Miles	Pop. Density
68 Miles	Pop. Density
69 Miles	Pop. Density
70 Miles	Pop. Density
71 Miles	Pop. Density
72 Miles	Pop. Density
73 Miles	Pop. Density
74 Miles	Pop. Density
75 Miles	Pop. Density
76 Miles	Pop. Density
77 Miles	Pop. Density
78 Miles	Pop. Density
79 Miles	Pop. Density
80 Miles	Pop. Density
81 Miles	Pop. Density
82 Miles	Pop. Density
83 Miles	Pop. Density
84 Miles	Pop. Density
85 Miles	Pop. Density
86 Miles	Pop. Density
87 Miles	Pop. Density
88 Miles	Pop. Density
89 Miles	Pop. Density
90 Miles	Pop. Density
91 Miles	Pop. Density
92 Miles	Pop. Density
93 Miles	Pop. Density
94 Miles	Pop. Density
95 Miles	Pop. Density
96 Miles	Pop. Density
97 Miles	Pop. Density
98 Miles	Pop. Density
99 Miles	Pop. Density
100 Miles	Pop. Density

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294



Scale: 1:500 (When plotted at A4)

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

- **Global Market Advantages (Benefits)**
 - Only marketing research
 - International marketing success
 - Help companies find foreign markets
- **Part Study**
- **Focus: Export Success**

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294



Your Scheme/Reference: 217896/YG

Legend

- Green: 100%
- Yellow: 75%
- Orange: 50%
- Red: 25%
- Dark Red: 0%
- Dark Blue: 100%
- Blue: 75%
- Light Blue: 50%
- White: 25%
- White: 0%
- White: 100%
- White: 75%
- White: 50%
- White: 25%
- White: 0%

- **Subliminal Advertising (Hardly)**
 - Only working now and then
 - Not detected in a testing occasion - might
 - Not detected in a testing occasion - it
- **Fast Study**
 - Check Lecture Notes

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516




Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294


WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)




0  20m Dig Sites Area:  Line:  Extra High Voltage cables in vicinity




Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area: 

Line: 

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)

LV (Low Voltage) and Services Up to 1,000V

HV (High Voltage) Over 1,000V to 11,000V

EHV (Extra High Voltage) 22,000V to 132,000V

Transmission 275,000V and 400,000V

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID


Services LV HV EHV


Footpath/Unmade 0.45m 0.45m 0.6m 0.8m


Road Crossing 0.6m 0.6m 0.75m 0.9m


Agricultural 1m 1m 1m 1.1m


Legend


 Overhead Supply


 27.5kV


 110kV


 132kV


 170kV


 275kV


 400kV

 110kV


 132kV


 170kV


 275kV


 400kV


Substation


 Substation


 Substation


 Substation


 Substation


 Substation


 Substation


 Substation

 Substation

 Substation

 Substation



 Substation

 Substation

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com


01256 337 294


Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF HM STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.







Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area: 

Line: 

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			


NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

WARNING


There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)


Legend



Disturbance Markers (Warning)







Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com


01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend

Depth of Cable when Laid

275kV

132kV

110kV

66kV

33kV

22kV

11kV

1kV

EHV

HV

Depth of Cable when Laid

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com


01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.


Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.




Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 

Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252


Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG


Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend



Other Symbols



There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com

01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.


This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.


Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.

Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 

Extra High Voltage
cables in vicinity




Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG


Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

	NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Legend



Additional Features (Warning)



WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.



0  20m Dig Sites Area: 



Scale: 1:500 (When plotted at A4)

	Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m

Age

- 0-10
- 11-20
- 21-30
- 31-40
- 41-50
- 51-60
- 61-70
- 71-80
- 81-90
- 91-100
- 101-110
- 111-120
- 121-130
- 131-140
- 141-150
- 151-160
- 161-170
- 171-180
- 181-190
- 191-200

participated interview (activity)

- only taking interview
- interviewed a meeting location - high
- interviewed a meeting location - low
- both

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES GS6 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
 01256 337 294

34

11kV 240x3C Al XLPE

Warning: PDF designed for A4 colour print only with no page scaling

0 20m Dig Sites Area: Line: Extra High Voltage cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Scale: 1:500 (When plotted at A4)

Voltages (V)				
LV (Low Voltage) and Services				
Up to 1,000V				
HV (High Voltage)				
Over 1,000V to 11,000V				
EHV (Extra High Voltage)				
22,000V to 132,000V				
Transmission				
275,000V and 400,000V				
NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m


WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294



Warning: PDF designed for A4 colour print only with no page scaling

020m

Dig Sites

Area:

Line:

Extra High Voltage
cables in vicinity

Date Requested: 05/02/2024

Job Reference: 32343154

Site Location: 473155 167252

Requested by: Mr Ben Evans

Your Scheme/Reference: 217896/YG

Voltages (V)			
LV (Low Voltage) and Services	Up to 1,000V		
HV (High Voltage)	Over 1,000V to 11,000V		
EHV (Extra High Voltage)	22,000V to 132,000V		
Transmission	275,000V and 400,000V		

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID			
Services	LV	HV	EHV
Footpath/Unmade	0.45m	0.45m	0.6m
Road Crossing	0.6m	0.6m	0.75m
Agricultural	1m	1m	1.1m

Legend

Overhead Cables

275kV

132kV

66kV

33kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

11kV 240x3C ALX1PE

Scottish & Southern
Electricity Networks

Southern Electric Power Distribution plc

Registered Office: No.1 Forbury Place

43 Forbury Road Reading RG1 3JH

Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:

General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:

Asset.Data@sse.com

01256 337 294

Scale: 1:500 (When plotted at A4)

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.

This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.

Plans generated by DigSAFE Pro™ software provided by Linesearchbeforeldg.



Scale: 1:500 (When plotted at A4)

WARNING

There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.

WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)



WARNING


There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.


WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered in England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset_Data@sse.com
01256 337 294






Drain


41

Warning: PDF designed for A4 colour print only with no page scaling



020m

Dig Sites

Area: 

Line: 


Extra High Voltage
cables in vicinity



Date Requested: 05/02/2024
Job Reference: 32343154
Site Location: 473155 167252
Requested by: Mr Ben Evans
Your Scheme/Reference: 217896/YG

Voltages (V)				
LV (Low Voltage) and Services	Up to 1,000V			
HV (High Voltage)	Over 1,000V to 11,000V			
EHV (Extra High Voltage)	22,000V to 132,000V			
Transmission	275,000V and 400,000V			

NORMAL DEPTH TO THE TOP OF THE CABLE WHEN LAID				
Services	LV	HV	EHV	
Footpath/Unmade	0.45m	0.45m	0.6m	0.8m
Road Crossing	0.6m	0.6m	0.75m	0.9m
Agricultural	1m	1m	1m	1.1m



WARNING
There may have been subsequent alteration to the surface levels. Trial holes must be undertaken to determine position and depths of cables. HS (G) 47 Booklet from the Health and Safety Executive – Avoiding Danger from Buried Cables – should be consulted before commencing excavation work.
WHEN WORKING IN THE VICINITY OF OVERHEAD LINES THE HEALTH AND SAFETY GUIDANCE NOTES G56 SHOULD BE CONSULTED (AVAILABLE FROM THE HSE WEBSITE)

Southern Electric Power Distribution plc
Registered Office: No.1 Forbury Place
43 Forbury Road Reading RG1 3JH
Registered In England & Wales No.04094290

If you're unsure & need to seek advice before commencing excavations, please contact:
General Enquiries: 0800 048 3516

Subject to revision – Master held by SSEN Asset Data Team:
Asset.Data@sse.com
01256 337 294

Scale: 1:500 (When plotted at A4)

BASED UPON THE ORDNANCE SURVEY MAP WITH THE SANCTION OF THE CONTROLLER OF H.M. STATIONERY OFFICE CROWN COPYRIGHT RESERVED.
This copy has been made by or with the authority of Scottish and Southern Energy Power Distribution Ltd. Pursuant to section 47 of the Copyright, Designs and Patents Act 1988 ("The Act"). Unless the Act provides a relevant exception to copyright the copy must not be copied without prior permission of the copyright owner.
Plans generated by DigSAFE Pro™ software provided by LinesearchbeforeDig.