

Bat Scoping Survey

15 The Crescent, Earley, Reading

Client Mr F Philip

Reference P1149.001

Issue One

Date 20 June 2024

Written by Miguel Canovas

Crossman Associates

Ecological Consultants
Fire Engine House
Oakhill, Bath BA3 5BJ
01761 233414
info@crossmanassociates.co.uk

www.crossmanassociates.co.uk



Non-technical Summary

Background

In June 2024, Crossman Associates was commissioned to undertake a bat and bird survey of a garden building at 15 The Crescent, Earley, Reading.

Methodology

The scoping survey was undertaken by Miguel Canovas, an experienced ecologist and licenced bat worker. The building was inspected both externally and internally for any evidence of bat / bird presence, such as droppings, food remains, staining or actual bats / birds.

Results

The dwelling is located within a residential area. Overall, the dwelling remains in good condition and provides no significant features suitable for roosting bats or nesting birds.

The dwelling is assessed to have **negligible suitability** for roosting bats.

Recommendations

It is recommended that the following be undertaken as part of the development:

- A precautionary approach to development with regard to bats and hedgehogs.
- Exterior lighting planned sensitive to nocturnal wildlife.
- Install a house sparrow nest terrace.

Contents

NON-TECHNICAL SUMMARY	1
1. BACKGROUND	3
SITE DESCRIPTION	3
LEGISLATION	3
2. METHODOLOGY	5
DESKTOP STUDY	5
3. RESULTS	7
DESKTOP STUDY	7
FIELD SURVEY	9
EVALUATION	11
4. RECOMMENDATIONS	12
BATS	12
5. LIMITATIONS	15
6. REFERENCES	16

1. Background

- 1.1. In June 2024, Crossman Associates was commissioned to undertake a bat scoping survey of 15 The Crescent, Earley, Reading RG6 7NW; the site Ordnance Survey grid reference is SU 75161 71550.
- 1.2. Figure 1 under Appendix II provides a site location map.
- 1.3. The objectives of the survey were to:
 - Make an assessment of the likely presence or absence of bats
 - Identify any legislative or planning policy constraints relevant to the site
 - Determine the need for further surveys, compensation or mitigation

Site Description

- 1.4. The site comprises a small brick, pitched roof garden suite in a suburban environment to the southeast of the city of Reading.

Legislation

- 1.5. In the UK all species of bats are protected under the Wildlife and Countryside Act (1981) as amended and the Conservation of Habitats and Species (Amendment) (EU Exit) Regulations 2019. Under this legislation it is a strict liability offence to injure or destroy a bat or to disturb damage or destroy the resting place of a bat. Under this legislation the UK is obliged to fully take into account bats within the planning process and the level of bat activity on-site must be fully assessed prior to the assessment the planning application.

- 1.6. In Britain all wild birds are granted legal protection under the Wildlife & Countryside Act (1981) (as amended). This legislation protects the birds, their eggs and nests whilst being built or in use.

2. Methodology

Desktop Study

Data search

- 2.1. The MAGIC website was accessed to gain information on any statutory site designations within 4 km of the site that are designated for bats.

National Planning Policy

- 2.2. National Planning Policy has been reviewed for policies that relate to nature conservation relevant to the site.

Field Survey

Bat scoping survey

- 2.3. A bat scoping survey was carried out on the 7th June 2024 by Miguel Canovas, an experienced ecologist.
- 2.4. The building was methodically inspected internally and externally for any evidence of roosting bats, including actual bats, droppings, urine staining and evidence of feeding activity such as discarded insect wings and cases.
- 2.5. The building was also assessed for its suitability to support roosting bats by considering several factors including whether bats can access internal and external voids within the building and whether these voids provide adequate protection and shelter for roosting bats. If the building is not confirmed as a roost, it is assessed from High to Negligible Suitability as follows;

- **High Suitability** – many roosting opportunities. Buildings tend to be old, large and rural
- **Moderate Suitability** – some roosting opportunities. Buildings tend to be old, rural with some recent maintenance
- **Low Suitability** – few roosting opportunities. Buildings tend to be modern, urban and well maintained
- **Negligible Suitability** – insignificant roosting opportunities. Buildings tend to be small, modern, urban and very well maintained.

Birds

- 2.6. The building was also inspected for the presence of birds including house sparrow *Passer domesticus*. The building was checked for field signs including nesting material, accumulations of droppings and/or pellets.

3. Results

Desktop Study

Data Search

- 3.1. The MAGIC website informed that there are no statutory sites within 4 km of the site designated for bats.

Planning Policy

- 3.2. National policy guidance is provided by National Planning Policy Framework (NPPF), which sets out the Government's planning policies for England and how they should be applied to planning applications;

Conserving and enhancing the natural environment

- 3.3. Planning decisions should contribute to and enhance the natural and local environment by:
- a) protecting and enhancing valued landscapes, sites of biodiversity or geological value and soils (in a manner commensurate with their statutory status or identified quality in the development plan);
 - b) recognising the intrinsic character and beauty of the countryside, and the wider benefits from natural capital and ecosystem services – including the economic and other benefits of the best and most versatile agricultural land, and of trees and woodland;
 - c) maintaining the character of the undeveloped coast, while improving public access to it where appropriate;

- d) minimising impacts on and providing net gains for biodiversity, including by establishing coherent ecological networks that are more resilient to current and future pressures;
- e) preventing new and existing development from contributing to, being put at unacceptable risk from, or being adversely affected by, unacceptable levels of soil, air, water or noise pollution or land instability. Development should, wherever possible, help to improve local environmental conditions such as air and water quality, taking into account relevant information such as river basin management plans; and
- f) remediating and mitigating despoiled, degraded, derelict, contaminated and unstable land, where appropriate.

Habitats and Biodiversity

- 3.4. When determining planning applications, local planning authorities should apply the following principles:
- a) if significant harm to biodiversity resulting from a development cannot be avoided (through locating on an alternative site with less harmful impacts), adequately mitigated, or, as a last resort, compensated for, then planning permission should be refused;
 - b) development on land within or outside a Site of Special Scientific Interest, and which is likely to have an adverse effect on it (either individually or in combination with other developments), should not normally be permitted. The only exception is where the benefits of the development in the location proposed clearly outweigh both its likely impact on the features of the site that make it of special scientific interest, and any broader impacts on the national network of Sites of Special Scientific Interest;

- c) development resulting in the loss or deterioration of irreplaceable habitats (such as ancient woodland and ancient or veteran trees) should be refused, unless there are wholly exceptional reasons and a suitable compensation strategy exists; and
- d) development whose primary objective is to conserve or enhance biodiversity should be supported; while opportunities to improve biodiversity in and around developments should be integrated as part of their design, especially where this can secure measurable net gains for biodiversity or enhance public access to nature where this is appropriate.

Field Survey

Bat scoping survey

- 3.5. The external and internal conditions of the buildings are described in the table below and photographs can be found in Appendix II.
- 3.6. A table within Appendix III; information sheets set out the criteria for the way a building is assessed for its potential to support roosting bats.

Building	Feature	Feature Description	Bat suitability
15 The Crescent	Outbuilding	Detached garden suite. The property, built within the last five years, is in very good condition and is currently unoccupied. No bats or evidence of bats were found inside or outside of the property.	Negligible Suitability ☒
	Exterior	Brick walls have no gaps or cracks. Double glazed uPvc windows and doors are well sealed. A garden with small trees and herbs is present at the back of the property.	
	Interior	The building is well-sealed with plaster and painted walls and ceilings. The loft is inaccessible, approximately 60cm high.	
	Roof	Tightly fitting concrete roof tiles with no gaps observed. uPVC soffit with no gaps observed.	

Birds

- 3.7. No birds or bird nesting activity was recorded in any aspect of the building.

Evaluation

- 3.8. During the scoping survey, no droppings, staining, feeding remains or actual bats were observed.
- 3.9. The property is located within a residential area surrounded by sub-optimal bat habitat. It is likely that more light tolerant bats (typically common pipistrelle bat *Pipistrellus pipistrellus*) will make occasional use of the garden and surroundings to forage and commute.
- 3.10. The property has **negligible suitability** for roosting bats.

4. Recommendations

- 4.1. The recommendations in the paragraphs below are provided to help ensure that wildlife and important ecological features are protected during the course of works. Recommendations also set out mitigation measures to minimise harm where this cannot be avoided and provide compensation measures to allow the proposals to meet current legislative and planning policy objectives.
- 4.2. The Natural Environment and Rural Communities (NERC) Act (2006) states that a public authority must 'in exercising its functions, have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biodiversity; Conserving biodiversity includes, in relation to a living organism or type of habitat, restoring or enhancing a population or habitat'.
- 4.3. The NPPF (2021) states that planning decisions should contribute to and enhance the natural and local environment by minimising impacts on and providing net gains for biodiversity, including by establishing coherent ecological networks that are more resilient to current and future pressures.

Bats

- 4.4. Due to the lack of evidence of roosting bats within any aspect of the building on site, it is not considered necessary or beneficial to undertake any further survey work.
- 4.5. Due to the transitory nature of bats, there remains a very small possibility that bats could be encountered during renovation works; therefore, all works must proceed under a precautionary approach. Tiles and roof panels will be removed in a vertical rather than horizontal sliding motion. Soffits and masonry will be dismantled using a 'soft' approach taking care with cavity walls where present. All site workers will be vigilant at all times and in the very unlikely event that a bat is

found, then works must stop immediately and advice should be sought from a suitably qualified ecologist.

Lighting

- 4.6. The site lies near to parkland, these habitats are likely to support a number of species of bat; typical species that would be likely to be present include common pipistrelle and soprano pipistrelle, therefore any exterior lighting that is to be employed should be of the modern LED-type and should take into account the presence of bats and avoid over illumination of the garden, trees and adjacent properties. This can be achieved by using directional lights and or cowl.

Hedgehog

- 4.7. In the UK hedgehogs are listed on schedule 6 of the Wildlife and Countryside Act (1981) as Amended which makes it illegal to kill or capture wild hedgehogs. Hedgehogs are also listed as a species of 'principal importance' under the Natural Environmental and Rural Communities Act 2006, which is meant to confer a 'duty of responsibility' to public bodies.
- 4.8. Excavated holes and trenches on building sites have the potential to trap wildlife including hedgehogs leading to the potential suffering and death of the animal (s) particularly if they become filled with water.
- 4.9. If during the development excavated holes / trenches are likely to be left open, then timber builders' planks should be fitted as ramps to enable any wildlife including hedgehogs a means of escape.

Ecological enhancements

- 4.10. During the construction phase of the extension, there is an opportunity to incorporate inexpensive ecological enhancements that aim to increase the biodiversity of the site.
- 4.11. New nesting opportunities will be provided for the local bird population with a particular emphasis on house sparrows (which have suffered significant decline) and it is recommended that a sparrow nest box is installed within the development.
- 4.12. Sparrow nest boxes are ideally fitted below eaves. Suitable models include the Vivara Woodstone Sparrow Nest Box, which is suitable for integral and surface mounting. This model is strong, durable, long lasting and available in brown or stone colour.

5. Limitations

- 5.1. This report records wildlife found during the survey and anecdotal evidence of sightings. It does not record any plants or animals that may appear at other times of the year and were therefore not evident at the time of visit.
- 5.2. The advice contained in this report relate primarily to factual survey results and general guidance only. On all legal matters you are advised to take legal advice.

6. References

Bat Conservation Trust (BCT) *Bats and Lighting in the UK* BCT

HMSO (1981) *Wildlife and Countryside Act 1981 (and subsequent amendments)*. HMSO

HMSO (1995) *Biodiversity*. The UK Steering Group Report

Joint Nature Conservation Committee (JNCC) *Common Standards Monitoring Guidance for Reptiles and Amphibians* (2004) JNCC

Mitchell-Jones, A.J (2004) *Bat Mitigation Guidelines* English Nature

Mitchell-Jones, A.J , & McLeish A.P. (2012) *The Bat Worker's Manual* (4th Edition)

Multi-Agency Geographical Information for the Countryside (MAGIC)
Website at www.magic.gov.uk

Stace, C. (1997) *New Flora of the British Isles 2nd Edition*. Cambridge University Press

TSO (2012) *National Planning Policy Framework*. TSO

TSO (2006) *Natural Environment and Rural Communities Act* TSO

Appendix I – Site Figures




crossman
ASSOCIATES



01761 233414
info@crossmanassociates.co.uk
www.crossmanassociates.co.uk

● Site location



Client Mr F Phillip
Title Location plan
Site 15 The Crescent, Earley
Figure 1
Date 20 June 2024
Scale xxx



Appendix II – Site Photographs

Photographs 1- 3



Photograph 1:

Northwestern elevation



Photograph 2:

Southeastern elevation



Photograph 3:

Interior



Appendix III– Information Sheets


Bat Habitat Suitably Criteria

Bat Roosting Suitability	Criteria	Survey requirement to prove likely absence
Negligible	Negligible habitat features on site likely to be used by roosting bats.	No further survey work required
Low	A building, structure or tree with one or more potential roosting sites that could be used by individual bats opportunistically; however, these possible roost sites do not provide enough space, shelter, protection and/or suitable surrounding habitat to be used by large numbers of bats and are unlikely to be suitable for maternity or hibernation roosts.	One activity survey
Medium	A building, structure or tree with one or more potential roost sites that could be used by bats due to the size, shelter, protection, conditions and surrounding habit, but is unlikely to support a roost of high conservation status.	Two activity surveys
High	A building, structure or tree with one or more potential roost sites that are obviously suitable for use by larger numbers of bats on a more regular basis and potentially for longer periods of time due to their size, shelter, protection, conditions and surrounding habitat.	Three activity surveys

Survey requirements are taken from Bat Surveys for Professional Ecologists: Good Practice Guidelines (2016), which is the recognised industry standard guidance used by local planning authorities and other statutory consultees.

Sensitive Lighting for Bats

MITIGATION GUIDELINE N° 001



Lamp Type

The impact of light on bats can be minimised by the use of low/high pressure sodium lamps.

Lighting Column

The height of lighting columns should be kept as low as possible to reduce the impact of light spill. For example, when designing lighting for pedestrian walkways, use short bollard lights that produce a low level light (as low as 3 lux) directed downwards.

Light Mapping

Mapping the light spill of a lighting scheme using computer software can prove essential in designing schemes that are fit for purpose, that minimise energy costs and create dark flight corridors and foraging areas for bats.

Light Levels

Proposed light levels within landscape plans should be as low as possible. If lighting is not needed, don't light.

Timing of Lighting

The times at when lighting is left on should be limited where possible. The use of movement sensors and timers for lights is useful for saving energy and reducing the amount of time a light is left on.

Impacts of Light on Bats

As nocturnal mammals, light causes disturbance to bats and many species will actively avoid lit areas. The illumination of bat roosts can delay bats emerging and thus shorten their foraging time and may eventually lead to bats abandoning their roost. The illumination of foraging or commuting areas may also lead to an increase in the rate of predation of bats by predators.


crossman
ASSOCIATES

Written by James Tristram

01761 233414

hello@crossmanassociates.co.uk

Fire Engine House, Oakhill, Bath, BA3 5BJ

Information sheet Artificial bird nesting boxes for Buildings: Swifts, house martins and house sparrows



Habibat house
sparrow nest box



Vivara woodstone sparrow
nest box; suitable for both
integral fitment or surface
mounting

Ibstock Swift boxes are also suitable for house sparrows. Can be customised to suit any exterior finish. Site boxes under eaves, away from windows and direct sunlight.

Sparrow boxes should be grouped together and be at least 2 m of the ground. The boxes can be also be sited on gable walls. At least 3 per averaged size house.

Swifts boxes should be at least 5 m above the ground with an clear un-obstructed flight path.

Schwegler house martin box model 9 b double is a suitable box for house martins and can be used to encourage the uptake of a building by this species. The boxes can be attached to the exterior walls in a sheltered position; ideally beneath the eaves. At least two sets should be placed on an averaged size house.

Ibstock Box



Schwegler model 9b