DRAWING LEGEND

SURFACE WATER DRAINAGE

S1	ADOPTABLE PCC MANHOLE SA DENOTES SOAKAWAY CP DENOTES CATCHPIT
SIC	INSPECTION CHAMBER CP DENOTES CATCHPIT
	SURFACE WATER SEWER
RG	ROAD GULLY
R	RAINWATER PIPE
RE	RODDING EYE
DT	708x708x150 PERMAVOID DISTRIBUTION TANK
RWB	RAINWATER BUTT
	450mm THICK POROUS PAVING SINGLE DRIVE CONSTRUCTION
	450mm THICK POROUS PAVING SHARED DRIVE CONSTRUCTION
	NO FINES SUB-BASE BELOW VEHICLE CROSSOVERS

FOUL WATER DRAINAGE

	EXISTING PUBLIC FOUL WATER SEWER
	EXISTING PUBLIC FOUL WATER MANHOLE
F1	ADOPTABLE PCC MANHOLE
FIC	INSPECTION CHAMBER
	FOUL WATER SEWER
DP	DRAINAGE POINT

1m 2m 3m 4m 5m 10m 15m 20m

SCALE 1-200

N W E S



CDM REGULATIONS 2015 RESIDUAL HAZARDS

RESIDUAL HAZARDS IDENTIFIED

CONSTRUCTION

1. NO SIGNIFICANT RESIDUAL HAZARDS BEYOND THOSE KNOWN TO AN EXPERIENCED CONTRACTOR.

FUTURE DEMOLITION

A. NO SIGNIFICANT RESIDUAL HAZARDS BEYOND THOSE KNOWN TO AN EXPERIENCED CONTRACTOR.

THIS REGISTER IS A NON-EXHAUSTIVE LIST OF RESIDUAL HAZARDS RELATING TO THE WORKS SHOWN ON THIS DRAWING THAT HAVE BEEN IDENTIFIED DURING THE DESIGN STAGE.

IT IS ASSUMED THAT ALL WORKS WILL BE CARRIED OUT BY A CONTRACTOR WITH THE APPROPRIATE SKILLS, KNOWLEDGE & EXPERIENCE, AND IF THEY ARE AN ORGANISATION, THE ORGANISATIONAL CAPABILITY NECESSARY TO FULFILL THE ROLE.

NOTES

CONTRACTORS MUST VERIFY ALL DIMENSIONS ON SITE BEFORE COMMENCING ANY WORK ON SHOP DRAWINGS

DO NOT SCALE FROM THIS DRAWING

RCD CONSULTANTS LTD COPYRIGHT

NOTES

1. ALL DIMENSIONS IN MILLIMETERS UNLESS NOTED OTHERWISE.
2. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER ENGINEERING DRAWINGS AND CALCULATIONS ASSOCIATED WITH THIS PROJECT.
3. ALL COMPONENTS AND MATERIALS ARE TO BE MANUFACTURED AND SUPPLIED IN ACCORDANCE WITH THE RELEVANT BRITISH STANDARDS, AND LAID AND BACKFILLED IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS AND THE RELEVANT BRITISH STANDARDS.
4. THE CONTRACTOR SHALL, BEFORE COMMENCING THE WORKS, VERIFY ALL SITE AND SETTING OUT DIMENSIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TRUE AND PROPER SETTING OUT OF THE WORKS AND FOR THE CORRECTNESS OF THE POSITION, LEVELS, DIMENSIONS, AND ALIGNMENT OF ALL PARTS OF THE WORKS.
5. ALL BUILDING DRAINAGE TO BE INSTALLED AND TESTED IN COMPLIANCE WITH THE BUILDING REGULATIONS 2000 DRAINAGE AND WASTE DISPOSAL APPROVED DOCUMENT H 2002 EDITION.
6. SMALL LIGHTWEIGHT ACCESS COVERS SHOULD BE SECURED (FOR EXAMPLE WITH SCREWS) TO DETER UNAUTHORISED ACCESS.
7. ALL ABOVE GROUND DRAINAGE TO INCORPORATE RODDING ACCESS FACILITIES.
8. INSITU CONCRETE FOR USE IN GENERAL DRAINAGE WORKS, GRADE TO BS: 5328.
9. FOR INTERNAL DRAINAGE POSITIONS REFER TO ARCHITECT'S CURRENT WORKING DRAWINGS.
10. FOR LANDSCAPING SURFACE MATERIAL FINISHES REFER TO ARCHITECT'S CURRENT WORKING DRAWINGS.
11. ALL PIPES TO BE 100mm DIAMETER UNLESS NOTED OTHERWISE.

REV	AMENDMENT	DATE	CHKD
P5	ROAD WIDTH AMENDED.	31.03.2026	RAC
P4	RAINWATER BUTTS ADDED	12.07.2025	RAC
P3	SA1 AND POROUS PAVING FORMATIONS AMENDED.	24.06.2025	RAC
P2	PRELIMINARY ISSUE	23.05.2025	RAC
P1	PRELIMINARY ISSUE	13.05.2025	RAC

DRAWING STATUS

PRELIMINARY

RCD

RCD CONSULTANTS LTD
EMAIL: ray@rcd-consultants.com

CLIENT

PROJECT

PROPOSED RESIDENTIAL DEVELOPMENT
SCHOOL ROAD
HURST

DRAWING TITLE

DRAINAGE LAYOUT
SHEET 1 OF 2

CIVILS

SCALE	DRAWN BY	CHECKED	DATE
1:200 @ A1 1:400 @ A3	STC	RAC	MAY 2025

DRAWING NUMBER	REVISION
1111-2530-CIV-10	P5