

Sophie Morris
Planning Services
Wokingham Borough Council
PO Box 157
Shute End
Wokingham
RG40 1WR

Reading
3rd Floor, Suite 3
Apex Plaza
3 Forbury Road
Reading RG1 1AX
nexusplanning.co.uk

03 June 2026

Our Ref: 40835

Planning Portal Ref: PP-14983042

Dear Sophie,

Submission of Discharge of Condition Application – Condition 44
Phase 2b, Parcels R7 and R13 of the South Wokingham Strategic Development Location

On behalf of our clients, Miller Homes (“the Applicant”), we write to formally submit details to discharge Condition 44 pursuant to full planning permission reference 191068.

Condition 44a states:

No development other than that required to be carried out as part of an approved scheme of remediation shall take place in each phase of the development until conditions a-d (below) have been complied with. If unexpected contamination is found after development has begun that is not addressed by the methodology detailed within the approved remediation scheme, development must be halted on that part of the site affected by the unexpected contamination to the extent specified by the Local Planning Authority in writing until d) has been complied with in relation to that contamination.

a) Site Characterisation

An investigation and risk assessment, in addition to any assessment provided with the planning application, must be completed in accordance with a scheme to assess the nature and extent of any contamination on the site, whether or not it originates on the site. The contents of the scheme are subject to the approval in writing of the Local Planning Authority. The investigation and risk assessment must be undertaken by competent persons and a written report of the findings must be produced. The written report is subject to the approval in writing of the Local Planning Authority. The report of the findings must include:

- (i) a survey of the extent, scale and nature of contamination;*
- (ii) an assessment of the potential risks to:*

- *human health,*
- *property (existing or proposed) including buildings, crops, livestock, pets, woodland and service lines and pipes,*
- *adjoining land,*

London

Birmingham

Bristol

Manchester

Reading

- *groundwaters and surface waters,*
- *ecological systems,*
- *archaeological sites and ancient monuments;*

(iii) an appraisal of remedial options, and proposal of the preferred option(s).

This must be conducted in accordance with DEFRA and the Environment Agency's 'Model Procedures for the Management of Land Contamination, CLR 11'.

The enclosed technical note confirms that the site requires no remediation. As no remediation is required, part b and c of the condition are not applicable.

I trust this information is acceptable and that the application can be registered and validated without delay. If you have any questions on any of the information, please do not hesitate to contact me.

Yours sincerely



Stefania Petrosino MRTPI
Associate