



LEGEND

TREE PROTECTION FENCING & EXCLUSION ZONE

1. Workmen (e.g. Heralo) Fences
2. Contained or excluded zones
3. Contained zone within the street
4. Contained zone within the street
5. Contained zone within the street
6. Contained zone within the street
7. Contained zone within the street
8. Contained zone within the street
9. Contained zone within the street
10. Contained zone within the street

TEMPORARY FENCING

1. Temporary fencing to be removed only prior to the installation of new hard surfacing
2. Temporary fencing to be removed only prior to the installation of new hard surfacing
3. Temporary fencing to be removed only prior to the installation of new hard surfacing
4. Temporary fencing to be removed only prior to the installation of new hard surfacing
5. Temporary fencing to be removed only prior to the installation of new hard surfacing
6. Temporary fencing to be removed only prior to the installation of new hard surfacing
7. Temporary fencing to be removed only prior to the installation of new hard surfacing
8. Temporary fencing to be removed only prior to the installation of new hard surfacing
9. Temporary fencing to be removed only prior to the installation of new hard surfacing
10. Temporary fencing to be removed only prior to the installation of new hard surfacing

NO-DIG SURFACING

1. No-dig surfacing to be applied
2. No-dig surfacing to be applied
3. No-dig surfacing to be applied
4. No-dig surfacing to be applied
5. No-dig surfacing to be applied
6. No-dig surfacing to be applied
7. No-dig surfacing to be applied
8. No-dig surfacing to be applied
9. No-dig surfacing to be applied
10. No-dig surfacing to be applied

GROUND PROTECTION WITHIN ROOT PROTECTION AREAS

1. Ground protection to be applied
2. Ground protection to be applied
3. Ground protection to be applied
4. Ground protection to be applied
5. Ground protection to be applied
6. Ground protection to be applied
7. Ground protection to be applied
8. Ground protection to be applied
9. Ground protection to be applied
10. Ground protection to be applied

SENSITIVE EXCAVATION

1. Sensitive excavation to be applied
2. Sensitive excavation to be applied
3. Sensitive excavation to be applied
4. Sensitive excavation to be applied
5. Sensitive excavation to be applied
6. Sensitive excavation to be applied
7. Sensitive excavation to be applied
8. Sensitive excavation to be applied
9. Sensitive excavation to be applied
10. Sensitive excavation to be applied

TREE TO BE REMOVED

1. Tree to be removed
2. Tree to be removed
3. Tree to be removed
4. Tree to be removed
5. Tree to be removed
6. Tree to be removed
7. Tree to be removed
8. Tree to be removed
9. Tree to be removed
10. Tree to be removed

TREE CANOPY TO BE REDUCED

1. Tree canopy to be reduced
2. Tree canopy to be reduced
3. Tree canopy to be reduced
4. Tree canopy to be reduced
5. Tree canopy to be reduced
6. Tree canopy to be reduced
7. Tree canopy to be reduced
8. Tree canopy to be reduced
9. Tree canopy to be reduced
10. Tree canopy to be reduced

REDUCE CANOPY TO BE REDUCED/REMOVED

1. Reduce canopy to be reduced/removed
2. Reduce canopy to be reduced/removed
3. Reduce canopy to be reduced/removed
4. Reduce canopy to be reduced/removed
5. Reduce canopy to be reduced/removed
6. Reduce canopy to be reduced/removed
7. Reduce canopy to be reduced/removed
8. Reduce canopy to be reduced/removed
9. Reduce canopy to be reduced/removed
10. Reduce canopy to be reduced/removed

SECTION OF WHIP PLANTING TO BE TRANSLATED

1. Section of whip planting to be translated
2. Section of whip planting to be translated
3. Section of whip planting to be translated
4. Section of whip planting to be translated
5. Section of whip planting to be translated
6. Section of whip planting to be translated
7. Section of whip planting to be translated
8. Section of whip planting to be translated
9. Section of whip planting to be translated
10. Section of whip planting to be translated

ROOT PROTECTION AREA (RPA) FOR RETAINED TREES

1. Root protection area (RPA) for retained trees
2. Root protection area (RPA) for retained trees
3. Root protection area (RPA) for retained trees
4. Root protection area (RPA) for retained trees
5. Root protection area (RPA) for retained trees
6. Root protection area (RPA) for retained trees
7. Root protection area (RPA) for retained trees
8. Root protection area (RPA) for retained trees
9. Root protection area (RPA) for retained trees
10. Root protection area (RPA) for retained trees

The original of this drawing was produced in colour - a monochrome copy should not be relied upon.

8 23/06/25 Update to layout & Addressing LPA WTW
A 14/03/25 Update to layout WTW
Rev Date Details Drawn

ACD ENVIRONMENTAL

HEAD OFFICE
Rodbourne Hall Business Centre, Grange Lane,
Maidenbury, SN16 0ES
Tel: 01666 825646

Unit 7, Godalming Business Centre, Woolack Way
Godalming, GU7 1WV
Tel: 01483 425714

Suite 6, Crescent House, Yorgie Close,
Eastleigh, SO50 8DA
Tel: 02382 026500

email: mail@acdenv.co.uk
www.acdenvironmental.co.uk

Copyright © ACD. All rights reserved. ACD is the Copyright, Design and
Patent law 1988 and 2003. All other rights reserved. This plan remains
the property of ACD and all other rights reserved.

scheme: South Wokingham R11
client: Kier Property Development
drawing: Tree Protection Plan
date: 05/03/2025
dwg no: KIER24766-03A Sheet 1 of 3
drawn: WTW checked: AJB



LEGEND

TREE PROTECTION FENCING & EXCLUSION ZONE

1. Minimum area of no-dig surfacing to be applied.

2. Temporary fencing to be removed only prior to the installation of new hard surfacing.

3. Hard surfacing to act as ground protection after installation.

TEMPORARY FENCING

Temporary fencing to be removed only prior to the installation of new hard surfacing.

NO-DIG SURFACING

Minimum area of no-dig surfacing to be applied.

GROUND PROTECTION WITHIN ROOT PROTECTION AREAS

Temporary fencing to be removed only prior to the installation of new hard surfacing.

SENSITIVE EXCAVATION

Temporary fencing to be removed only prior to the installation of new hard surfacing.

TREE TO BE RETAINED

TREE TO BE REMOVED

TREE CANOPY TO BE REDUCED

ROOT PROTECTION AREA (RPA) FOR RETAINED TREES

SECTION OF RHP PLANTING TO BE TRANSLOCATED

A CATEGORY TREE

B CATEGORY TREE

C CATEGORY TREE

ROOT PROTECTION AREA (RPA) FOR RETAINED TREES

The original of this drawing was produced in colour - a monochrome copy should not be relied upon.

60.9m

64.4m

Pond

The Coach House

Pearce's Cottage

Proposed Bride way Connection (TBC)

23/06/25 Update to layout & Addressing LPA comments

14/03/25 Update to layout

Rev Date Details

ACD ENVIRONMENTAL

HEAD OFFICE
Rodbourne Hall Business Centre, Grange Lane,
Malmesbury, SN16 0ES
Tel: 01666 825616

Unit 7, Godalming Business Centre, Woolack Way
Godalming, GU7 1XW
Tel: 01483 425714

Suite 6, Crescent House, Vonge Close,
Eastleigh, SO50 5DX
Tel: 02382 026500

email: mail@acdenv.co.uk
www.acdenvironmental.co.uk

Copyright © ACD. All rights reserved in Copyright of the Copyright, Design and
Patents Act 1988. No part of this document may be reproduced or stored in a retrieval
system without the prior written permission of ACD.

scheme: South Wokingham R11
client: Kier Property Development Limited
drawing: Tree Protection Plan
date: 05/03/2025
scale: 1:500@A0
dwg no: KIER24766-03A Sheet 2 of 3
drawn: WTW checked: AJB



LEGEND

TREE PROTECTION FENCING & EXCLUSION ZONE

1. Workmen (e.g. Heralo) Fencing
2. Exclusion zone around trees
3. Exclusion zone around trees
4. Exclusion zone around trees

TEMPORARY FENCING

Temporary fencing to be removed only prior to the installation of new hard surfacing. Hard surfacing to act as ground protection after installation.

NO-DIG SURFACING

Coloured conformer system (CCS) is to be used to create the area of hard surfacing. The CCS is to be installed around the perimeter of the area to be protected. The CCS is to be installed around the perimeter of the area to be protected. The CCS is to be installed around the perimeter of the area to be protected.

GROUND PROTECTION WITHIN ROOT PROTECTION AREAS

After construction commences, a single thickness of scaffold boards should be placed over the top of a root barrier. The boards should be placed over the top of a root barrier. The boards should be placed over the top of a root barrier. The boards should be placed over the top of a root barrier.

EXISTING EXCAVATION

The existing excavation should be retained. The excavation should be retained. The excavation should be retained. The excavation should be retained.

TREE TO BE RETAINED

Tree to be retained. Tree to be retained. Tree to be retained. Tree to be retained.

TREE TO BE REMOVED

Tree to be removed. Tree to be removed. Tree to be removed. Tree to be removed.

TREE CANOPY TO BE REDUCED

Tree canopy to be reduced. Tree canopy to be reduced. Tree canopy to be reduced. Tree canopy to be reduced.

ROOT PROTECTION AREA (RPA) FOR RETAINED TREES

Root protection area (RPA) for retained trees. Root protection area (RPA) for retained trees. Root protection area (RPA) for retained trees. Root protection area (RPA) for retained trees.

SECTION OF WHIP PLANTING TO BE TRANSLATED

Section of whip planting to be translated. Section of whip planting to be translated. Section of whip planting to be translated. Section of whip planting to be translated.

The original of this drawing was produced in colour. A monochrome copy should not be relied upon.

ACD ENVIRONMENTAL

Head Office
Rodbourne Hall Business Centre, Grange Lane,
Malmesbury, SN16 0ES
Tel: 01666 825600

Unit 7, Godalming Business Centre, Woolack Way,
Godalming, GU7 1XW
Tel: 01483 425714

Suite 6, Crescent House, Yorgie Close,
Eastleigh, SO50 5DX
Tel: 02382 026500

email: mail@acdenv.co.uk
www.acdenvironmental.co.uk

Copyright © ACD. All rights reserved. ACD is the Copyright, Design and Patent. All rights reserved. ACD is the Copyright, Design and Patent. All rights reserved. ACD is the Copyright, Design and Patent. All rights reserved.

scheme: South Wokingham R11
client: Kier Property Development Limited
drawing: Tree Protection Plan
date: 05/03/2025
scale: 1:500@A0
dwg no: KIER24766-03A Sheet 3 of 3
drawn: WTW checked: AJB