





NOTES:

1. THIS DRAWING IS SPECIFIC TO THE 'VAILLANT AROTHERM PLUS HEAT PUMP' AND SHALL BE READ IN CONJUNCTION WITH THE INSTALLATION & MAINTENANCE GUIDE.
2. DIMENSIONS OF BASE AREA MAY VARY. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH THE ENGINEERING AND SURFACE MATERIALS LAYOUTS.
3. THE CONTRACTOR SHALL OBTAIN CURRENT UTILITY INFORMATION AND IS TO LOCATE THE EXACT POSITION OF SERVICES PRIOR TO WORKS COMMENCEMENT TAKING THE NECESSARY PROTECTIVE MEASURES.
4. WEED KILLER TO BE USED PRIOR TO ANY FOUNDATION INSTALLATION.
5. ALL TIMBER IS TO BE TREATED TO UC4 CLASS TIMBER PRESERVING TO BS EN 335-2.
6. ANY TIMBER THAT IS CUT ON-SITE SHOULD BE APPLIED WITH SUITABLE WOOD PRESERVING TREATMENT AT THE POINT OF WHERE THE CUT HAS BEEN MADE.



croudacehomes
©Croudace Homes Limited 2022

TWYFORD
NEW BATH ROAD

PHASE 1
VAILLANT ASHP
FOUNDATION DETAIL

SCALE: 1/25 @ A3

DATE: OCTOBER 2025

DRAWN: JA

CHECKED: -

DRG.No.: 703-068

-