

10no. REQUIRED.
W51/W52/W57/W58/W62/
W63/W65/W66/W67/W68/



5no. REQUIRED.
W54/W56/W59/W61/W64



11no. REQUIRED.
W15/W17/W19/W20/W22/W23
W25/W27/W28/W44/W46



5no. REQUIRED.
W29/W30/W34/W37/W60



1no. REQUIRED.
W24

Side panels to have sash detailing but be fixed panels



1no. REQUIRED.
W18



2no. REQUIRED.
W35/W49



2no. REQUIRED.
W31/W33



1no. REQUIRED.
W42



1 No OUTWARD OPENING
1 No INWARD OPENING
2no. REQUIRED.
W36/W43



7no. REQUIRED.
W7/W10/W13/W16/W21/W26/W45



1no. REQUIRED.
W47



10no. REQUIRED.
W1/W2/W4/W5/W6/W8
W9/W11/W12/W14



1no. REQUIRED.
W3



2no. REQUIRED.
W48/W55





2no. REQUIRED.
W50/W53



6no. REQUIRED.
W69/W70/W71/W72/W73/W74 (DORMERS)



1no. REQUIRED.
W38





Corner Post
Detail
1:10

RELATES TO WINDOWS:
W38/W50/W53



GARAGE DOOR FRAME
3no. REQUIRED.
W39/W40/W41

Frames to be a mixture of top hung and sash frames as indicated.

All frames to be fitted with 20mm double glazed units (4/12/4).

All frames to be selected softwood with 144mm wide hardwood cills.

All frames double vac pressure impregnated with preservative, knotted and primed for painting white.

All doors to be 44mm thick hardwood.

Glazed units to be made with white spacers and all frames to be weatherstripped white.

Safety glass is to be fitted to all opening doors and all screens and windows any part of which is below 800mm above floor level.

All opening sashes to be fitted with heavy duty friction hinges and espagniolette locking system.

Titan or similar espagniolette system to be used on opening leaf of all double doors.

All opening lights are to be fitted with trickle ventilators in window heads to achieve 8000mm minimum ventilation area.

All glazing bars are to be 22mm square ovolo section.

DIMENSIONS SHOWN ARE ACTUAL STRUCTURAL OPENINGS. IF FORMERS ARE REQUIRED, CONSTRUCT TO THESE DIMENSIONS. WINDOW MANUFACTURERS ARE TO ALLOW THEIR OWN TOLERANCE.

FOR DETAILS OF FRONT ENTRANCE FRAME REFER TO SEPERATE DRAWING NUMBER 365/22

REV A 14/1/00 W47 DOORS TO PLANT ROOM REVISED

OCTAGON

OCTAGON DEVELOPMENTS LIMITED
WEIR HOUSE, HURST ROAD,
EAST MOLESEY, SURREY, KT8 9AQ.
TEL:0181 481 7500. FAX: 0181 481 7501/2

Title
EXTERNAL JOINERY

Project FORMER MOD FACTORY SITE
WARGRAVE ROAD REMENHAM
HENLEY ON THAMES

Scale 1:20
Drawn MEE
Drawing No. 365/21 Date NOV 99