

Tree Code: Sgl/007569

Tree Tag: Southlake-00272

Seq No: 0

Position: OPPOSITE 62 ANTRIM ROAD

Stems: 1

Species: Prunus serrula (Tibetan Cherry)

Site: Antrim Road, Woodley

Location: South Lake

Grid Ref: SU 75864 72778

OS X/Y: 475863.04, 172777.09

Lat Long: 51.448909, -0.909682

what3words: /// truth.alien.blaze

Planted:

Stock Type:

Owner: Wokingham Council

Notes:

Value: £0.00

Felled: No

Proposed: No

TPO: Yes

CRP - NONE: No

CRP - FAR: No

CPR - PRF: No

Insurance: No

Property: No

Con Area: No



Regimes:

Inspection: 14/08/2024

Height: 00 to 05m

Age: Established

Trunk: 0-150mm

Spread: 00 to 05m

Features:

Conditions:

Comments: Crown lift

TPO-0003-1951 W3

Dry Weight: 6,565.335 KG

Carbon Weight: 3,282.667 KG

CO2 Sequestered: 9,848.002 KG (£837.08)

CO2 Seq Per Year: 104.491 KG (£8.88)

Visited By: Dryad 1

Condition: Good

CrLightExp:

Prob of F.: None apparent

Target: Medium

Deg ofHarm:

SLE: 20 - 40 years

FuncValue:

Cdbh(Auto):

Risk: Risk Not Assessed

THREATS: 0

Next Inspection: 08/2027

Recommendations: Crown Lift - Footway - 2.4m
Crown Lift - Highway - 5.2Manage

Priority: A - Within 2 years

Recom Due Date: 14/08/2026

Works:

Tree Code: Sgl/007570

Tree Tag: Southlake-00273

Seq No: 0

Position: OPPOSITE 70 ANTRIM ROAD

Stems: 1

Species: Betula utilis var. jacquemontii
(West Himalayan Birch)

Site: Antrim Road, Woodley

Location: South Lake

Grid Ref: SU 75833 72786

OS X/Y: 475832.09, 172785.40

Lat Long: 51.448988, -0.910126

what3words: /// belly.loads.apple

Planted:

Stock Type:

Owner: Wokingham Council

Notes:

Value: £0.00

Felled: No

Proposed: No

TPO: Yes

CRP - NONE: No

CRP - FAR: No

CPR - PRF: No

Insurance: No

Property: No

Con Area: No



Regimes:

Inspection: 14/08/2024

Height: 00 to 05m

Age: Established

Trunk: 0-150mm

Spread: 00 to 05m

Features:

Conditions:

Comments: Crown lift

TPO-0003-1951 W3

Dry Weight: 6,565.335 KG

Carbon Weight: 3,282.667 KG

CO2 Sequestered: 9,848.002 KG (£837.08)

CO2 Seq Per Year: 104.491 KG (£8.88)

Visited By: Dryad 1

Condition: Good

CrLightExp:

Prob of F.: None apparent

Target: Medium

Deg ofHarm:

SLE: 20 - 40 years

FuncValue:

Cdbh(Auto):

Risk: Risk Not Assessed

THREATS: 0


Next Inspection: 08/2027

Recommendations: Crown Lift - Footway - 2.4m
Crown Lift - Highway - 5.2Manage

Priority: A - Within 2 years

Recom Due Date: 14/08/2026

Works:



WOKINGHAM
BOROUGH COUNCIL

Overview

Scale

1: 387

Date

01/06/2026

