

ECMWF: Proposed SW Drainage Network Car Park + Eastern Road Catchment	Date: 07/08/2025		
	Designed by: COB	Checked by: LJ	Approved By: CHF
Report Details: Type: Inflows Storm Phase: Catchment 4 (Car Park and Eastern	Company: BDP		





HS.03

Type : Catchment Area

Area (ha)	0.03
-----------	------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95



HS.04

Type : Catchment Area

Area (ha)	0.017
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95



HS.05

Type : Catchment Area

Area (ha)	0.025
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95



HS.06

Type : Catchment Area

Area (ha)	0.01
-----------	------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95

ECMWF: Proposed SW Drainage Network Car Park + Eastern Road Catchment	Date: 07/08/2025		
	Designed by: COB	Checked by: LJ	Approved By: CHF
Report Details: Type: Inflows Storm Phase: Catchment 4 (Car Park and Easten	Company: BDP		





HS.07

Type : Catchment Area

Area (ha)	0.067
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95



HS.13

Type : Catchment Area

Area (ha)	0.031
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	100



HS.11

Type : Catchment Area

Area (ha)	0.071
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95



HS.10

Type : Catchment Area

Area (ha)	0.028
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	100

ECMWF: Proposed SW Drainage Network Car Park + Eastern Road Catchment	Date: 07/08/2025		
	Designed by: COB	Checked by: LJ	Approved By: CHF
Report Details: Type: Inflows Storm Phase: Catchment 4 (Car Park and Eastern	Company: BDP		





HS.09

Type : Catchment Area

Area (ha)	0.056
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95



HS.08

Type : Catchment Area

Area (ha)	0.02
-----------	------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	100



HS.15

Type : Catchment Area

Area (ha)	0.038
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	100



HS.16

Type : Catchment Area

Area (ha)	0.023
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95

ECMWF: Proposed SW Drainage Network Car Park + Eastern Road Catchment	Date: 07/08/2025		
	Designed by: COB	Checked by: LJ	Approved By: CHF
Report Details: Type: Inflows Storm Phase: Catchment 4 (Car Park and Eastern	Company: BDP		





HS.22

Type : Catchment Area

Area (ha)	0.024
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95



HS.12

Type : Catchment Area

Area (ha)	0.002
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	100



SA.01 - DA

Type : Catchment Area

Area (ha)	0.019
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95



SA.02 - DA

Type : Catchment Area

Area (ha)	0.019
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95

ECMWF: Proposed SW Drainage Network Car Park + Eastern Road Catchment	Date: 07/08/2025		
	Designed by: COB	Checked by: LJ	Approved By: CHF
Report Details: Type: Inflows Storm Phase: Catchment 4 (Car Park and Eastern	Company: BDP		





SA.03 - DA

Type : Catchment Area

Area (ha)	0.013
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95



SA.04 - DA

Type : Catchment Area

Area (ha)	0.03
-----------	------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95



SA.05 - DA

Type : Catchment Area

Area (ha)	0.012
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95



SA.06 - DA

Type : Catchment Area

Area (ha)	0.043
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95

ECMWF: Proposed SW Drainage Network Car Park + Eastern Road Catchment	Date: 07/08/2025		
	Designed by: COB	Checked by: LJ	Approved By: CHF
Report Details: Type: Inflows Storm Phase: Catchment 4 (Car Park and Eastern	Company: BDP		





SA.07 - DA

Type : Catchment Area

Area (ha)	0.014
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95



SA.08 - DA

Type : Catchment Area

Area (ha)	0.016
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95



SA.09 - DA

Type : Catchment Area

Area (ha)	0.016
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95



SA.10 - DA

Type : Catchment Area

Area (ha)	0.007
-----------	-------

Dynamic Sizing

Runoff Method	Time of Concentration
Summer Volumetric Runoff	0.750
Winter Volumetric Runoff	0.840
Time of Concentration (mins)	5
Percentage Impervious (%)	95