



LEGEND

TREE PROTECTION FENCING & EXCLUSION ZONE
1. Workmen (up to 10m) from the edge of the excavation (including the excavation itself) and the adjacent area (up to 10m) shall be excluded from the excavation area. The exclusion zone shall be marked by a red line and a red flag. The exclusion zone shall be maintained at all times during the excavation.

TEMPORARY FENCING
The temporary fencing shall be erected around the excavation area to prevent access by unauthorized persons. The fencing shall be maintained at all times during the excavation.

NO-DIG SURFACING
The no-dig surfacing shall be applied to the excavation area to prevent access by unauthorized persons. The no-dig surfacing shall be maintained at all times during the excavation.

GROUND PROTECTION WITHIN ROOF PROTECTION AREAS
The ground protection shall be applied to the roof protection areas to prevent access by unauthorized persons. The ground protection shall be maintained at all times during the excavation.

EXISTING EXCAVATION
The existing excavation shall be marked by a red line and a red flag. The existing excavation shall be maintained at all times during the excavation.

TREE TO BE RETAINED
The tree to be retained shall be marked by a green line and a green flag. The tree to be retained shall be maintained at all times during the excavation.

TREE TO BE REMOVED
The tree to be removed shall be marked by a red line and a red flag. The tree to be removed shall be maintained at all times during the excavation.

TREE CANNOPY TO BE REDUCED
The tree canopy to be reduced shall be marked by a green line and a green flag. The tree canopy to be reduced shall be maintained at all times during the excavation.

NEED CANNOPY TO BE REMOVED/REMOVED
The need canopy to be removed/reduced shall be marked by a green line and a green flag. The need canopy to be removed/reduced shall be maintained at all times during the excavation.

SECTION OF HWP PLANTING TO BE TRANSLATED
The section of hwp planting to be translated shall be marked by a green line and a green flag. The section of hwp planting to be translated shall be maintained at all times during the excavation.

CATEGORY TREE
The category tree shall be marked by a green line and a green flag. The category tree shall be maintained at all times during the excavation.

NEED CANNOPY TO BE REMOVED/REMOVED
The need canopy to be removed/reduced shall be marked by a green line and a green flag. The need canopy to be removed/reduced shall be maintained at all times during the excavation.

The original of this drawing was produced in colour - a monochrome copy should not be relied upon.

D	20/07/26	Updated to layout	WTW
C	12/09/25	Updated to layout	WTW
B	23/06/25	Update to layout & Addressing LPA comments	WTW
A	14/03/25	Update to layout	WTW
Rev	Date	Details	Drawn

ACD ENVIRONMENTAL

HEAD OFFICE
Rodbourne Hall Business Centre, Grange Lane,
Malmesbury, SN16 0ES
Tel: 01666 825646

Unit 7, Godalming Business Centre, Woolack Way
Godalming, GU7 1XW
Tel: 01483 425714

Suite 6, Crescent House, Yonge Close,
Eastleigh, SO50 6DA
Tel: 02382 026500

email: mail@acdenv.co.uk
www.acdenvironmental.co.uk

Copyright © ACD. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage or retrieval system, without the prior written permission of ACD.

scheme: South Wokingham R11
client: Kier Property Development Limited
drawing: Tree Protection Plan
date: 05/03/2025
scale: 1:500@A0
dwg no: KIER24766-03D Sheet 1 of 3
drawn: WTW checked: AJB



LEGEND

TREE PROTECTION FENCING & EXCLUSION ZONE

1. Minimum 1.8m high perimeter fence with 1.2m high top rail, secured to posts with wire. 2. Fencing to be removed only prior to the installation of new hard surfacing. 3. Fencing to be removed only prior to the installation of new hard surfacing. 4. Fencing to be removed only prior to the installation of new hard surfacing.

TEMPORARY FENCING

Temporary fencing to be removed only prior to the installation of new hard surfacing. Fencing to be removed only prior to the installation of new hard surfacing.

NO-DIG SURFACING

Minimum area of no-dig surfacing to be applied. Temporary fencing to be removed only prior to the installation of new hard surfacing. Hard surfacing to act as ground protection after installation.

GROUND PROTECTION WITHIN TREE PROTECTION AREAS

Ground protection to be applied within tree protection areas. Temporary fencing to be removed only prior to the installation of new hard surfacing. Hard surfacing to act as ground protection after installation.

TEMPORARY EXCAVATION

Temporary excavation to be applied within tree protection areas. Temporary fencing to be removed only prior to the installation of new hard surfacing. Hard surfacing to act as ground protection after installation.

TREE TO BE REMOVED

Tree to be removed. Temporary fencing to be removed only prior to the installation of new hard surfacing. Hard surfacing to act as ground protection after installation.

TREE CANOPY TO BE REDUCED

Tree canopy to be reduced. Temporary fencing to be removed only prior to the installation of new hard surfacing. Hard surfacing to act as ground protection after installation.

NEED CANOPY TO BE REMOVED/REMOVED

Need canopy to be removed/removed. Temporary fencing to be removed only prior to the installation of new hard surfacing. Hard surfacing to act as ground protection after installation.

SECTION OF WHF PLANTING TO BE TRANSLATED

Section of WHF planting to be translated. Temporary fencing to be removed only prior to the installation of new hard surfacing. Hard surfacing to act as ground protection after installation.

A CATEGORY TREE
B CATEGORY TREE
C CATEGORY TREE
D CATEGORY TREE

ROOT PROTECTION AREA (RPA) FOR RETAINED TREES

The original of this drawing was produced in colour - a monochrome copy should not be relied upon.

ACD ENVIRONMENTAL

HEAD OFFICE
Rodbournes Hall Business Centre, Grange Lane,
Malmesbury, SN16 0ES
Tel: 01666 825646

Unit 7, Goddard Business Centre, Woolcock Way,
Godalming, GU7 1XW
Tel: 01483 425714

Suite 6, Crescent House, Vonge Close,
Eastleigh, SO50 5DX
Tel: 02382 026500

email: mail@acdenv.co.uk
www.acdenvironmental.co.uk

scheme: South Wokingham R11
client: Kier Property Development Limited
drawing: Tree Protection Plan
date: 05/03/2025
scale: 1:500@A0
dwg no: KIER24766-03D Sheet 2 of 3
drawn: WTW checked: AJB



LEGEND

TREE PROTECTION FENCING & EXCLUSION ZONE

1. Workmen (e.g. Hedges, Fences, etc.)
2. Exclusion zone around trees to be retained
3. Exclusion zone around trees to be removed
4. Exclusion zone around trees to be removed
5. Exclusion zone around trees to be removed

TEMPORARY FENCING

Temporary fencing to be removed only prior to the installation of new hard surfacing. Fencing to be removed only prior to the installation of new hard surfacing.

NO-DIG SURFACING

Collar conformer system (CCS) is used to create the area of hard surfacing. The collar conformer system (CCS) is used to create the area of hard surfacing. The collar conformer system (CCS) is used to create the area of hard surfacing.

GROUND PROTECTION WITHIN NO-DIG PROTECTION AREAS

After construction commences, only a single thickness of scaffold boards should be placed over the top of a retained tree root. The scaffold boards should be placed over the top of a retained tree root. The scaffold boards should be placed over the top of a retained tree root.

SENSITIVE EXCAVATION

The sensitive excavation area is defined by the red line. The sensitive excavation area is defined by the red line. The sensitive excavation area is defined by the red line.

TREE TO BE RETAINED

Tree to be retained. Tree to be retained. Tree to be retained.

TREE TO BE REMOVED

Tree to be removed. Tree to be removed. Tree to be removed.

TREE CANOPY TO BE REDUCED

Tree canopy to be reduced. Tree canopy to be reduced. Tree canopy to be reduced.

NO-DIG CANOPY TO BE REDUCED/REMOVED

No-dig canopy to be reduced/removed. No-dig canopy to be reduced/removed. No-dig canopy to be reduced/removed.

SECTION OF WHIP PLANTING TO BE TRANSLOCATED

Section of whip planting to be translocated. Section of whip planting to be translocated. Section of whip planting to be translocated.

A CATEGORY TREE
B CATEGORY TREE
C CATEGORY TREE
D CATEGORY TREE

NO-DIG PROTECTION AREA (NPA) FOR RETAINED TREES

The original of this drawing was produced in colour. A monochrome copy should not be relied upon.

0 10 20 30 40 50

Rev.	Date	Description	Author
D	20/07/25	Updated to layout	WWT
C	12/09/25	Updated to layout	WWT
B	23/06/25	Update to layout & Addressing LPA comments	WWT
A	14/03/25	Update to layout	WWT

ACD ENVIRONMENTAL

HEAD OFFICE
Rodbourne Hall Business Centre, Grange Lane,
Malmesbury, SN16 0ES
Tel: 01666 825616

Unit 7, Godalming Business Centre, Woolack Way
Godalming, GU7 1XW
Tel: 01483 425714

Suite 6, Crescent House, Vonge Close,
Eastleigh, SO50 5DX
Tel: 02382 026500

email: mail@acdenv.co.uk
www.acdenvironmental.co.uk

Copyright © ACD. All rights reserved. ACD is the Copyright, Design and Patent. All 1993. All rights reserved. 2015. All rights reserved. All rights reserved. All rights reserved.

scheme: South Wokingham R11
client: Kier Property Development Limited
drawing: Tree Protection Plan
date: 05/03/2025
scale: 1:500@A0
dwg no: KIER24766-03D Sheet 3 of 3
drawn: WWT checked: AJB