REFER TO SHEET 3 FOR CONTINUATION

REFER TO SHEET 2 FOR CONTINUATION

PHASE 2

Emm Brook

BASIN NODE 75 STORAGE - 1,200m³
MAX STORAGE DEPTH - 1.0m
IL VARIES - 41.29 TO 41.45
WATER LEVEL - 42.29
TOP OF FREEBOARD VARIES - 42.50-43.20

Attenuation Basin

43.50

4.8m SHARED SURFACE

5.0m TERTIARY ROAD

4.8m PRIVATE DRIVE

LOW FLOW CHANNEL

ZONE PROVIDED FOR MAINTENANCE ACCESS

PLANTING BY LANDSCAPE ARCHITECT

CULVERTED SECTION UNDER PATH

FLOW CONTROL DEVICE TO 20 l/s HEAD = 1.3m

CROSSES EXISTING SEWER

INLINE NON RETURN VALVE TO PREVENT BACKFLOW / SURCHARGING OF UPSTEAM SURFACE WATER NETWORK.

ROUTE OF EXISTING SURFACE WATER PIPE

600mm Gradient TBC

EARTHWORK TIE IN WORKS

DENOTES 41.42M AOD CONTOUR

Sub-Station

CROSSES EXISTING SEWER

NOTES

1. DO NOT SCALE THIS DRAWING ON PRINT OR ELECTRONICALLY. WORK FROM FIGURED DIMENSIONS ONLY.
2. No deviation from the details shown on this drawing is allowed without Iesis's prior permission in writing.
3. Read this drawing with all Architects, Service Engineers and Iesis's relevant details and drawings. **NB.** Setting-out dimensions as per the Architect's drawings take precedence.
4. All work is to be in accordance with the relevant specifications issued by Iesis, British Standard Codes of Practice, Statutory requirements and the Contract Documents.
5. DRAWING STATUS
   P - PRELIMINARY - Evolving drawings for approvals,Tenders, Billings, etc.
   C - CONSTRUCTION - Fully developed drawings issued under instruction for construction.
   ONLY STATUS C DRAWINGS TO BE USED FOR CONSTRUCTION.
6. SUITABILITY CODE
   WORK IN PROGRESS:
   S0 - Work in progress
   SHARED (NON-CONTRACTUAL):
   S1 - For coordination, **S2** - For information, **S3** - For internal review and comment, **S4** - For construction approval.
   DOCUMENTATION (FOR CONTRACTOR PURPOSES):
   D1 - For costing, **D2** - For Tender, **D3** - For contractor design, **D4** - For manufacture / procurement
   CONSTRUCTION:
   A - For construction, **B** - For construction but with comments (i.e. areas in abeyance), **C** - Comprehensive revisions required.

DESIGN SUBJECT TO TECHNICAL APPROVAL

DRAINAGE KEY

- EXISTING THAMES SURFACE WATER SEWER AND EASEMENT TO BE RETAINED
- EXISTING THAMES FOUL WATER SEWER TO BE RETAINED
- S1S 10.00 — ADOPTABLE SURFACE WATER MANHOLE MH REF (FOR DIA SEE MH SCHEDULE) COVER LEVEL INVERT LEVEL
- CL 10.00 IL 9.40 — PRIVATE SURFACE INSPECTION CHAMBER Ø450mm UNO STANDARD TYPE 1) PLOT DRAINAGE TBC AT DETAILED DESIGN
  CL=COVER LEVEL IL=INVERT LEVEL 1:XX=PIPE GRADIENT
- F1S 10.00 — ADOPTABLE FOUL WATER MANHOLE MH REF (FOR DIA SEE MH SCHEDULE) COVER LEVEL INVERT LEVEL
- CL 10.00 IL 9.20 — PRIVATE FOUL INSPECTION CHAMBER Ø450mm UNO STANDARD TYPE 1) PLOT DRAINAGE TBC AT DETAILED DESIGN
  CL=COVER LEVEL IL=INVERT LEVEL 1:XX=PIPE GRADIENT
- 10.000 — VERTICAL BACKDROP
- HW RG — HIGHWAY ROAD GULLY, 150mm DIA LATERAL

SHEET 1 | SHEET 3 | SHEET 2 | SHEET 4

N

SHEET LOCATION PLAN

SCALE - 1:250

5m 0 5m 10m 15m 20m

Status/Rev	Description	Date	By
P2	PLOT 126 UPDATED	23.01.26	KW
P1	ISSUED FOR APPROVAL	02.05.25	KW

IESISCIVILS

20 IRONMONGER LANE | LONDON | EC2V 8EP | UK
0207 600 2912
www.iesisgroup.com

Job Title: LAND AT WINNERSH FARM

Client: TAYLOR WIMPEY WEST LONDON

PHASE 1 PROPOSED DRAINAGE LAYOUT SHEET 4

drawn	date	scale @ A0	C1 checked	WHA Project No.
KW	MAY'25	1:250	-	SE2326

Org No.	Suitability	Status/Revision
IESIS-DR-C-PH1-6004	S3	P2

© IESIS SPECIAL STRUCTURES LTD 2024