

OVER HANG OF EAVES
& GUTTER BY AGREEMENT
WITH NEIGHBOUR





ROOF TILES TO MATCH EXISTING.
OVER 38×25 BATTENS, ROOF FELT & MANUFACTURED ROOF TRUSSES AT 600 CRS WITH 1000×30×5 STL RESTRAINT STRAPS AT 1200 CRS PARL TO JOISTS & 90° TO GABLE

225×25 FACIA BOARDS
150×25 SOFFITS WITH
100ø UPVC GUTTERS & 68ø
R.W. PIPES TO SOAKAWAY
AT 5.0M.

WALL CONSTRUCTION
225㎜ HOLLOW BLOCK WALLS WITH 22㎜ SMOOTH RENDER.
OVER 600×300 STRIP FOUNDATIONS TAKEN DOWN TO SOLID STRATA.

FLOOR CONSTRUCTION:
38㎜ SCREED OVER 150 CONC. SLAB WITH B785 REINFORCING, MIN 50 COVER ON 1200g DAMP PROOF MEMBRANE, 12㎜ SAND BLINDING & 150㎜ SELECTED HARDCORE

PROPOSED WORKSHOP TO REAR OF DOUBLE GARAGE AT
6 RADSOT CLOSE, WOODLEY FOR
MR & MRS. ROLLY - 01189628609
DRAWN P.H.W. DATE 26.2.2002

DRAWING Nº P.W. 22042.

SCALE 1:50, 1:100, 1:500

21.MAR2002 6195

APPROVED

10/9/02