



PDF GENERATED BY [PDF24](#) - FREE PDF TO PDF CONVERTER

Page 1	Page 2	Page 3	Page 4	Page 5	Page 6	Page 7	Page 8	Page 9	Page 10	Page 11	Page 12	Page 13	Page 14	Page 15	Page 16	Page 17	Page 18	Page 19	Page 20	Page 21	Page 22	Page 23	Page 24	Page 25	Page 26	Page 27	Page 28	Page 29	Page 30	Page 31	Page 32	Page 33	Page 34	Page 35	Page 36	Page 37	Page 38	Page 39	Page 40	Page 41	Page 42	Page 43	Page 44	Page 45	Page 46	Page 47	Page 48	Page 49	Page 50	Page 51	Page 52	Page 53	Page 54	Page 55	Page 56	Page 57	Page 58	Page 59	Page 60	Page 61	Page 62	Page 63	Page 64	Page 65	Page 66	Page 67	Page 68	Page 69	Page 70	Page 71	Page 72	Page 73	Page 74	Page 75	Page 76	Page 77	Page 78	Page 79	Page 80	Page 81	Page 82	Page 83	Page 84	Page 85	Page 86	Page 87	Page 88	Page 89	Page 90	Page 91	Page 92	Page 93	Page 94	Page 95	Page 96	Page 97	Page 98	Page 99	Page 100
--------	--------	--------	--------	--------	--------	--------	--------	--------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	----------

[illegible]

1. **Timing:** Before speed stopping, if any.
2. **General:** Clear site of debris, debris and vegetation. Do not compact topsoil.
3. **Treatment:** Apply a suitable non-soluble herbicide or press to receive drench.

1. **Identifications:** Check each tree to be removed.

4. Safety: Compare a Forest Industry Safety Accord safety plan.
59. **Pulling large trees**
 1. Definition: Click over 600 mm
 2. Identification: Click: Both trees to be removed
 3. Safety: Compare a Forest Industry Safety Accord safety plan.
 4. Pulling: as close to the ground as possible
 5. Stumps: Remove stumps to a minimum depth of 300 mm below ground level
 6. Work area marked in red. Take over 1000 cubic m (1000 tonnes) to avoid accident trees that are to be retained, where a crane cannot dig and/or remove

- ### 3.0 Chipping and checking

- 230 **Stripping topsoil**
- General: Before beginning general excavate or cutting, strip topsoil from areas where there are no retaining footings, piers, walls and a clear area about on drawings.
- 231 **Excavate**
- 231.1 **Remove in one stage depth of 200 mm**
- 231.2 **Subsurface within the depth of 100 mm is different to determine.**
- 231.3 **Note: Soil (material to be excavated or topsoil)**
- 232 **Find the thickness of the soil or sub in accordance with clause 225.**
- 232.1 **General note: The rate of removal of the soil is the speed of means to be selected.**
- 233 **The strategy: Remove topsoil from areas and follow the location agreement with the contract**

- ## 271 Treating myself

P(0)2402_25_26 • Firehazard test Part 1 = 8, alternative for P(Add 1) purpose is 8, not to be used for construction
 535_Correction manual 8

535 Congestion general ρ

- 535** *Composition generally*
1. General. Compost **is** not specified to be left loose as soon as possible after placing.
 2. After compaction. Surface of each layer must be well tamped, allowing no movement of the composition **into** and without cracks, holes, ripples, loose material and free flow.
 3. Disturbance areas. Removal and intermixing of 1/2 thickness of layer **using** one method.

540 Bundling in fMRI

- 560 **Bunching is**
- 1. Adjacent areas, during the difference in use between adjacent areas of filling, become 800 mm, cut edge of higher filling is firmly bound to 600 mm minimum width and height equivalent to depth of a layer of compacted filling.
 - 2. Two filling spread and compact to assure maximum continuity of previous filling.

E10 Compacted filling for landscape areas

- 600 **Compacted filling for landscape areas**

GIS: Loose tip filling for landscape areas

- 615 Loose Spilling for landscape areas**
1. **Timing:** Do not firm, consolidate or compact when laying. Top and grade to approximate levels in one operation and within a year of finishing by job.
- 620 Subgrade improvement layer (capping)**
1. **Use:** For Stabilization for highway work, Table 4(f), Class B2 to B3.

1. **Fig.** To Specialization for highway work, Table B(1) C
2. **Fig.** More and compact in NCFA Value 1/2 per
B(1) and B(2) and B(3) C D E and G H I

- 300 **Backfilling around foundations.**

2. Underground or soil bank. *M. intermedium* (L.) Hay.

Electromediation—Not Used

© End of Session

830 Reporting types

6. Give notice. Before stripping **Topic 4** for transfer to the
 11. Notice period: 8 days

605 Sample code

1. Description: For Impressed Spots
2. Color: To make a sample block of 10g
3. Description: For Impressed Spots on the surface of the block. To make a sample block of 10g
4. Description: For Impressed Spots on the surface of the block. To make a sample block of 10g

630 Documentation for Integrated Taxroll

1. Tying Submit at handover.
2. Genes

- 2.1. Full description of all soil components.
- 2.2. Reasoned advice for all soil components.

3. Reasoned assurance for each component.
4. Description of assurance for the location and depth of the hole by tape readings.
5. Occurrence of analysis in accordance with 05 5062, 05 6016 and 05 6104.
6. Number of copies: Two.
- 3.03 Documentation for component and composed materials**
1. Description of the component and its location.
2. Timing: Submit at handover.
3. Contents
- 3.01. P.01 Description of all component components.
- 3.02. Reasoned assurance for each component.
- 3.03. Analysis: Not the whole hole content.
4. Occurrence of control in accordance with 05 5062, 05 6016 and 05 6104.
5. Quality Control Protocol certification: Required.
6. Number of copies: Two.

4. Number of copies: _____

Site: _____

- | Week | Task |
|------|---------------------------------------|
| 1 | Give notice before |
| 11 | Send out |
| 12 | Forwarding request |
| 13 | Appointing two birds |
| 14 | Appointing two birds |
| 15 | Waiting the during maintenance period |
| 16 | Period of notice: 2 weeks |

4. **Restrictions:** Do not use while SDS runs of legs and start system. Do not damage adjacent wiring.

5. **Restrictions:** Do not use **Arming**.

Grading subject for:

4. *Limnaea*

5. *Planorbis*

605 **Subcell surface preparation for all areas:**

2. Gravel: Excavate and/or place to required depths and levels.
3. Leaveling

1. Give notice: Before spreading topsoil for grass and areas and parking beds.
2. 1 notice period: 1 day
3773 **Removal of asphalt road**

- 55. Grazing and cultivation:

- Project Planning Group
15/1/2025

53. Wood, Carol. "A sophisticated future with a sustainable, localized road network." *GreenSource*. 2012. Web. 10 Oct. 2012. <http://www.greensource.com/2012/09/10/a-sophisticated-future-with-a-sustainable-localized-road-network/>

12. Protected areas: Do not rub or tread on his rare spread of leaves that are to be collected.

- Subject: stones, debris, wrapping material, cables, ties, temporary siting, rubbish, prunings and other waste to be removed.

- **Journal**: To be opened with the contract administrator
height (maximum) 30 cm
 - **DATA (minimum)**: default after constraints
 - 38. **Formulation**: Look up and shape both the side-obj., without running machinery on the heap at any time
- Prediction:**
41. Don't make any other move to in/out of storage heap.
 42. Don't allow construction & deconstruction to point over storage heap.
 43. Perform comparison and calculation by forcing and covering as appropriate.

23. **Instructions:** Read the following text and answer the questions that follow.

- Aggressive vocal** Give notice and obtain instructions before moving target.

- 4.2. **Other grades of stress**

[illegible]

3. *Phyllocnist citrella* (Lepidoptera: Tortricidae) is a pest of citrus trees in the Mediterranean region.

400 After playing

1. **Wearing:** immediately after bleeding, thoroughly and without damaging or displacing plates or wax.
2. **Removal:** Lightly firm and around joints and fork and/or rib with without damaging roots to be firm with gentle comb and to be 12.
3. **Top dressing:** Nothing around dressing system at section Q29
- 3A. **Caution:** 25mm or more, 300mm: did of each 10mm section (the above is optional)

428 **Shrub protection • base root shrubbery planting**

1. Microstructure: Sinter Bricks for stable approved
2. IL Predicted reference: 600PSI=400
3. Type: Rainbow 9500
4. Material: PVC (100% recycled)
5. Size: 6.0m High x 3.0m diameter
6. Colour: Green
7. Support: 6.0m x 1.0m x 2.0m Brackets are advised by the manufacturer
8. General: Ensure that protection measures do not impede visual movement of structure whilst in place

Planting tree

500 Tree planting

- [illegible]

Tree pits

1. **Stems:** Two-girdle of at least three diameter greater than the root system and no deeper than the root collar. Stem depth are to be measured.

1. **Development** - The process of creating a new product or service. It involves the following steps:

- 1. **Concept** - The initial idea or vision for the product.
- 2. **Research** - Gathering information and data to inform the development process.
- 3. **Design** - Creating a detailed plan or blueprint for the product.
- 4. **Prototyping** - Building a small-scale model of the product to test and refine the design.
- 5. **Testing** - Evaluating the product against specific criteria to ensure it meets the requirements.
- 6. **Refinement** - Making adjustments and improvements based on feedback and testing results.
- 7. **Final Design** - The completed design ready for production.

2. **Production** - The process of manufacturing the product in large quantities. It involves the following steps:

- 1. **Material Sourcing** - Obtaining the raw materials and components needed for production.
- 2. **Manufacturing** - The process of transforming raw materials into finished products.
- 3. **Quality Control** - Ensuring that the products meet the required standards and specifications.
- 4. **Packaging** - Preparing the products for distribution and sale.
- 5. **Distribution** - Getting the products to the end users or retailers.

3. **Marketing** - The process of promoting and selling the product. It involves the following steps:

- 1. **Market Research** - Understanding the target audience and their needs.
- 2. **Product Positioning** - Determining the unique value proposition of the product.
- 3. **Promotional Strategy** - Developing a plan for advertising and promotion.
- 4. **Sales Channels** - Identifying the best ways to reach the target audience.
- 5. **Customer Engagement** - Building relationships with customers and providing excellent service.

4. **Support** - The process of providing assistance and resources to customers. It involves the following steps:

- 1. **Customer Service** - Responding to customer inquiries and complaints.
- 2. **Technical Support** - Providing assistance with product usage and troubleshooting.
- 3. **Warranty Service** - Handling product defects and replacements.
- 4. **Feedback Collection** - Gathering customer feedback to improve the product and service.

3. **Depth:** Depth will depend on the size of the tree. For trees with 10 or more nodes, the depth is the number of nodes from the root to the leaf of the tree. For trees with 10 or fewer nodes, the depth is the number of nodes from the root to the leaf of the tree.

- 576 Tree pit surfacing - boxes fit sizes match

- ### ESS Natch planting

1. **Flowering density and type:** do you **plant** **plants**

1. Duration: Carry out the operations in the following columns from completion of writing until the end of the notified period.

1. Defaults due to material or workmanship not in accordance with the Contract: **Personal/semi** liable that have failed to thrive.

- External printing
Price: 12.00 €

EN 12410:2012+A11:2017 is a European Standard (EN) developed by CEN (European Committee for Standardization) for the purpose of harmonizing the use of the term "welding" in the context of the EN 12410 series of standards.

202. Object of the standard

- 1. The standard defines the term "welding" in the context of the EN 12410 series of standards.
- 2. The standard defines the term "welding" in the context of the EN 12410 series of standards.
- 3. The standard defines the term "welding" in the context of the EN 12410 series of standards.
- 4. The standard defines the term "welding" in the context of the EN 12410 series of standards.
- 5. The standard defines the term "welding" in the context of the EN 12410 series of standards.

203. Normative references

- 1. EN 12410:2012+A11:2017
- 2. EN 12410:2012+A11:2017
- 3. EN 12410:2012+A11:2017
- 4. EN 12410:2012+A11:2017
- 5. EN 12410:2012+A11:2017

204. Definitions

- 1. **Welding** is the process of joining two or more pieces of metal by the application of heat and pressure.
- 2. **Welding** is the process of joining two or more pieces of metal by the application of heat and pressure.
- 3. **Welding** is the process of joining two or more pieces of metal by the application of heat and pressure.
- 4. **Welding** is the process of joining two or more pieces of metal by the application of heat and pressure.
- 5. **Welding** is the process of joining two or more pieces of metal by the application of heat and pressure.

205. Protection of welding gases

- 1. The standard defines the term "welding" in the context of the EN 12410 series of standards.
- 2. The standard defines the term "welding" in the context of the EN 12410 series of standards.
- 3. The standard defines the term "welding" in the context of the EN 12410 series of standards.
- 4. The standard defines the term "welding" in the context of the EN 12410 series of standards.
- 5. The standard defines the term "welding" in the context of the EN 12410 series of standards.

206. References

- 1. EN 12410:2012+A11:2017
- 2. EN 12410:2012+A11:2017
- 3. EN 12410:2012+A11:2017
- 4. EN 12410:2012+A11:2017
- 5. EN 12410:2012+A11:2017

207. Bibliography

- 1. EN 12410:2012+A11:2017
- 2. EN 12410:2012+A11:2017
- 3. EN 12410:2012+A11:2017
- 4. EN 12410:2012+A11:2017
- 5. EN 12410:2012+A11:2017

208. Information of general interest

- 1. The standard defines the term "welding" in the context of the EN 12410 series of standards.
- 2. The standard defines the term "welding" in the context of the EN 12410 series of standards.
- 3. The standard defines the term "welding" in the context of the EN 12410 series of standards.
- 4. The standard defines the term "welding" in the context of the EN 12410 series of standards.
- 5. The standard defines the term "welding" in the context of the EN 12410 series of standards.

209. Annexes

- 1. The standard defines the term "welding" in the context of the EN 12410 series of standards.
- 2. The standard defines the term "welding" in the context of the EN 12410 series of standards.
- 3. The standard defines the term "welding" in the context of the EN 12410 series of standards.
- 4. The standard defines the term "welding" in the context of the EN 12410 series of standards.
- 5. The standard defines the term "welding" in the context of the EN 12410 series of standards.

2. **Follow** **Leave** **rest** and **wait** **block** **hold** **wait** **at** **least** **obstruction**.

226 *Yoon et al.*

- 225 **Wells and slaves is granted access**

2. ~~Interval~~ between end of 1 day
240 Leaf removal

1. **Speedwork:** Collect 500's levels
2. **Speed** requirements: None
3. **Disposal:** Burned from site for recycling

5. Preparation

1. Missing regions: Most of the more massive species are generally too rare due to instability. Some other species that will be a study of special kinds, as it's been the subject of study. Some

33. First cut: August.

11. Final cut: 2000
12. Subsequent cuts: Continuing every 10 days, as required through March
13. Height: 100mm
14. Atomic: Remove
- 257 Final year rearrangement of woodland residues

1. Reston, VA: September.

11. Subspecies: *Conium maculatum* var. *maculatum* (L.) DC. (1793)
12. Height: 10-120cm
13. Astring: None
-
- 288. *Blowing - grasslands***
1. *Blowing - grasslands*

11. $\Delta p = 540 \text{ mmHg}$

- 1.5. High-wasp net - April. Mow to 50mm height when required

PSM240C_PS_26 = Freshwater Pond Permit 6 = Alternative for PSM240C purposes of **PS_26** can be used for construction of water bodies to receive effluent from the plant.

Flower beds/seasonal bedding

© 2000 Blackwell Science Ltd

1. **Goals for planting:** **Will** **for** **planting.**
2. **Planting:**
 - 2.1. **Planting:** **Before** and **after** **planting.**
 - 2.2. **Planting:** **It** **means** **the** **continued** **planting** **of** **planting.**
3. **Operations at end of growing season:**
 - 3.1. **Planting:** **Before** and **after** **planting.**
 - 3.2. **Planting:** **It** **means** **the** **continued** **planting** **of** **planting.**
 - 3.3. **Planting:** **It** **means** **the** **continued** **planting** **of** **planting.**
 - 3.4. **Planting:** **It** **means** **the** **continued** **planting** **of** **planting.**

(72) Flower beds generally

- 430 Flower beds generally**
1. **Operations**
 11. Remove dead flower heads, fallen leaves, litter and debris
 12. Weeds: Thorough, hand-weed
 13. Cultivate: lightly, via
 14. Trim: clip grass edges.
 2. **Fungicide:** Concocto's choice
 3. **Insecticide:** Concocto's choice

Drains/roofs/bridges	Establishment of new planting
500	

1. Duration: 1 year
2. Weed control:
 - 2.1. Interact: Keep planting beds clear of weeds by maintaining a thickness of mulch.
 - 2.2. Aseptic: Maintain a weed-free area around each tree and shrub; minimum diameter the base of 1 m on the surface of the original planting pit.
3. Conditions: Work over bare to keep soil loose, with gentle combing and rollers. Do not reduce depth or effect of mulch.
4. Warning: Contractor's choice

502 Establishment of new planting = fertilize

1. Water: Available groundwater
2. Time of year: March to April
3. Type: Organic
4. Spreading: Spread evenly.

1. Tearing: disintegrated
2. Spontaneous: Surface ground's retreating into ground areas, paths, roads, signs, sight lines and daylighting features
3. Special requirements: Allow ground cover plants to partially overlap pathways, home

1. Standard: To 86 7370-4
2. *Good 4* *unpublished*. *Worm*. *Crusts*. *your* *depts* *unpublished*

1. Standard: Type and timing of pruning operations to suit the plant species.
2. Time of year: Do not prune during the late winter/early spring sap flow period.
3. Young trees up to 4 m high

- 3.2. Crown pruning: removing dead branch ends and reducing upper and side branches by one third to preserve a well-shaped tree and ensure the development of a single strong leader.
- 3.3. Remove damaged branches and prevent wind or light damage to each main, mature, well-set wood.
4. Whips or feathered trees: Do not prune.
5. Operations: *Warmer of the Libanese, Rural Landscapes or other approved agricultural construction*
6. Standards: trees are to be pruned in accordance with good horticultural practice (see ANEP/2002) to create a well-shaped specimen which was appropriate for the site.

1. **Trimmed:** Plants to encourage healthy and orderly growth and overall appearance/condition, eg. flowers, fruit, autumn colour, stem colour.
2. **Sheared:** Removal by cutting back **hard** with the source stem or root.

5. Time of year
11. Winter flowering of males: Spring
 12. Sheela flowering between March and July: Woodlands after the flowering period
 13. Sheela flowering between July and October: Rocky cliff woodlands

- ## 520 Removal of dead plant material

- 600 **Dead and diseased plants**

- | | |
|-------------------------------------|---|
| Project Planning Group
1997-1999 | QOM
Landscape maintenance
1999-2001 |
|-------------------------------------|---|

14. *Answers: (a) yes; (b) not yes; (c) yes; (d) no*

ECO Maintenance of loose red ch

1. *Trichostema crinitum*: 75 mm.
2. *Trichostema* sp. in adjacent areas. Flower seeds will add to seed set.
3. Weeding flower seeds growing in or in the 1.5 by 1 m covered

606 Fertilizing established trees and shrubs

1. Time of year: During April-May
2. Type of habitat: Open, grassy, low-lying
3. Application: Species diversity

Green walls – Not a word

Green wall

Free work generally

- ### 100 Tree work generally
1. **Pre-work:** Before starting work agree which trees, shrubs and hedges are to be removed or pruned.
 2. **Insurance:** Avoid damage to neighbouring trees, shrubs and property.
 3. **Standards:** To BS-5896.
 4. **Trimming branches:** Use correct branches (see ) with no more than 2 cuts on the same side, it is necessary to cut underneath.
 5. **Appearance:** Leaves trees with a well-balanced and natural appearance.
 6. **Chain-saw work:** Operators must have a certificate of competence.
 7. **Stump work:** After completion of work a stump must be left at least 100mm above ground level.

20% Additional work

- i. Defective, disused, cracked or weak parts of beam or structure. Do not use if detached.

820 **Prevalence of wound healing**

1. Standard No. 88.33240

025 Prevention of disease transmission

1. Standard: Top 95-5824

830 Clearing out and deadwooding

11. Unm, dying or diseased wood, broken branches and stubs.
12. Fungal growths and fruiting bodies.
13. Substrates, ~~mainly~~ hum or peat, ~~used~~ and heavily leeks.

15. Other unwanted objects, e.g. tree houses, swings

- [illegible]

40. **containing** Use hand tools with a
41. **PROBING** 20-30 out of rock with in an inch which is the length of
42. **the** the spread of the tool
43. **the** Use one with a radius of half the hole's height, more and less the work.
44. **Divide** pressure on axis. Use system of marks extending 90 mm in diameter. Do not cut
45. **without** without
46. **Cutting**
47. **Cutting** Make inside a smooth hole with a hand saw.
48. **Wounds** Wounds, hand jagged edges.
49. **Coating** Finish out surfaces smooth with a sharp file.
50. **Boiling**
51. **Preparation** Clean a set of tools with a sharp saw.
52. **Use** **Boiling** with water (saw)

- Exiting windows: Check for buffer and shared gate services. Give notice if this may be affected.

FD-240C-25-26 • Firechangeed Part 5 • Alternative for P,Add(1) purposes of 1.5 • not to be used for construction
 (1) Not valid: Please see 1.5

730 Expedite concrete foundations

330 Exped concrete foundations

1. **Flaking:** Compact, irregular bubbles cease to appear on the upper surface.
2. **Finishing:** Weathered to shed water and become smooth.

3.4.2 Setting posts in earth

1. **Trailing:** Exposed trailing, with vertical stakes and at least one precast pile to allow lifting.

200-Nailed wood rail

1. Length (number of) iterations with plots in separate **if** statement.
2. Using full cell height of cell for each point with two DO-LOOPs (nested cells).

1. H_2SO_4 and HNO_3
2. H_2SO_4 with HNO_3

- 300
- Avia nalis*
-
- L. Torgu

II. Half end on one side. They

13. **Top-rod:** Fixed at both ends using One 1/2" dia. x 6" wooden peg.

220 *Life cycle of a viral*

1. Growth kept to a minimum.
2. Growth reduced more with a more frequent work schedule.

2. **Excavation and ground** **14-18** **Excavation**
3. **Treatment of surfaces exposed by mine**

- ### 230 Making good galvanized surfaces

5. Treatment of minor damage (including a small hole or a scratch) can be done by sanding the area with fine sandpaper and then applying a small amount of touch-up paint.

3. *Thickness*—Adequacy of material to provide a clear coating at least equal in thickness to the

2. Thickness Argyl/
orig 0.01 ft.

1. *Swimming*: Weapsen surface and up . Fishers as soon as possible  after rising.

Completion

- ## End Qearing


```

10 // Connect to the database
11 // Select all records from the table
12 // Loop through the records
13 // Print the results
14 // Close the connection
15 // End of program

```

10. **Database:** Connect to the database
 11. **Select:** Select all records from the table
 12. **Loop:** Loop through the records
 13. **Print:** Print the results
 14. **Close:** Close the connection
 15. **End:** End of program

16. **Database:** Connect to the database
 17. **Select:** Select all records from the table
 18. **Loop:** Loop through the records
 19. **Print:** Print the results
 20. **Close:** Close the connection
 21. **End:** End of program

22. **Database:** Connect to the database
 23. **Select:** Select all records from the table
 24. **Loop:** Loop through the records
 25. **Print:** Print the results
 26. **Close:** Close the connection
 27. **End:** End of program

28. **Database:** Connect to the database
 29. **Select:** Select all records from the table
 30. **Loop:** Loop through the records
 31. **Print:** Print the results
 32. **Close:** Close the connection
 33. **End:** End of program

34. **Database:** Connect to the database
 35. **Select:** Select all records from the table
 36. **Loop:** Loop through the records
 37. **Print:** Print the results
 38. **Close:** Close the connection
 39. **End:** End of program

40. **Database:** Connect to the database
 41. **Select:** Select all records from the table
 42. **Loop:** Loop through the records
 43. **Print:** Print the results
 44. **Close:** Close the connection
 45. **End:** End of program

46. **Database:** Connect to the database
 47. **Select:** Select all records from the table
 48. **Loop:** Loop through the records
 49. **Print:** Print the results
 50. **Close:** Close the connection
 51. **End:** End of program

52. **Database:** Connect to the database
 53. **Select:** Select all records from the table
 54. **Loop:** Loop through the records
 55. **Print:** Print the results
 56. **Close:** Close the connection
 57. **End:** End of program

58. **Database:** Connect to the database
 59. **Select:** Select all records from the table
 60. **Loop:** Loop through the records
 61. **Print:** Print the results
 62. **Close:** Close the connection
 63. **End:** End of program

64. **Database:** Connect to the database
 65. **Select:** Select all records from the table
 66. **Loop:** Loop through the records
 67. **Print:** Print the results
 68. **Close:** Close the connection
 69. **End:** End of program

70. **Database:** Connect to the database
 71. **Select:** Select all records from the table
 72. **Loop:** Loop through the records
 73. **Print:** Print the results
 74. **Close:** Close the connection
 75. **End:** End of program

76. **Database:** Connect to the database
 77. **Select:** Select all records from the table
 78. **Loop:** Loop through the records
 79. **Print:** Print the results
 80. **Close:** Close the connection
 81. **End:** End of program

82. **Database:** Connect to the database
 83. **Select:** Select all records from the table
 84. **Loop:** Loop through the records
 85. **Print:** Print the results
 86. **Close:** Close the connection
 87. **End:** End of program

88. **Database:** Connect to the database
 89. **Select:** Select all records from the table
 90. **Loop:** Loop through the records
 91. **Print:** Print the results
 92. **Close:** Close the connection
 93. **End:** End of program

94. **Database:** Connect to the database
 95. **Select:** Select all records from the table
 96. **Loop:** Loop through the records
 97. **Print:** Print the results
 98. **Close:** Close the connection
 99. **End:** End of program

100. **Database:** Connect to the database
 101. **Select:** Select all records from the table
 102. **Loop:** Loop through the records
 103. **Print:** Print the results
 104. **Close:** Close the connection
 105. **End:** End of program

