

Tel: (0118) 974 6000
Email: development.control@wokingham.gov.uk
Date: 17 September 2025
My ref: CY/TPO/1846/2022/251681



WOKINGHAM BOROUGH COUNCIL

Neil Wilson
Beechwood Tree Care Ltd
2 Playhatch Farm Cottages
Playhatch
RG4 9QX

Place and Growth
Development Management Team
P.O. Box 157
Shute End, Wokingham
Berkshire RG40 1WR
Tel: (0118) 974 6000

Dear Neil Wilson

TREE PRESERVATION ORDER NUMBER: 1193/2007 AND 1846/2022
APPLICATION NUMBER: 251681
LOCATION: LAND AT GARRETT DRIVE, SHINFIELD, WOKINGHAM, BERKS, RG2 9LD

I am writing to you regarding your application to carry out works to protected tree(s), which was received on the 21 July 2025 and validated on the 23 July 2025.

I can confirm Wokingham Borough Council **consents with conditions**, to the following work being carried out to tree(s) included in the above-mentioned Tree Preservation Orders (TPO):

Approved works to Single 1 of TPO 1846/2022:

T3010, Oak (T1 on TPO)

- Remove fragile deadwood
- truncate dead limbs by 50% length if >100mm diameter and stable

Approved works to Singles 7, 9, and 21 of TPO 1193/2007

T3004, Red Oak (T7 on TPO)

- Prune out low damaged branches over driveway
- prune low limb to northeast over driveway to provide clearance for high-sided vehicles
- remove deadwood and broken hanging branches

T3003, Red Oak (T9 on TPO)

- Fell.

T3001, Red Oak (T21 on TPO)

- Reduce height by 3m and lateral branch radius by 2 to 2.5m; remove deadwood.

Reasons stated for works:

T3010, Oak (T1 of TPO 1846/2022)

- Very large maiden veteran. Numerous habitat features including habitat spaces, loose bark and crevices. Crown previously heavily consolidated. Occasional scattered dead wood. No dedicated access beneath crown but access not excluded.

T3004, Red Oak (T7 on TPO 1193/2007)

- Low branches over driveway have suffered impact/abrasion damage by high-sided vehicles. Scattered dead wood and broken hanging branches

T3003, Red Oak (T9 on TPO 1193/2007)

- Remnant fruiting bodies, potentially *Ganoderma resinaceum* ground level north, east and west. Lower tone in basal region. Multi-scaffold, broadly domed crown, physiological condition fair but tipping now towards poor as central and upper crown thinning. Parking, footway, carriageway and pitch within failure radius. Extent of decay assumed to be at or close to a point where a pruning option is now less pragmatic..

T3001, Red Oak (T21 on TPO 1193/2007)

- Remnant fruiting body, potentially *Ganoderma resinaceum* ground level north. Lower tone in basal region. Multi-scaffold, broadly domed crown. Dwelling, garden, parking and pitch within failure radius. Healthy crown.

The consent is granted subject to the following conditions:

1. The above works must be completed before **17 September 2027** and in the event of the works not being completed by that date, further consent will be required.
2. Work must be carried out in accordance with British Standard 3998 – 2010 ‘Tree work - Recommendations’. All pruning cuts to be taken back to suitable growth points.
3. Climbing spikes shall not be used whilst undertaking any form of works on living trees, except on trees to be felled

4. Replacement planting:

The owner has a duty under Section 201(b) of the Town & Country Planning Act to replant another tree of an appropriate size and species in the same place as soon as they reasonable can. This replacement tree(s) will be covered by the existing Tree Preservation Order. The new tree would be subject to the same requirements for a tree works application if you intend to carry out works upon it in the future.

- Following the felling of the 1 no. tree(s) as authorised by this consent, 1 no. red oak (*Quercus rubra*) of “half standard” or “standard” size (1.8 – 3.0 metres tall) at time of planting, is to be planted as close as practically possible to the tree removed.
- Planting should be carried out in accordance with clause 10 (Planting) of BS 8545:2014 ‘Trees: from nursery to independence in the landscape – Recommendations’.
- Should the replacement tree be removed, die, or become severely damage or seriously diseased, it shall be replaced by a tree of a similar size and species to that originally planted. Modifications to the requirements of this condition must be agreed in writing with Wokingham Borough Council Tree and Landscape Team.

- Please let the Council know when the replanting has been carried out so that the Tree Officer may come and inspect the tree(s).
- PLEASE NOTE: The requirement to replant is the responsibility of the tree owner even if the application was submitted by another person.

Reasons for conditions 1-4...

1. To ensure that our records remain accurate.
2. To ensure the health, safety and visual amenity of the tree(s) and ensure works are undertaken in accordance with recognised arboricultural good practice.
3. Spikes can cause extensive long-term damage to trees.
4. To retain the present visual amenity value of the area and ensure continuity of tree coverage within the Wokingham Borough.

Informative:

If you are aggrieved by any of the conditions attached to your consent, you may appeal to The Planning Inspectorate (PINS). Because of coronavirus (COVID-19), you currently can only make a planning appeal online. You cannot currently apply by post.

For more information go to:

<https://www.gov.uk/government/publications/tree-preservation-order-appeal-form>

Telephone: 0303 444 5570 or e-mail it to: treeandhedgeappeals@planninginspectorate.gov.uk
Your appeal should be received within one month of receipt of this decision or any such longer period as the Planning Inspectorate may allow.

You are advised that this letter is in respect of the **Tree Preservation Order only** and it does not imply that consent would be forthcoming from the owner of the tree(s) or any such other persons from whom consent would be required.

If we can be of any further assistance, please contact the Tree and Landscape Officer via email to: development.control@wokingham.gov.uk

Yours sincerely,



Chris Hannington
Trees and Landscape Team Manager

Please note that your attention is drawn to the following information:

Bird Nesting Season and Presence of Bat Roosts

In accordance with the Wildlife and Countryside Act (1981) and Countryside Rights of Way Act (2000), consideration must be given to the timing and type of tree work operations, to avoid causing disturbance to any nesting birds or bat roosts that may be present within the tree(s).

The Act makes it an offence (subject to exceptions) to intentionally kill, injure, or take, possess, or trade in any wild animal listed, and prohibits interference with places used for shelter or protection, or intentionally disturbing animals occupying such places.

It is advised that all non-urgent major tree work and hedge cutting operations are undertaken at a time to avoid disturbing nesting birds during the breeding season (to which the bird nesting season is considered to be from March to July). Where bats are suspected to be present, it is recommended that advice first be sought from a licenced bat specialist and if appropriate, the relevant licence(s) be obtained before any major tree work or hedge cutting commences.

Further information can be found at the following:

DEFRA (Department for the Environment Food and Rural Affairs)
Tel: 08459 33 55 77 or by email at helpline@defra.gsi.gov.uk
Website: www.defra.gov.uk/

Natural England
Tel: 0845 600 3078 or by email at enquiries@naturalengland.org.uk
Website: www.naturalengland.org.uk

Bat Conservation Trust
Tel: 0845 1300 228 or by email at enquiries@bats.org.uk
Website: www.bats.org.uk

Forestry Act 1967 and Felling Licences

If it proposed to fell a tree or trees greater than 5 cubic metres or sell more than 2 cubic metres of timber in any calendar quarter, a Felling Licence from the Forestry Authority may be required.

Please note that Felling Licences are not required to remove trees from domestic (residential) gardens. Where you are the landowner of large pieces of land with numerous trees, clarification from the Forestry Commission may be required as to whether a Felling licence is needed.

For more information on Felling Licences, please speak to the Woodland Officer at the Forestry Commission on 01296 696543

Further Information can be found on the Forestry Commission Website:
www.forestry.gov.uk

Application Reference:
CY/TPO/1846/2022/251681



Please return this form to confirm that you have planted the replacement tree/s required under a tree replacement duty or planning condition.

Please post to: or email to: development.control@wokingham.gov.uk

Wokingham Borough Council
Tree and Landscape Department
Development Management Team
P.O. Box 157
Shute End
Wokingham
Berkshire
RG40 1WR

Application Number: 251681

I (*state your name*)

of (*state your address*)

Location of trees (*if different from the address above*)

Telephone number.....

Email address.....

Confirm that (*state number of trees planted*) were planted
on (*state date*) in accordance with either the duty to replace tree/s or a
planning condition as imposed under the Town and Country Planning Act.

The tree/s planted are (*state species e.g., Oak*)

.....
.....

Signed: Date:

If you need any help filling out this form please contact the Tree Officer on: (0118) 974 6000

Important Note:

If you do not return this form then the land charges register may not hold up to date records on the tree preservation order/s covering your property, which could cause difficulties if you come to sell your house in the future.

Any further comments:

.....
.....
.....
.....