





Section
Scale 1:20



Front elevation
Scale 1:20

- DISCLAIMER**
- Drawing for Planning purpose only, DO NOT construct from drawing. Please refer to engineer for detailed specification.
 - Refer to Boundary treatments L02 02 for specific locations.
 - All planting shown in this drawing is indicative please refer to Softworks L 04 01, L 04 02 & L 04 03 for full location, specification and detail.
 - All Timber fencing installed to be compliant with the code of practice for prefabricated wood panel fences: BS 1722-11:2006.
 - All details to be read in conjunction with associated plans
 - All timber to be pressure treated, planed and free from splits and twists.
 - All reinforcements and foundations to Engineers detail and specification.

- Key**
- A. Drainage to positive outfall.**
 - B. Brick to match architectural specification.** To be laid stretcher bond with a 5-10mm mortar gap to engineers detail and specification
 - C. Block Paving to specification.** Refer to Hardworks drawing L 03 01.
 - D. Granite coping.** 270 x 325 x 80mm laid flush to block paving refer to Hardworks L 03 01 for detailed specification - incorporated 1:40 cross fall.
 - E. Waney edge/rough sawn timber lengths.** 1800 x 150 x 25mm.
 - F. Timber Post.** 75 x 75 x 1200mm.

REV	NOTES	DATE
	Nine Mile Ride, Finchampstead	-
	Typical Retaining Brick Wall With Sawn Timber Fence	PG / GB
230122A D 03 11	1:20 @ A3	MAR 25

CliftonEmerydesign

Hems House, 84 Longbrook Street, Exeter, Devon, EX4 6AP
T: 01392 368866 W: www.cliftonemerydesign.co.uk M: mail@cliftonemerydesign.co.uk

DRAWING-STATUS Planning

CONTRACTORS MUST CHECK ALL DIMENSIONS ON SITE. ONLY FIGURED DIMENSIONS ARE TO BE WORKED FROM. THIS DRAWING IS COPYRIGHT.