



© ABLEY LETCHFORD PARTNERSHIP LTD.
This drawing should not be reproduced without consent.

Notes:

- Bridge dimensions and type subject to detailed design by manufacturer.
- Foundations to be designed by Structural Engineer.

Footbridge Notes:

- Parapet and beams to be Softwood treated for minimum 30 year service life.
- Each bridging point to consist of steel girders spanning crossing set on concrete foundation with timber decking boards
- Deck to be composite antislip, Millboard Lasta-Grip Decking or similar.
- All fixings other than for the deck to be either zinc plated or galvanised.
- Bridge to be designed in accordance with BS 5268 Part 2 and to the loading requirements of DMRB CS454.
- Foundations are indicative only and are subject to Manufactures and Structural Engineers confirmation

KEY

	100yr + 70% CC Flood Extents
	Watercourse/ River
	Watercourse/ River Extents
	Boardwalk Ramp
	Timber Maintenance Bridge
	Pedestrain Footbridge

KEY PLAN
NOT TO SCALE

P5	06.25	BOARDWALK WIDTH UPDATED	AS	RF
P4	06.25	BRIDGE SPAN REDUCED	AS	RF
P3	05.25	REDUCED BRIDGE SPAN FOR DISCUSSION	CS	RF
P2	02.25	EXISTING GROUND PROFILE UPDATED	CS	RF
P1	08.24	FIRST ISSUE	AS	CS

Rev	Date	Description	Drawn	Checked

www.ableyletchford.co.uk

Client
**MILLER HOMES
KIER VENTURES**

Project
SOUTH WOKINGHAM SDL

Title
**HOLME PARK SANG
CROSSING № 4 GENERAL
ARRANGEMENT SHEET 4**

Status

Scale AS SHN @ A2	Date SEPT 2024	Drawn AS	Checked CS
Drawing No A389-SANG-114	Revision P5		

Typical Section/Elevation - 1:200