


PVCu Casement window - Rustique Royale Range - Welded

SPEC. CONFIRMED: ☐

Security Specification : Standard

Viewed from outside



Location:	Rear bed 36
Glazed	Internal/Fully Welded - Grooved corner joints
Frame Size:	1820mm x 1050mm
Equal glass:	Width only
Outer frame:	Slim/Large head
Frame Finish (Inside/Outside):	White/White
Dummy casements	None
Cill	White 150mm cill with horns
Sash colour & type:	White Rustique
Lock type:	Shootbolt
Handle:	White Standard
Hinge type:	Egress - shown Red
Room Ventilation:	Required - White MAX Trickle vent
Peg stay	Not required
Cavity restrictors	None
Corner Joint finish	Grooved
Glazing Bead Type:	Scotia
Glazing Style:	
Glazing unit makeup:	4mm-4mm Low e Softcoat Clear White spacer
Brickwork:	Not applicable
Plastering:	Not applicable
Scalloped lead under window:	Not applicable
Internal windowboard:	Use existing windowboard
Internal liners / architrave:	None
Remove tiled cill	No


Notes:

PVCu Casement window - Rustique Royale Range - Welded

SPEC. CONFIRMED: ☐

Security Specification : Standard

Viewed from outside



Location:	Rear bath 36 stipp
Glazed	Internal/Fully Welded - Grooved corner joints
Frame Size:	1820mm x 950mm
Equal glass:	Width only
Outer frame:	Slim/Large head
Frame Finish (Inside/Outside):	White/White
Dummy casements	None
Cill	White 150mm cill with horns
Sash colour & type:	White Rustique
Lock type:	Shootbolt
Handle:	White Standard
Hinge type:	Egress - shown Red
Room Ventilation:	Required - White MAX Trickle vent
Peg stay	Not required
Cavity restrictors	None
Corner Joint finish	Grooved
Glazing Bead Type:	Scotia
Glazing Style:	
Glazing unit makeup:	4mm-4mm Low e Softcoat STIPPOLYTE White spacer
Brickwork:	Not applicable
Plastering:	Not applicable
Scalloped lead under window:	Not applicable
Internal windowboard:	Use existing windowboard
Internal liners / architrave:	None
Remove tiled cill	No


Notes:

PVCu Casement window - Rustique Royale Range - Welded

SPEC. CONFIRMED: ☐

Security Specification : Standard

Viewed from outside



Location:	Rear loft dormer 36
Glazed	Internal/Fully Welded - Grooved corner joints
Frame Size:	1220mm x 780mm
Equal glass:	Not applicable
Outer frame:	Slim/Large head
Frame Finish (Inside/Outside):	White/White
Dummy casements	None
Cill	White 150mm cill with horns
Sash colour & type:	White Rustique
Lock type:	Shootbolt
Handle:	White Standard
Hinge type:	Egress - shown Red
Room Ventilation:	Required - White MAX Trickle vent
Peg stay	Not required
Cavity restrictors	None
Corner Joint finish	Grooved
Glazing Bead Type:	Scotia
Glazing Style:	
Glazing unit makeup:	4mm-4mm Low e Softcoat Clear White spacer
Brickwork:	Not applicable
Plastering:	Not applicable
Scalloped lead under window:	Not applicable
Internal windowboard:	Use existing windowboard
Internal liners / architrave:	None
Remove tiled cill	No


Notes:

PVCu Casement window - Rustique Royale Range - Welded

SPEC. CONFIRMED: ☐

Security Specification : Standard

Viewed from outside



Location:	Rear side aspect 36
Glazed	Internal/Fully Welded - Grooved corner joints
Frame Size:	2410mm x 1260mm
Equal glass:	Width only
Outer frame:	Slim/Large head
Frame Finish (Inside/Outside):	White/White
Dummy casements	None
Cill	White 150mm cill with horns
Sash colour & type:	White Rustique
Lock type:	Shootbolt
Handle:	White Standard
Hinge type:	Egress - shown Red
Room Ventilation:	Required - White MAX Trickle vent
Peg stay	Not required
Cavity restrictors	None
Corner Joint finish	Grooved
Glazing Bead Type:	Scotia
Glazing Style:	
Glazing unit makeup:	4mm-4mm Low e Softcoat STIPPOLYTE White spacer
Brickwork:	Not applicable
Plastering:	Not applicable
Scalloped lead under window:	Not applicable
Internal windowboard:	Use existing windowboard
Internal liners / architrave:	None
Remove tiled cill	No


Notes:

PVCu Casement window - Rustique Royale Range - Welded

SPEC. CONFIRMED: ☐

Security Specification : Standard

Viewed from outside



Location:	Rear bed 38
Glazed	Internal/Fully Welded - Grooved corner joints
Frame Size:	1100mm x 1050mm
Equal glass:	Not applicable
Outer frame:	Slim/Large head
Frame Finish (Inside/Outside):	White/White
Dummy casements	None
Cill	White 150mm cill with horns
Sash colour & type:	White Rustique
Lock type:	Shootbolt
Handle:	White Standard
Hinge type:	Egress - shown Red
Room Ventilation:	Required - White MAX Trickle vent
Peg stay	Not required
Cavity restrictors	None
Corner Joint finish	Grooved
Glazing Bead Type:	Scotia
Glazing Style:	
Glazing unit makeup:	4mm-4mm Low e Softcoat Clear White spacer
Brickwork:	Not applicable
Plastering:	Not applicable
Scalloped lead under window:	Not applicable
Internal windowboard:	Use existing windowboard
Internal liners / architrave:	None
Remove tiled cill	No


Notes:

PVCu Casement window - Rustique Royale Range - Welded

SPEC. CONFIRMED: ☐

Security Specification : Standard

Viewed from outside



Location:	Rear bed side 38
Glazed	Internal/Fully Welded - Grooved corner joints
Frame Size:	1060mm x 970mm
Equal glass:	Not applicable
Outer frame:	Slim/Large head
Frame Finish (Inside/Outside):	White/White
Dummy casements	None
Cill	White 150mm cill with horns
Sash colour & type:	White Rustique
Lock type:	Not applicable
Handle:	Not applicable
Hinge type:	Not applicable
Room Ventilation:	Required - White MAX Trickle vent
Peg stay	Not required
Cavity restrictors	None
Corner Joint finish	Grooved
Glazing Bead Type:	Scotia
Glazing Style:	
Glazing unit makeup:	4mm-4mm Low e Softcoat Clear White spacer
Brickwork:	Not applicable
Plastering:	Not applicable
Scalloped lead under window:	Not applicable
Internal windowboard:	Use existing windowboard
Internal liners / architrave:	None
Remove tiled cill	No


Notes:

PVCu Casement window - Rustique Royale Range - Welded

SPEC. CONFIRMED: ☐

Security Specification : Standard

Viewed from outside



Location:	Rear was bath 38
Glazed	Internal/Fully Welded - Grooved corner joints
Frame Size:	1250mm x 1100mm
Equal glass:	Not applicable
Outer frame:	Slim/Large head
Frame Finish (Inside/Outside):	White/White
Dummy casements	None
Cill	White 150mm cill with horns
Sash colour & type:	White Rustique
Lock type:	Shootbolt
Handle:	White Standard
Hinge type:	Egress - shown Red
Room Ventilation:	Required - White MAX Trickle vent
Peg stay	Not required
Cavity restrictors	None
Corner Joint finish	Grooved
Glazing Bead Type:	Scotia
Glazing Style:	
Glazing unit makeup:	4mm-4mm Low e Softcoat STIPPOLYTE White spacer
Brickwork:	Not applicable
Plastering:	Not applicable
Scalloped lead under window:	Not applicable
Internal windowboard:	Use existing windowboard
Internal liners / architrave:	None
Remove tiled cill	No


Notes:

PVCu Casement window - Rustique Royale Range - Welded

SPEC. CONFIRMED: ☐

Security Specification : Standard

Viewed from outside



Location:	Rear loft dormer 38
Glazed	Internal/Fully Welded - Grooved corner joints
Frame Size:	1220mm x 780mm
Equal glass:	Not applicable
Outer frame:	Slim/Large head
Frame Finish (Inside/Outside):	White/White
Dummy casements	None
Cill	White 150mm cill with horns
Sash colour & type:	White Rustique
Lock type:	Shootbolt
Handle:	White Standard
Hinge type:	Standard
Room Ventilation:	Required - White MAX Trickle vent
Peg stay	Not required
Cavity restrictors	None
Corner Joint finish	Grooved
Glazing Bead Type:	Scotia
Glazing Style:	
Glazing unit makeup:	4mm-4mm Low e Softcoat Clear White spacer
Brickwork:	Not applicable
Plastering:	Not applicable
Scalloped lead under window:	Not applicable
Internal windowboard:	Use existing windowboard
Internal liners / architrave:	None
Remove tiled cill	No


Notes:

PVCu Casement window - Rustique Royale Range - Welded

SPEC. CONFIRMED: ☐

Security Specification : Standard

Viewed from outside



Location:	Kitchen rear aspect 3
Glazed	Internal/Fully Welded - Grooved corner joints
Frame Size:	1220mm x 1050mm
Equal glass:	Not applicable
Outer frame:	Slim/Large head
Frame Finish (Inside/Outside):	White/White
Dummy casements	None
Cill	White 150mm cill with horns
Sash colour & type:	White Rustique
Lock type:	Shootbolt
Handle:	Not applicable Not applicable
Hinge type:	Standard
Room Ventilation:	Required - White MAX Trickle vent
Peg stay	Not required
Cavity restrictors	None
Corner Joint finish	Grooved
Glazing Bead Type:	Scotia
Glazing Style:	
Glazing unit makeup:	4mm-4mm Low e Softcoat Clear White spacer
Brickwork:	Not applicable
Plastering:	Not applicable
Scalloped lead under window:	Not applicable
Internal windowboard:	Use existing windowboard
Internal liners / architrave:	None
Remove tiled cill	No


Notes:

PVCu Casement window - Rustique Royale Range - Welded

SPEC. CONFIRMED: ☐

Security Specification : Standard

Viewed from outside



Location:	Rear back room 38
Glazed	Internal/Fully Welded - Grooved corner joints
Frame Size:	1075mm x 1020mm
Equal glass:	Not applicable
Outer frame:	Slim/Large head
Frame Finish (Inside/Outside):	White/White
Dummy casements	None
Cill	White 150mm cill with horns
Sash colour & type:	White Rustique
Lock type:	Shootbolt
Handle:	White Standard
Hinge type:	Egress - shown Red
Room Ventilation:	Required - White MAX Trickle vent
Peg stay	Not required
Cavity restrictors	None
Corner Joint finish	Grooved
Glazing Bead Type:	Scotia
Glazing Style:	
Glazing unit makeup:	4mm-4mm Low e Softcoat Clear White spacer
Brickwork:	Not applicable
Plastering:	Not applicable
Scalloped lead under window:	Not applicable
Internal windowboard:	Use existing windowboard
Internal liners / architrave:	None
Remove tiled cill	No


Notes:

PVCu Casement window - Rustique Royale Range - Welded

SPEC. CONFIRMED: ☐

Security Specification : Standard

Viewed from outside



Location:	Kitch flag 36
Glazed	Internal/Fully Welded - Grooved corner joints
Frame Size:	1235mm x 1070mm
Equal glass:	Not applicable
Outer frame :	Slim/Large head
Frame Finish (Inside/Outside):	White/White
Dummy casements	None
Cill	White 150mm cill with horns
Sash colour & type:	White Rustique
Lock type:	Shootbolt
Handle:	White Standard
Hinge type:	Standard
Room Ventilation:	Required - White MAX Trickle vent
Peg stay	Not required
Cavity restrictors	None
Corner Joint finish	Grooved
Glazing Bead Type:	Scotia
Glazing Style:	
Glazing unit makeup:	4mm-4mm Low e Softcoat Tough Clear White spacer
Brickwork:	Not applicable
Plastering:	Not applicable
Scalloped lead under window:	Not applicable
Internal windowboard:	Use existing windowboard
Internal liners / architrave:	None


Notes:

PVCu Open In Residential Door - Rustique Royale Range

SPEC. CONFIRMED: ☐

Security Specification : Standard

Viewed from outside




Location:	Kitch flag 36
Glazed	Internal/Fully Welded - Grooved corner joints
Frame Size:	845mm x 1960mm
Equal glass widths:	No
Opening:	Open In - Hinged As Existing
Frame Ext/Internal Finish:	White / White
Threshold	Ali threshold 44mm (Silver)
Ventilation	
Cill	White 150mm cill with horns
Sash colour & type:	White Rustique
Handles/Lock:	White Lever/lever Not required - Lock:Standard
Hinges/Restrictors:	White Butt Not required
Thumbturn cylinder/Spyhole	Not required / Not required
Centre Pull Handle	Not required at 0.0mm
Special glass:	as per image
Letterplate:	
Door Knocker:	
Glazing Bead Type:	Scotia
Glazing Style:	
Glazing unit makeup:	4mm-4mm Low e Softcoat Tough Clear White spacer
Brickwork:	Not applicable
Plastering:	Not applicable
Scalloped lead under window:	Not applicable
Internal threshold board:	
Internal liners / architrave:	None

Notes:

Combination frame - see below for individual frame components

SPEC. CONFIRMED: ☐



2090mm w x 2070mm h

Internal windowboard:	Use existing windowboard
-----------------------	--------------------------


Internal liners / architrave: None
Coupled Frame Configuration: Coupled Frame

PVCu Casement window - Rustique Royale Range - Welded

SPEC. CONFIRMED: ☐

Security Specification : Standard

Viewed from outside



Location:	Side aspect kitch 38
Glazed	Internal/Fully Welded - Grooved corner joints
Frame Size:	1235mm x 1085mm
Equal glass:	Not applicable
Outer frame :	Slim/Large head
Frame Finish (Inside/Outside):	White/White
Dummy casements	None
Cill	White 150mm cill with horns
Sash colour & type:	White Rustique
Lock type:	Shootbolt
Handle:	White Standard
Hinge type:	Egress - shown Red
Room Ventilation:	Required - White MAX Trickle vent
Peg stay	Not required
Cavity restrictors	None
Corner Joint finish	Grooved
Glazing Bead Type:	Scotia
Glazing Style:	
Glazing unit makeup:	4mm-4mm Low e Softcoat Tough Clear White spacer
Brickwork:	Not applicable
Plastering:	Not applicable
Scalloped lead under window:	Not applicable
Internal windowboard:	
Internal liners / architrave:	None


Notes:

PVCu Open In Residential Door - Rustique Royale Range

SPEC. CONFIRMED: ☐

Security Specification : Standard

Viewed from outside



Location:	Side aspect kitch 38
Glazed	Internal/Fully Welded - Grooved corner joints
Frame Size:	855mm x 2070mm
Equal glass widths:	No
Opening:	Open In - Hinged As Existing
Frame Ext/Internal Finish:	White / White
Threshold	Ali threshold 44mm (Silver)
Ventilation	
Cill	White 150mm cill with horns
Sash colour & type:	White Rustique
Handles/Lock:	White Lever/lever Not required - Lock:Standard
Hinges/Restrictors:	White Butt Not required
Thumbturn cylinder/Spyhole	Not required / Not required
Centre Pull Handle	Not required at 0.0mm
Special glass:	as per image
Letterplate:	
Door Knocker:	
Glazing Bead Type:	Scotia
Glazing Style:	
Glazing unit makeup:	4mm-4mm Low e Softcoat Tough Clear White spacer
Brickwork:	Not applicable
Plastering:	Not applicable
Scalloped lead under window:	Not applicable
Internal threshold board:	
Internal liners / architrave:	None

Notes: