


Natausha Van Vliet
37 Rose Street
Wokingham
Berkshire
RG40 1XS

Bespoke Windows

17th October 2025

Designer: Rob Legge

Item 1	Casement window - Aluk58 Externally Glazed Range
	Location: Rear bed ov flat roof




Viewed from outside

Detailed Specification

Width (mm) x Height (mm)	1690 (1690) x 1050 (1005)	Handle Type	Standard
Mullion width	See illustration	Handle Finish	White
Fanlight drop	359	Bead	28mm Glazing Bevelled
Quantity	1	Stay Guards	
		Glass Lock Clips	Yes
Outer frame	Slim	Marine Finish	No
Frame External Finish:	RAL 9910 - Hipca white	Room ventilation	Customer to Fit Alternative
Frame Internal Finish:	RAL 9910 - Hipca white	Dummy casements	None
External Cill	150mm with horns	Equal sealed units	Width only
Cill External Finish	RAL 9910 - Hipca white	Finishing Trims	External Only
Cill Internal Finish	RAL 9910 - Hipca white		
Drainage	Concealed drainage		
Transom Type	Standard		
Mullion Type	Standard	Internal liners / architrave	None
Sash Type	Heritage	External finishing	Make good-smooth render
Sash External Finish	RAL 9910 - Hipca white	Internal windowboard	Use existing windowboard
Sash Internal Finish	RAL 9910 - Hipca white		
		Remove tiled cill	No
Spacer bar:	White spacer	Trickle Vent:	Aluminium Colour Matched MAX Trickle vent
Glass feature:	- Aluk58 Astragal bars - RAL 9016 - Traffic white RAL 9016 - Traffic white 21mm Chamfered Bar		
Glass type:	4mm-4mm Low e Softcoat		

Notes:

Item 2	Casement window - Aluk58 Externally Glazed Range
	Location: Above back door




Viewed from outside

Detailed Specification

Width (mm) x Height (mm)	1110 (1110) x 1040 (995)	Handle Type	Standard	
Mullion width	See illustration	Handle Finish	White	
Fanlight drop	Not applicable	Bead	28mm Glazing Bevelled	
Quantity	1	Stay Guards		
		Glass Lock Clips	Yes	
Outer frame	Slim	Marine Finish	No	
Frame External Finish:	RAL 9910 - Hipca white	Room ventilation	Customer to Fit Alternative	
Frame Internal Finish:	RAL 9910 - Hipca white	Dummy casements	None	
External Cill	150mm with horns	Equal sealed units	Width only	
Cill External Finish	RAL 9910 - Hipca white	Finishing Trims	External Only	
Cill Internal Finish	RAL 9910 - Hipca white			
Drainage	Concealed drainage			
Transom Type	Standard			
Mullion Type	Standard	Internal liners / architrave	None	
Sash Type	Heritage	External finishing	Make good-smooth render	
Sash External Finish	RAL 9910 - Hipca white	Internal windowboard	Use existing windowboard	
Sash Internal Finish	RAL 9910 - Hipca white			
		Remove tiled cill	No	
Spacer bar:	White spacer	Trickle Vent:	Aluminium Colour Matched MAX Trickle vent	
Glass feature:	- Aluk58 Astragal bars - RAL 9016 - Traffic white		RAL 9016 - Traffic white 21mm Chamfered Bar	
Glass type:	4mm-4mm Low e Softcoat			

Notes:

Item 3	Casement window - Aluk58 Externally Glazed Range
	Location: Rear landing 1




Viewed from outside

Detailed Specification

Width (mm) x Height (mm)	670 (670) x 580 (535)	Handle Type	Standard	
Mullion width	See illustration	Handle Finish	White	
Fanlight drop	Not applicable	Bead	28mm Glazing Bevelled	
Quantity	1	Stay Guards		
		Glass Lock Clips	Yes	
Outer frame	Slim	Marine Finish	No	
Frame External Finish:	RAL 9910 - Hipca white	Room ventilation	Customer to Fit Alternative	
Frame Internal Finish:	RAL 9910 - Hipca white	Dummy casements	None	
External Cill	150mm with horns	Equal sealed units	Width only	
Cill External Finish	RAL 9910 - Hipca white	Finishing Trims	External Only	
Cill Internal Finish	RAL 9910 - Hipca white			
Drainage	Concealed drainage			
Transom Type	Standard			
Mullion Type	Standard	Internal liners / architrave	None	
Sash Type	Heritage	External finishing	Make good-smooth render	
Sash External Finish	RAL 9910 - Hipca white	Internal windowboard	Use existing windowboard	
Sash Internal Finish	RAL 9910 - Hipca white			
		Remove tiled cill	No	
Spacer bar:	White spacer	Trickle Vent:	Aluminium Colour Matched MAX Trickle vent	
Glass feature:	- Aluk58 Astragal bars - RAL 9016 - Traffic white		RAL 9016 - Traffic white 21mm Chamfered Bar	
Glass type:	4mm-4mm Low e Softcoat			

Notes:

Item 4	Casement window - Aluk58 Externally Glazed Range
	Location: Rear landing 2




Viewed from outside

Detailed Specification

Width (mm) x Height (mm)	590 (590) x 670 (625)	Handle Type	Standard	
Mullion width	See illustration	Handle Finish	White	
Fanlight drop	Not applicable	Bead	28mm Glazing Bevelled	
Quantity	1	Stay Guards		
		Glass Lock Clips	Yes	
Outer frame	Slim	Marine Finish	No	
Frame External Finish:	RAL 9910 - Hipca white	Room ventilation	Customer to Fit Alternative	
Frame Internal Finish:	RAL 9910 - Hipca white	Dummy casements	None	
External Cill	150mm with horns	Equal sealed units	Width only	
Cill External Finish	RAL 9910 - Hipca white	Finishing Trims	External Only	
Cill Internal Finish	RAL 9910 - Hipca white			
Drainage	Concealed drainage			
Transom Type	Standard			
Mullion Type	Standard	Internal liners / architrave	None	
Sash Type	Heritage	External finishing	None	
Sash External Finish	RAL 9910 - Hipca white	Internal windowboard	Use existing windowboard	
Sash Internal Finish	RAL 9910 - Hipca white			
		Remove tiled cill	No	
Spacer bar:	White spacer	Trickle Vent:	Aluminium Colour Matched MAX Trickle vent	
Glass feature:	- Aluk58 Astragal bars - RAL 9016 - Traffic white		RAL 9016 - Traffic white 21mm Chamfered Bar	
Glass type:	4mm-4mm Low e Softcoat			

Notes:

Item 5	Casement window - Aluk58 Externally Glazed Range
	Location: Rear spare bed




Viewed from outside

Detailed Specification

Width (mm) x Height (mm)	1110 (1110) x 730 (685)	Handle Type	Standard	
Mullion width	See illustration	Handle Finish	White	
Fanlight drop	Not applicable	Bead	28mm Glazing Bevelled	
Quantity	1	Stay Guards		
		Glass Lock Clips	Yes	
Outer frame	Slim	Marine Finish	No	
Frame External Finish:	RAL 9910 - Hipca white	Room ventilation	Customer to Fit Alternative	
Frame Internal Finish:	RAL 9910 - Hipca white	Dummy casements	None	
External Cill	150mm with horns	Equal sealed units	Width only	
Cill External Finish	RAL 9910 - Hipca white	Finishing Trims	External Only	
Cill Internal Finish	RAL 9910 - Hipca white			
Drainage	Concealed drainage			
Transom Type	Standard			
Mullion Type	Standard	Internal liners / architrave	None	
Sash Type	Heritage	External finishing	None	
Sash External Finish	RAL 9910 - Hipca white	Internal windowboard	Use existing windowboard	
Sash Internal Finish	RAL 9910 - Hipca white			
		Remove tiled cill	No	
Spacer bar:	White spacer	Trickle Vent:	Aluminium Colour Matched MAX Trickle vent	
Glass feature:	- Aluk58 Astragal bars - RAL 9016 - Traffic white		RAL 9016 - Traffic white 21mm Chamfered Bar	
Glass type:	4mm-4mm Low e Softcoat			

Notes:

Item 6	Casement window - Aluk58 Externally Glazed Range
	Location: Kitchen end 1 of 2




Viewed from outside

Detailed Specification

Width (mm) x Height (mm)	570 (570) x 960 (915)	Handle Type	Standard	
Mullion width	See illustration	Handle Finish	White	
Fanlight drop	375	Bead	28mm Glazing Bevelled	
Quantity	1	Stay Guards		
		Glass Lock Clips	Yes	
Outer frame	Slim	Marine Finish	No	
Frame External Finish:	RAL 9910 - Hipca white	Room ventilation	Customer to Fit Alternative	
Frame Internal Finish:	RAL 9910 - Hipca white	Dummy casements	None	
External Cill	150mm with horns	Equal sealed units	Width only	
Cill External Finish	RAL 9910 - Hipca white	Finishing Trims	External Only	
Cill Internal Finish	RAL 9910 - Hipca white			
Drainage	Concealed drainage			
Transom Type	Standard			
Mullion Type	Standard	Internal liners / architrave	None	
Sash Type	Heritage	External finishing	Make good-smooth render	
Sash External Finish	RAL 9910 - Hipca white	Internal windowboard	Use existing windowboard	
Sash Internal Finish	RAL 9910 - Hipca white			
		Remove tiled cill	No	
Spacer bar:	White spacer	Trickle Vent:	Aluminium Colour Matched MAX Trickle vent	
Glass feature:	- Aluk58 Astragal bars - RAL 9016 - Traffic white RAL 9016 - Traffic white 21mm Chamfered Bar			
Glass type:	4mm-4mm Low e Softcoat			

Notes:

Item 7	Casement window - Aluk58 Externally Glazed Range
	Location: Kitchen end 2 of 2




Viewed from outside

Detailed Specification

Width (mm) x Height (mm)	570 (570) x 960 (915)	Handle Type	Standard	
Mullion width	See illustration	Handle Finish	White	
Fanlight drop	375	Bead	28mm Glazing Bevelled	
Quantity	1	Stay Guards		
		Glass Lock Clips	Yes	
Outer frame	Slim	Marine Finish	No	
Frame External Finish:	RAL 9910 - Hipca white	Room ventilation	Customer to Fit Alternative	
Frame Internal Finish:	RAL 9910 - Hipca white	Dummy casements	None	
External Cill	150mm with horns	Equal sealed units	Width only	
Cill External Finish	RAL 9910 - Hipca white	Finishing Trims	External Only	
Cill Internal Finish	RAL 9910 - Hipca white			
Drainage	Concealed drainage			
Transom Type	Standard			
Mullion Type	Standard	Internal liners / architrave	None	
Sash Type	Heritage	External finishing	Make good-smooth render	
Sash External Finish	RAL 9910 - Hipca white	Internal windowboard	Use existing windowboard	
Sash Internal Finish	RAL 9910 - Hipca white			
		Remove tiled cill	No	
Spacer bar:	White spacer	Trickle Vent:	Aluminium Colour Matched MAX Trickle vent	
Glass feature:	- Aluk58 Astragal bars - RAL 9016 - Traffic white RAL 9016 - Traffic white 21mm Chamfered Bar			
Glass type:	4mm-4mm Low e Softcoat			

Notes:

Item 8	Casement window - Aluk58 Externally Glazed Range
	Location: replace util door




Viewed from outside

Detailed Specification

Width (mm) x Height (mm)	1520 (1520) x 1020 (995)	Handle Type	Standard	
Mullion width	See illustration	Handle Finish	White	
Fanlight drop	Not applicable	Bead	28mm Glazing Bevelled	
Quantity	1	Stay Guards		
		Glass Lock Clips	Yes	
Outer frame	Slim	Marine Finish	No	
Frame External Finish:	RAL 9910 - Hipca white	Room ventilation	Customer to Fit Alternative	
Frame Internal Finish:	RAL 9910 - Hipca white	Dummy casements	None	
External Cill	150mm with horns	Equal sealed units	Width only	
Cill External Finish	RAL 9910 - Hipca white	Finishing Trims	External Only	
Cill Internal Finish	RAL 9910 - Hipca white			
Drainage	Concealed drainage			
Transom Type	Standard			
Mullion Type	Standard	Internal liners / architrave	None	
Sash Type	Heritage	External finishing	Make good-smooth render	
Sash External Finish	RAL 9910 - Hipca white	Internal windowboard	Use existing windowboard	
Sash Internal Finish	RAL 9910 - Hipca white			
		Remove tiled cill	No	
Spacer bar:	White spacer	Trickle Vent:	Aluminium Colour Matched MAX Trickle vent	
Glass feature:	- Aluk58 Astragal bars - RAL 9016 - Traffic white RAL 9016 - Traffic white 21mm Chamfered Bar			
Glass type:	4mm-4mm Low e Softcoat			

Notes: Door being removed by others to create new SO

Item 9	Casement window - Aluk58 Externally Glazed Range
	Location: Kitchen sink 1




Viewed from outside

Detailed Specification

Width (mm) x Height (mm)	540 (540) x 960 (915)	Handle Type	Standard	
Mullion width	See illustration	Handle Finish	White	
Fanlight drop	375	Bead	28mm Glazing Bevelled	
Quantity	1	Stay Guards		
		Glass Lock Clips	Yes	
Outer frame	Slim	Marine Finish	No	
Frame External Finish:	RAL 9910 - Hipca white	Room ventilation	Customer to Fit Alternative	
Frame Internal Finish:	RAL 9910 - Hipca white	Dummy casements	None	
External Cill	150mm with horns	Equal sealed units	Width only	
Cill External Finish	RAL 9910 - Hipca white	Finishing Trims	External Only	
Cill Internal Finish	RAL 9910 - Hipca white			
Drainage	Concealed drainage			
Transom Type	Standard			
Mullion Type	Standard	Internal liners / architrave	None	
Sash Type	Heritage	External finishing	Make good-smooth render	
Sash External Finish	RAL 9910 - Hipca white	Internal windowboard	Use existing windowboard	
Sash Internal Finish	RAL 9910 - Hipca white			
		Remove tiled cill	No	
Spacer bar:	White spacer	Trickle Vent:	Aluminium Colour Matched MAX Trickle vent	
Glass feature:	- Aluk58 Astragal bars - RAL 9016 - Traffic white RAL 9016 - Traffic white 21mm Chamfered Bar			
Glass type:	4mm-4mm Low e Softcoat			

Notes:

Item 10	Casement window - Aluk58 Externally Glazed Range
	Location: Kitchen sink 2




Viewed from outside

Detailed Specification

Width (mm) x Height (mm)	1530 (1530) x 960 (915)	Handle Type	Standard	
Mullion width	See illustration	Handle Finish	White	
Fanlight drop	359	Bead	28mm Glazing Bevelled	
Quantity	1	Stay Guards		
		Glass Lock Clips	Yes	
Outer frame	Slim	Marine Finish	No	
Frame External Finish:	RAL 9910 - Hipca white	Room ventilation	Customer to Fit Alternative	
Frame Internal Finish:	RAL 9910 - Hipca white	Dummy casements	None	
External Cill	150mm with horns	Equal sealed units	Width only	
Cill External Finish	RAL 9910 - Hipca white	Finishing Trims	External Only	
Cill Internal Finish	RAL 9910 - Hipca white			
Drainage	Concealed drainage			
Transom Type	Standard			
Mullion Type	Standard	Internal liners / architrave	None	
Sash Type	Heritage	External finishing	Make good-smooth render	
Sash External Finish	RAL 9910 - Hipca white	Internal windowboard	Use existing windowboard	
Sash Internal Finish	RAL 9910 - Hipca white			
		Remove tiled cill	No	
Spacer bar:	White spacer	Trickle Vent:	Aluminium Colour Matched MAX Trickle vent	
Glass feature:	- Aluk58 Astragal bars - RAL 9016 - Traffic white RAL 9016 - Traffic white 21mm Chamfered Bar			
Glass type:	4mm-4mm Low e Softcoat			

Notes:

Item 11	Casement window - Aluk58 Externally Glazed Range
	Location: Kitchen sink 3




Viewed from outside

Detailed Specification

Width (mm) x Height (mm)	540 (540) x 960 (915)	Handle Type	Standard	
Mullion width	See illustration	Handle Finish	White	
Fanlight drop	375	Bead	28mm Glazing Bevelled	
Quantity	1	Stay Guards		
		Glass Lock Clips	Yes	
Outer frame	Slim	Marine Finish	No	
Frame External Finish:	RAL 9910 - Hipca white	Room ventilation	Customer to Fit Alternative	
Frame Internal Finish:	RAL 9910 - Hipca white	Dummy casements	None	
External Cill	150mm with horns	Equal sealed units	Width only	
Cill External Finish	RAL 9910 - Hipca white	Finishing Trims	External Only	
Cill Internal Finish	RAL 9910 - Hipca white			
Drainage	Concealed drainage			
Transom Type	Standard			
Mullion Type	Standard	Internal liners / architrave	None	
Sash Type	Heritage	External finishing	Make good-smooth render	
Sash External Finish	RAL 9910 - Hipca white	Internal windowboard	Use existing windowboard	
Sash Internal Finish	RAL 9910 - Hipca white			
		Remove tiled cill	No	
Spacer bar:	White spacer	Trickle Vent:	Aluminium Colour Matched MAX Trickle vent	
Glass feature:	- Aluk58 Astragal bars - RAL 9016 - Traffic white RAL 9016 - Traffic white 21mm Chamfered Bar			
Glass type:	4mm-4mm Low e Softcoat			

Notes:

Item 12	Casement window - Aluk58 Externally Glazed Range
	Location: Rear lounge




Viewed from outside

Detailed Specification

Width (mm) x Height (mm)	1100 (1100) x 1310 (1265)	Handle Type	Standard	
Mullion width	See illustration	Handle Finish	White	
Fanlight drop	348	Bead	28mm Glazing Bevelled	
Quantity	1	Stay Guards		
		Glass Lock Clips	Yes	
Outer frame	Slim	Marine Finish	No	
Frame External Finish:	RAL 9910 - Hipca white	Room ventilation	Customer to Fit Alternative	
Frame Internal Finish:	RAL 9910 - Hipca white	Dummy casements	None	
External Cill	150mm with horns	Equal sealed units	Width only	
Cill External Finish	RAL 9910 - Hipca white	Finishing Trims	External Only	
Cill Internal Finish	RAL 9910 - Hipca white			
Drainage	Concealed drainage			
Transom Type	Standard			
Mullion Type	Standard	Internal liners / architrave	None	
Sash Type	Heritage	External finishing	Make good-smooth render	
Sash External Finish	RAL 9910 - Hipca white	Internal windowboard	Use existing windowboard	
Sash Internal Finish	RAL 9910 - Hipca white			
		Remove tiled cill	No	
Spacer bar:	White spacer	Trickle Vent:	Aluminium Colour Matched MAX Trickle vent	
Glass feature:	- Aluk58 Astragal bars - RAL 9016 - Traffic white		RAL 9016 - Traffic white 21mm Chamfered Bar	
Glass type:	4mm-4mm Low e Softcoat Tough			

Notes:

Item 13	Casement window - Aluk58 Externally Glazed Range
	Location: Study 1




Viewed from outside

Detailed Specification

Width (mm) x Height (mm)	580 (580) x 1310 (1265)	Handle Type	Standard	
Mullion width	See illustration	Handle Finish	White	
Fanlight drop	Not applicable	Bead	28mm Glazing Bevelled	
Quantity	1	Stay Guards		
		Glass Lock Clips	Yes	
Outer frame	Slim	Marine Finish	No	
Frame External Finish:	RAL 9910 - Hipca white	Room ventilation	Customer to Fit Alternative	
Frame Internal Finish:	RAL 9910 - Hipca white	Dummy casements	None	
External Cill	150mm with horns	Equal sealed units	Width only	
Cill External Finish	RAL 9910 - Hipca white	Finishing Trims	External Only	
Cill Internal Finish	RAL 9910 - Hipca white			
Drainage	Concealed drainage			
Transom Type	Standard			
Mullion Type	Standard	Internal liners / architrave	None	
Sash Type	Heritage	External finishing	None	
Sash External Finish	RAL 9910 - Hipca white	Internal windowboard	Use existing windowboard	
Sash Internal Finish	RAL 9910 - Hipca white			
		Remove tiled cill	No	
Spacer bar:	White spacer	Trickle Vent:	Aluminium Colour Matched TV2500 Trickle ven	
Glass feature:	- Aluk58 Astragal bars - RAL 9016 - Traffic white		RAL 9016 - Traffic white 21mm Chamfered Bar	
Glass type:	4mm-4mm Low e Softcoat Tough			

Notes:

Item 14	Casement window - Aluk58 Externally Glazed Range
	Location: Study 2



Viewed from outside

Detailed Specification

Width (mm) x Height (mm)	1650 (1650) x 1310 (1265)	Handle Type	Standard	
Mullion width	See illustration	Handle Finish	White	
Fanlight drop	363	Bead	28mm Glazing Bevelled	
Quantity	1	Stay Guards		
		Glass Lock Clips	Yes	
Outer frame	Slim	Marine Finish	No	
Frame External Finish:	RAL 9910 - Hipca white	Room ventilation	Customer to Fit Alternative	
Frame Internal Finish:	RAL 9910 - Hipca white	Dummy casements	None	
External Cill	150mm with horns	Equal sealed units	Width only	
Cill External Finish	RAL 9910 - Hipca white	Finishing Trims	External Only	
Cill Internal Finish	RAL 9910 - Hipca white			
Drainage	Concealed drainage			
Transom Type	Standard			
Mullion Type	Standard	Internal liners / architrave	None	
Sash Type	Heritage	External finishing	None	
Sash External Finish	RAL 9910 - Hipca white	Internal windowboard	Use existing windowboard	
Sash Internal Finish	RAL 9910 - Hipca white			
		Remove tiled cill	No	
Spacer bar:	White spacer	Trickle Vent:	Aluminium Colour Matched MAX Trickle vent	
Glass feature:	- Aluk58 Astragal bars - RAL 9016 - Traffic white		RAL 9016 - Traffic white 21mm Chamfered Bar	
Glass type:	4mm-4mm Low e Softcoat Tough			

Notes:

Further information:

ALUK 58BW ST HI frames

ALUK 58 heritage frames used to satisfy planning needs for crittal style replacement. Trickle vents in based on precedent from other job

Existing utility door being removed by others to create new rear kitchen SO.

Some existing timber cills rotten but most OK. Subject to planning and survey which ones we replace and with what.

This quote assumes ally cills (TBA)



KM 506734
BS 8213-4/PAS 2030



0800 181 698

www.tvwindows.com | info@tvwindows.com

Registered Address: Schofields Group PLC t/a Thames Valley Window Company, Unit 44 Longshot Lane, Bracknell, Berkshire, RG12 1RL | Registered No. 1888124 | VAT No. 135 5985 82

A R C H I T E C T U R E I N G L A S S

Order Statement:

Background Ventilation:

Please note we are required to install trickle ventilation to comply with Part F of Building Regulations. However, we understand that you either already have an alternative form of background ventilation or will be installing one as part of your current works. Please note that your installation will not be compliant until an approvable form of background ventilation is installed. If you are unsure of this detail then please speak with your designer before signing your order as this will need to be reviewed.

Finishing Trims:

No statement required

Architrave & Liners:

No statement required

Building Works:

No Statement Required

Cills:

No statement required

Frame Finish/Colour:

No statement required

Osmo Finish:

No statement required

Order Delivery:

No statement required



0800 181 698

www.tvwindows.com | info@tvwindows.com

Registered Address: Schofields Group PLC t/a Thames Valley Window Company, Unit 44 Longshot Lane, Bracknell, Berkshire, RG12 1RL | Registered No. 1888124 | VAT No. 135 5985 82

A R C H I T E C T U R E I N G L A S S

Cost Breakdown

Item 1: Rear bed ov flat roof	£	1563.97
Item 2: Above back door	£	856.11
Item 3: Rear landing 1	£	469.35
Item 4: Rear landing 2	£	440.65
Item 5: Rear spare bed	£	681.72
Item 6: Kitchen end 1 of 2	£	558.00
Item 7: Kitchen end 2 of 2	£	558.00
Item 8: replace util door	£	1299.79
Item 9: Kitchen sink 1	£	544.17
Item 10: Kitchen sink 2	£	1427.44
Item 11: Kitchen sink 3	£	544.17
Item 12: Rear lounge	£	1226.20
Item 13: Study 1	£	652.08
Item 14: Study 2	£	1742.83



0800 181 698

www.tvwindows.com | info@tvwindows.com

SUBTOTAL	£	<u>12564.46</u>
Insurance Backed Guarantee	£	18.98
TOTAL	£	<u>12583.44</u>
VAT @ 20.00%	£	<u>2516.69</u>
TOTAL INC VAT	£	<u>15100.13</u>

Please note - this quotation does not form part of a legally binding contract

Terms of Payment

Deposit with order	35%
14 Days Prior to Installation	55%
On Installation	10%

Delivery

Currently at the date of this quotation, our standard delivery is 14-16 weeks from receipt of your order. For more accurate information on lead time and the manufacture process please speak with your designer.

Lead time is determined by system type, complexity and can be affected by options such as non-standard colours and shaped frames.

Should you choose to work with TVW then you will be kept fully informed of the actual timescales from survey by our Purchasing Department who will also schedule your initial installation date in line with the expected delivery.

Price Fixed

This Quotation is valid for a period of 30 days. Prices can be fixed by placing a provisional order provided installation is to be carried out within a 6 month period.



KM 506734
BS 8213-4/PAS 2030



0800 181 698

www.tvwindows.com | info@tvwindows.com