

tree solutions

arboriculture limited



T: 0118 9737873 | E: trees@treesolutions.org.uk | W: www.treesolutions.org.uk

Client: David and Deborah Pike

Site: 34 Plymouth Avenue, Woodley, Reading RG5 3SG

Phone: [REDACTED]

Email: [REDACTED]

Proposed works to trees covered with a Tree Preservation Order.

T2,3 Oak: Off-site trees located in the South Lake woodland, overhanging the garden of 34 Plymouth Ave. This relatively minor work would bring the canopy approximately in line with the boundary.

- Reduce the lower extended branches only of T2 in radial spread by 2m to the nearest suitable growth point, to bring in line with the bulk of the canopy.
 - o This reduces the radial spread from 9m to 7m.
- Reduce one indicated branch from T3 by 2m to the nearest suitable growth point to bring line with boundary.
 - o This reduces the radial spread from 8m to 6m.

T4 Failed Tree:

- Remove the failed, hung-up tree from the canopy of the TPO Maple tree in the neighbouring garden at 34 Plymouth Ave.
 - o This tree is located in the South Lake Woodland overhanging the Footpath and is being supported by T1. This tree does appear to be dead.



Base of failed tree.



Failed tree.

Tree Solutions Arboriculture Limited

23 Springdale | Finchampstead | Wokingham | Berkshire | RG40 4RZ
Registered in England no: 5748785 | VAT No: 879 0142 07