

PRELIMINARY BAT ROOST ASSESSMENT

14 GROVELANDS ROAD
SPENCERS WOOD
READING
RG7 1DP

Client: Dave Linehan

Our reference: ECO3805

Report date: 16 June 2025

Author: Ryan Davies ACIEEM

Checked by: Giles Sutton MCIEEM CEnv

REPORT ISSUED IN ELECTRONIC FORMAT



Tel: 01189 759387

Email: info@gsecology.co.uk

Web: www.gsecology.co.uk

This page is intentionally blank



Contents

1.0 Introduction 2

2.0 Methodology..... 5

3.0 Results 8

4.0 Assessment10

5.0 Summary..... 12

Appendix 1 - Photographs.....13

Appendix 2 - Bat ecology and conservation status15

Appendix 3 - Legislation and planning policy 17

Appendix 4 - About GS Ecology..... 20

1.0 Introduction


Survey and reporting

- 1.1 This report details the results of a Preliminary Bat Roost Assessment of 14 Grovelands Road, Spencers Wood, Reading, RG7 1DP.
- 1.2 The survey, carried out on 15 May 2025, was undertaken to inform a planning application for site.

Application site

- 1.3 The application site is located midway along Grovelands Road, a predominantly residential road in Spencers Wood, south of Reading (Ordnance Survey Grid Reference SU72036677, Figure 1).
- 1.4 It comprises a detached bungalow (currently being extended) detached garage, driveway, and, front and rear gardens.
- 1.5 The Local Planning Authority is Wokingham Borough Council.

Figure 1 – Site location



Background and proposed works

- 1.6 Planning permission has been granted by Wokingham Borough Council for:
“Householder application for the proposed erection of a first floor rear extension, loft conversion to create additional habitable accommodation with 3 no. pitched roof dormers to the front elevation, plus changes to fenestration.”
- 1.7 The planning application reference number is 213461. Figure 2 shows the approved elevations of the granted planning application.

1.8 The planning application was informed by a bat survey, undertaken by Eaves Ecology in 2021 (which comprised a daytime assessment survey conducted on the 18th May 2021 and two dusk emergence surveys conducted on 3rd July and 17th July 2021).

1.9 The report states:

“The initial bat assessment at 14 Grovelands Road found no evidence of bats during the internal and external inspections. The condition of the building results in numerous areas that have potential to be utilised by bats for roosting. There are gaps present which would allow access to the roof void, batten space and wall cavity. The condition of the roof may impact the internal microclimate, reducing the buildings suitability as a roost: However at this time, the potential for roosting bats is deemed to be moderate (based on the Bat Surveys Good Practice Guidelines). As a result, further survey effort was recommended to determine if an EPS Licence will be required for works to proceed”

1.10 And concludes:

“No bats were recorded emerging from the building during any of the surveys and it is assumed that the building is not currently being used by roosting bats. Consequently an EPS Licence will not be required as no bats will be impacted.”

Proposed works

1.11 It is understood that an application is to be submitted to allow variations to the approved plans, including a two-storey extension to the south of the building (see Figure 3).

1.12 The existing garage will be removed to facilitate the proposed works.

1.13 It is understood that no trees will be affected by the proposals.

Figure 2 – Approved elevations granted under application 213461



Figure 3 – Proposed elevations



2.0 Methodology

Desk study

- 2.1 A desk study data search was undertaken. This involved reviewing publicly available datasets and citations of statutory designated sites of importance for nature conservation and Natural England's Ancient Woodland Inventory for sites within the zone of influence of the survey area (considered to be a maximum of 500m in this case).
- 2.2 In addition, species records (on the MAGIC website¹) were accessed, and aerial photographs and Ordnance Survey maps were studied for features of interest.

Bat survey

- 2.3 A bat survey was undertaken. This comprised:

Daytime Bat Walkover (DBW)

- 2.4 A survey to assess the suitability of habitats for bats to roost, commute, and forage within and adjacent to the site (where accessible). Habitat suitability was assessed as per Table 1 below.

Preliminary Roost Assessment (PRA)

- 2.5 This survey consisted of a detailed search of the interior and exterior of the buildings looking for bats and/or evidence of bats including droppings (on walls and windowsills and in roof and loft spaces), rub or scratch marks, staining at potential roosts and exit holes, live or dead bats and features, such as raised or missing tiles, potentially suitable for use by roosting bats. Binoculars, an endoscope, a ladder and a high-powered torch were used as required.
- 2.6 The buildings were classified in terms of their suitability for use by roosting bats (see Table 2) and in accordance with the Bat Conservation Trust's Bat Survey Guidelines².
- 2.7 Classification was dependent on a number of factors including:
 - Bats and/or signs of bats
 - External and internal features potentially suitable for use by roosting bats (e.g. raised or missing tiles, gaps behind fascia boards)
 - Setting
 - Night time light levels
 - Disturbance levels
 - Proximity of suitable foraging habitat and flight-paths (e.g. ponds, streams, woodland, large gardens, hedgerows)

Surveyor details

- 2.8 The surveys were undertaken by Ryan Davies ACIEEM (senior ecologist) and Matthew Stephenson (assistant ecologist) of GS Ecology Ltd.
- 2.9 Ryan holds a Natural England WML A34 Level 2 bat survey licence and is an associate member of the Chartered Institute of Ecology and Environmental Management with more than 10 years' experience as professional ecologist.

¹ <http://www.natureonthemap.naturalengland.org.uk/>

² Collins, J. (ed.) (2023) Bat Surveys for Professional Ecologists: Good Practice Guidelines (4th edn) Bat Conservation Trust

Table 1 – Habitat suitability scale for potential flight-paths and foraging bats

Potential Suitability of potential flight-paths and foraging habitats	Potential Suitability	Description
	High	Continuous, high-quality habitat that is well connected to the wider landscape that is likely to be used regularly by bats for flight-paths such as river valleys, streams, hedgerows, lines of trees and woodland edge. High-quality habitat that is well connected to the wider landscape that is likely to be used regularly by foraging bats such as broadleaved woodland, tree-lined watercourses and grazed parkland. Site is close to and connected to known roosts.
	Moderate	Continuous habitat connected to the wider landscape that could be used by bats for flight-paths such as lines of trees and scrub or linked back gardens. Habitat that is connected to the wider landscape that could be used by bats for foraging such as trees, scrub, grassland or water.
	Low	Habitat that could be used by small numbers of bats as flight-paths such as a gappy hedgerow or unvegetated stream, but isolated, i.e. not very well connected to the surrounding landscape by other habitat. Suitable, but isolated habitat that could be used by small numbers of foraging bats such as a lone tree (not in a parkland situation) or a patch of scrub.
	Negligible ³	No obvious habitat features on site likely to be used as flight-paths or by foraging bats; however, a small element of uncertainty remains in order to account for non-standard bat behaviour.
	None [Not suitable]	No habitat features on site likely to be used by any commuting or foraging bats at any time of the year (i.e. no habitats that provide continuous lines of shade/protection for flight-lines, or generate/shelter insect populations available to foraging bats).

³Negligible is defined as 'so small or unimportant as to be not worth considering, insignificant.' This category may be used where are places that a bat could roost or forage (due to one attribute) but it is unlikely that they actually would (due to another attribute)

Table 2 – Description of the categories used to assess a building’s bat roost potential and the survey effort required to determine the likely presence or absence of bats

	Roost status	Description	Survey effort required to determine the likely presence or absence of bats
Bat Roost Potential Status	Confirmed	Bats or evidence of bats found.	Surveys would be required to establish the status of the roost. Generally, three dusk emergence surveys between May and September. Optimum period May – August (two surveys should be undertaken during the optimal period). Surveys should be carried out at least three weeks apart.
	High	A structure with one or more potential roost sites that are obviously suitable for use by larger numbers of bats on a more regular basis and potentially for longer periods of time due to their size, shelter, protection, conditions (For example, in terms of temperature, humidity, height above ground level, light levels or levels of disturbance) and surrounding habitat. These structures have the potential to support high conservation status roosts, e.g. maternity or classic cool/stable hibernation site.	Three dusk emergence surveys between May and September. Optimum period May – August. Two surveys should be undertaken during the optimal period. Surveys should be carried out at least three weeks apart.
	Moderate	A structure with one or more potential roost sites that could be used by bats due to their size, shelter, protection, conditions and surrounding habitat but unlikely to support a roost of high conservation status (with respect to roost type only, such as maternity and hibernation – the categorisation described in this table is made irrespective of species conservation status, which is established after presence is confirmed).	Two dusk emergence surveys, between May and September (one of the surveys needs to be carried out between May and the end of August). Surveys should be carried out at least three weeks apart.
	Low	A structure with one or more potential roost sites that could be used by individual bats opportunistically at any time of the year. However, these potential roost sites do not provide enough space, shelter, protection, appropriate conditions and/or suitable surrounding habitat to be used on a regular basis or by larger numbers of bats (i.e. unlikely to be suitable for maternity and not a classic cool/stable hibernation site, but could be used by individual hibernating bats).	One dusk emergence survey between May and the end of August (but only if features will be affected by the proposals).
	Negligible	No obvious habitat features on site likely to be used by roosting bats; however, a small element of uncertainty remains as bats can use small and apparently unsuitable features on occasion.	No further surveys required.
	None	No habitat features on site likely to be used by any roosting bats at any time of the year (i.e. a complete absence of crevices/suitable shelter at all ground/underground levels).	No further surveys required.

3.0 Results

Weather conditions

- 3.1 Weather conditions during the survey were 17°C, 8/8ths cloud cover, Beaufort Scale 1, with no rain.

Desk study

Statutory sites of importance for nature conservation and ancient woodland

- 3.2 There are no statutory sites of importance for nature conservation, or, areas of woodland listed on Natural England's Ancient Woodland Inventory within 500m of the application site.

Bat licence records

- 3.3 Within 1km of the site there are six records of licenses issued by Natural England for works affecting bat roosts on The MAGIC website.

Table 3 - Summary of Natural England licence records within 1km of the application site

Distance and direction from the application site	Species affected	Breeding site	Year licence was issued
0.2km South-east	Brown long-eared bat	No	2015
0.4km North	Brown long-eared bat	No	2017 & 2018
0.4km North	Brown long-eared bat	No	2017
0.4km West	Common pipistrelle	No	2013
0.5km South-east	Brown long-eared bat	No	2010
0.8km North-east	Brown long-eared bat, common pipistrelle	Yes	2018 & 2019

Surrounding land use

- 3.4 The application site is located midway along Grovelands Road, a predominantly residential road in Spencers Wood, south of Reading. Adjacent to the site, and further in all directions, are residential properties and their associated gardens with trees. Most of the houses further east and north east were built in the last 5 to 10 years.
- 3.5 Approximately 85m north west is Shinfield Cemetery, which contains a number of scattered trees. Further north (approx. 140m) are Clares Green Allotments, with another allotment garden located further west (Recreation Lane Allotments – 290m west).
- 3.6 Further south (approx. 180m) are a series of large agricultural fields – predominantly arable – with hedges and scattered trees at their peripheries.
- 3.7 Beyond to the west (approx. 540m) is a large area of parkland with numerous scattered trees and blocks of woodland.
- 3.8 The habitats surrounding the application site are therefore of predominantly 'moderate' suitability for commuting and foraging bats (see Table 1) with areas of higher suitability across the wider landscape.

Habitats within the application site

- 3.9 The application site comprises a detached bungalow (currently undergoing works to extend the building) detached garage, gravel driveway, and, front and rear gardens.
- 3.10 The front garden consists of small sections of amenity grassland lawn and ornamental hedges which run alongside the semi-circular driveway.
- 3.11 At the time of the survey the works to extend the main house were ongoing and the rear garden was part of an active building site, with much of the garden being used for storing machinery and materials.

Bat survey - Preliminary Roost Assessment

Main house

- 3.12 14 Grovelands is a detached bungalow with cavity brick walls. The main roof is pitched and clad with clay tiles. The house has painted wooden soffits and bargeboards.
- 3.13 At the time of the survey the approved extension works were underway and much of the roof had been removed to facilitate this, as had some of the soffits and bargeboards. The front roof elevation was mostly intact although most of the ridge tiles had been removed.
- 3.14 Remaining works to be undertaken include the installation of a flat dormer window on the front elevation (as approved under application number 213461 – See Figure 2).
- 3.15 Internally the house has a single, L-shaped loft space below the main roof. The roof has wooden beams and ridge board and is lined below the rafters with hardboard panels.
- 3.16 At the time of the survey the rear roof had been removed to allow for the extension to be tied into the building – leaving the loft space open to the extension.
- 3.17 No bats or signs of bats were found inside or outside the building but there were a few small gaps under tiles on the front elevation and as such the building is assessed as having ‘low’ bat roost potential.

Garage

- 3.18 To the south east of the house there is a detached single garage with prefabricated concrete walls. The roof has a shallow pitch and was covered with a tarpaulin. Internally the garage is open to the roof, which has a simple, metal frame. The roof and walls of the garage are unlined.
- 3.19 No bats or signs of bats were found inside or outside of the garage.
- 3.20 The garage has no features potentially suitable for use by roosting bats and is therefore assessed as having ‘negligible’ potential to host roosting bats (see Table 2).

4.0 Assessment

Legislation relating to bats

- 4.1 All species of bats receive special protection under UK law and it is a criminal offence under the Wildlife and Countryside Act 1981 (as amended) and The Conservation of Habitats and Species Regulations 2017 (The Habitat Regulations), deliberately or recklessly to destroy or damage their roosts, or to disturb, kill or injure them without first having obtained the relevant licence for derogation from the regulations from the Statutory Nature Conservation Organisation (the SNCO - Natural England in England).

Survey constraints

- 4.2 The survey was carried out at a time of year suitable for undertaking preliminary bat roost assessments and there were no constraints to the survey.

Site status – Main house

Main house

- 4.3 14 Grovelands Road was assessed as having ‘moderate’ potential to host roosting bats (see Table 2) in 2021, and dusk surveys carried out in July 2021 determined that the house did not host a bat roost.
- 4.4 The approved extension works were underway at the time of the survey and almost all the potential roost features identified during the 2021 survey had been removed. As such, other than a few gaps under roof tiles on the front elevation which will need to be removed to build the new dormer (see photo below), there are almost no features potentially suitable for use by roosting bats.



Effects of the proposals

- 4.5 There is a very small risk that bats may roost under the roof tiles shown above. The risk is very small because no bats were roosting in the building in 2021 and the site is a building site and is subject to high levels of noise and disturbance.
- 4.6 However as a precaution it is recommended that either the roof tiles are removed by hand under the supervision of a licensed bat ecologist or a single dusk emergence survey is undertaken. In the unlikely event that a bat roost is found works will stop until the requisite licence has been obtained from Natural England or the site has been registered under a bat mitigation class licence.

Site status - Garage

- 4.7 The garage has no features potentially suitable for use by roosting bats, and no bats or signs of bats were found inside or outside the building. It is therefore assessed as having 'negligible' potential to host a bat roost (see Table 2). It can therefore be demolished with minimal risk of harming bats.
- 4.8 Roosting bats are therefore very unlikely to be affected by the proposals and there should be no bat related constraints to the plans.
- 4.9 Appendix 2 provides further information on bat ecology and legislation.

5.0 Summary

- 5.1 14 Grovelands Road was assessed as having 'moderate' potential to host roosting bats in 2021, and dusk surveys carried out in July 2021 determined that the house did not host a bat roost. At the time of the survey extension works were underway (approved under a previous planning application) and almost all the potential roost features identified during the 2021 survey had been removed. As such, other than a few gaps under roof tiles on the front elevation which will need to be removed to build the new dormer, there are almost no features potentially suitable for use by roosting bats.
- 5.2 There is a very small risk that bats may roost under the roof tiles and as a precaution it is recommended that either the roof tiles are removed by hand under the supervision of a licensed bat ecologist or a single dusk emergence survey is undertaken. In the unlikely event that a bat roost is found works will stop until the requisite licence has been obtained from Natural England or the site has been registered under a bat mitigation class licence.
- 5.3 The garage is unsuitable for use by roosting bats and can be demolished with minimal risk of harming bats.

Appendix 1 - Photographs

Photos 1 and 2 – 14 Grovelands Road viewed from the north west and south west



Photos – 14 Grovelands Road viewed from the south and east



Photos 5 and 6 – Inside the existing loft space at 14 Grovelands Road



Photos 7 and 8 – The detached garage viewed from the north and east



Photo 9 – The garage roof viewed from above, and, Photo 10 – Inside the garage



Appendix 2 - Bat ecology and conservation status

Background

Bats are the only true flying mammals and belong to their own taxonomic group, the *Chiroptera*. Worldwide there are almost 1,000 species, with 16 in the UK. All species in the UK are insectivorous. They have a highly sophisticated echolocation system that allows them to avoid obstacles and catch invertebrates, either in flight or by picking them off water, the ground or foliage.

Bat species in the UK

There are 16 species of bat that are known to exist in the UK mainland, with a further two - the greater mouse eared bat *Myotis myotis*, and the parti-coloured bat *Vespertilio murinus* - that are thought to occur as rare migrants or to have small populations in the UK. Bats in the UK belong to one of two taxonomic families, the Rhinolophidae (horseshoe bats) and the Vespertilionidae (all other UK bats).

Bat Conservation Status

Bat populations have undergone a significant decline in the past sixty years. For example, estimates from the National Bat Colony Survey suggest that the UK pipistrelle population (one of our commonest bat species), declined by approximately 70% between 1978 and 1993. Factors contributing to this decline include:

- Loss of, and damage to, roosting sites, including buildings, trees, and underground structures (mines, tunnels, ice-houses, cellars, etc).
- Loss and fragmentation of suitable insect-rich feeding habitats such as wetlands and deciduous woodland.
- Reduction in the abundance and diversity of insect prey due to intensive agriculture, particularly over-grazing and the use of pesticides.
- Loss of linear features such as tree-lines and hedgerows, depriving bats of commuting routes between roosts and feeding areas.
- Loss of winter roosting sites in buildings and old trees.
- Disturbance and destruction of roosts, including the loss of maternity roosts due to the use of toxic timber treatment chemicals.

Roosts

Bats use a variety of roosts of different types including trees, buildings, caves, mines and other structures. Most species are colonial and roost in groups. This can make populations particularly vulnerable to loss of roosts as the loss of a single roost may affect the whole population. Some species hang in obvious locations, such as the timbers near to the apex of a roof, others roost in cracks and crevices, such as the gaps under tiles, and as such can be very difficult to locate.

During the winter (November to February), when there is a reduction in insect numbers, bats hibernate to conserve energy. They prefer sites with a constant low temperature and a high relative humidity. On mild winter's nights, bats may wake up and feed. However, bats are particularly vulnerable to disturbance at this time of year, as flying in winter uses up large quantities of energy that cannot easily be replaced.

In the spring, after emerging from hibernation, bats often move from site to site and may congregate in small groups. Female bats gather together in the summer (approximately May to August dependant on species) in maternity roosts. Once the young have stopped suckling, and the baby is independent, bats tend to disperse and use other roosts. Maternity roosts are particularly vulnerable to disturbance, as

bats may have come from a wide geographical area, and have a strong tradition of returning to the same roost year after year.

During the late summer and early autumn males occupy mating roosts which are visited by several females. After mating some species gather together at swarming sites to fatten up prior to hibernation.

Habitat associations

In addition to roosts, bats also need foraging habitats to find suitable food resources, and commuting routes to get to these areas. As would be expected, the highest numbers of bats are found in areas with abundant invertebrates. Some species specialise in catching small invertebrates in flight, whilst others specialise in catching larger invertebrates such as moths and beetles. The distances that bats travel to foraging areas varies between species; records have shown some greater horseshoe bats travel up to 22km to forage, although many species will typically feed within 1km of a roost.

Bats, especially the smaller species, tend to follow linear features (such as hedgerows and tree lines) to their foraging habitats and will often not cross open spaces. A gap of 10m in a linear feature will often not be crossed by bats, and it is important that developments do not create such gaps if linear features are used by bats.

Appendix 3 - Legislation and planning policy

Planning Authorities have a legal duty to consider biodiversity when assessing planning applications. Where there is a reasonable likelihood that a planning application might affect important protected sites, species or habitats, information on the species, habitat or site likely to be affected, together with an assessment of the impacts of the proposals, will almost certainly be required.

The legal duty for Planning Authorities to have regard to the conservation of biodiversity was introduced in the 2006 Natural Environment and Rural Communities Act (The NERC Act). This act clarified existing commitments with regard to biodiversity, raised the profile of biodiversity and aimed to make the consideration of biodiversity a natural and integral part of policy and decision making.

In addition to the NERC Act there is also national and international biodiversity legislation. This includes legislation in relation to protected species and sites which operates outside of the planning system. Local Authorities and developers have a duty to comply with this legislation.

National planning policy

Paragraph 99 of the Government Circular 06/05: Biodiversity and Geological Conservation - Statutory Obligations and Their Impact Within the Planning System (this document has not been revoked by the recently published National Planning Policy Framework) states that:

'It is essential that the presence or otherwise of protected species, and the extent that they may be affected by the proposed development, is established before the planning permission is granted, otherwise all relevant material considerations may not have been addressed in making the decision.'

As such, in line with national planning policy, most planning authorities will ask for this information to be provided before a planning decision is made and in many cases before it is registered.

Local planning policy

In addition to national planning policy, most councils have planning policies to protect biodiversity, and to enhance it where practicable within and adjacent to development sites.

European protected species

The United Kingdom hosts a number of European Protected Species (EPS) of animals (table 1) and plants (table 2). These species receive special protection under UK law and it is an offence under the Wildlife and Countryside Act 1981 (as amended) and the European Habitats and Species Directive (92/43/EC), enacted in the UK through The Conservation of Habitats and Species Regulations 2017, to deliberately or recklessly destroy or damage their habitat, or to disturb, kill or injure the species without first having obtained the relevant licence from Natural England.

Planning Authorities have a statutory duty under these regulations to have regard to the requirements of the Habitats Directive and need to be satisfied that the development is likely to receive a licence from Natural England, and therefore comply with the Habitats Directive, before granting planning permission.

Table 1 – European Protected Species of Animal found in the UK

Common name	Scientific name
Bats, Horseshoe (all species)	<i>Rhinolophidae</i>
Bats, Typical (all species)	<i>Vespertilionidae</i>
Butterfly, Large Blue	<i>Maculinea arion</i>
Cat, Wild	<i>Felis silvestris</i>
Dolphins, porpoises and whales (all species)	<i>Cetacea</i>
Dormouse	<i>Muscardinus avellanarius</i>
Frog, Pool	<i>Rana lessonae</i>
Lizard, Sand	<i>Lacerta agilis</i>
Moth, Fisher's Estuarine	<i>Gortyna borellii lunata</i>
Newt, Great Crested (or Warty)	<i>Triturus cristatus</i>
Otter, Common	<i>Lutra lutra</i>
Snail, Lesser Whirlpool Ram's-horn	<i>Anisus vorticulus</i>
Snake, Smooth	<i>Coronella austriaca</i>
Sturgeon	<i>Acipenser sturio</i>
Toad, Natterjack	<i>Bufo calamita</i>
Turtles, Marine	<i>Caretta caretta</i> <i>Chelonia mydas</i> <i>Lepidochelys kempii</i> <i>Eretmochelys imbricata</i> <i>Dermochelys coriacea</i>

Table 2 – European Protected Species of Plant found in the UK

Common name	Scientific name
Dock, Shore	<i>Rumex rupestris</i>
Fern, Killarney	<i>Trichomanes speciosum</i>
Gentian, Early	<i>Gentianella anglica</i>
Lady's-slipper	<i>Cypripedium calceolus</i>
Marshwort, Creeping	<i>Apium repens</i>
Naiad, Slender	<i>Najas flexilis</i>
Orchid, Fen	<i>Liparis loeselii</i>
Plantain, Floating-leaved water	<i>Luronium natans</i>
Saxifrage, Yellow Marsh	<i>Saxifraga hirculus</i>

Nationally protected species

Many species of animal are protected under the 1981 Wildlife and Countryside Act (as amended). 'Full protection' applies to EPS and some non EPS species such as the water vole. This prohibits the intentional killing, injuring or taking (capture. etc); possession; intentional disturbance whilst occupying a 'place used for shelter or protection' and destruction of these places; sale, barter, exchange, transporting for sale and advertising to sell or to buy. Many species, such as common species of reptile and amphibian, are protected from intentional killing and injuring and trading.

Badgers

Badgers and their setts are protected under the 1992 Protection of Badgers Act and the Wildlife and Countryside Act 1981 (as amended). It is illegal to intentionally or recklessly kill, injure or take badgers or to interfere with a badger sett. Interference with a sett includes blocking tunnels, or damaging the sett in any way, and could include blocking a badger pathway if it were to stop badgers entering or leaving a

sett. Penalties for offences can be severe, with fines of up to £5,000 plus up to six months' imprisonment, for each illegal sett interference, badger death or injury.

Work that disturbs badgers occupying a sett is illegal without the appropriate licence from the relevant statutory authority being held. Natural England issue licences for reasons including science, education or conservation, for development such as the building of houses and for investigation of offences against badgers. They also issue licences for the prevention of serious damage to land, crops or other form of property, as well as for agriculture, forestry, drainage operations and prevention of the spread of disease.

Birds

All wild birds are protected under the Wildlife and Countryside Act 1981 (as amended), whilst they are actively nesting or roosting. Section 1 of this Act makes it an offence to kill, injure or take any wild bird, and to intentionally take, damage or destroy the nest of any wild bird while that nest is in use or being built. It is also an offence to take or destroy any wild bird eggs.

In addition, bird species listed under Schedule 1 of the Act receive extra protection. The Act states that 'it is an offence to intentionally or recklessly disturb any wild bird listed in Schedule 1 while it is nest building, or at (or near) a nest containing eggs or young, or disturb the dependent young of such a bird'.

In practice this means that in areas where birds are likely to be nesting works should not be undertaken during the nesting season, which is generally considered to be March to September, although this very much depends on weather conditions, habitats and the species involved. If works cannot be avoided then areas should first be checked for nesting birds. Habitats likely to host nesting birds include trees, hedgerows and dense scrub, buildings, reedbeds and riverine habitats and open areas with tussocky vegetation.

Appendix 4 - About GS Ecology

Established in 2009, GS Ecology is an independent ecological consultancy in Berkshire. We carry-out surveys and ecological consultancy services for public and private sector clients including in Berkshire, Oxfordshire and Hampshire, London and the south of England. We can advise you on cost effective sustainable solutions for your project, whether it be a bat survey to inform a planning application, the ecology chapter of an Environmental Statement or a Woodland Management Plan.

Our work is undertaken by experienced and qualified ecologists, who are members of the Chartered Institute of Ecology and Environmental Managers. Our services include:

- Ecology surveying and reporting to inform planning applications, e.g.
 - Preliminary Ecological Appraisal
 - Extended Phase 1 Habitat Survey in Hampshire, Berkshire, Oxfordshire, London and Southern England
 - Protected species surveys, e.g. badgers, dormouse, great crested newts
 - Bat surveys in Oxfordshire, Berkshire, Hampshire, London and Southern England
- Code for sustainable homes or BREEAM ecology assessments – to demonstrate the sustainability of a new building
- Protected species licensing such as bat and great crested newt licences for development sites after planning permission has been obtained
- Providing advice to land managers and writing ecological management plans, such as woodland management plans and farm environmental plans for England woodland Grant Scheme and Environmental Stewardship applications
- Providing ecology advice to Local Authorities and Local Planning Authorities