





TABLE 2 (PRIVATE):	
CBR VALUE	
<2.0%	BESPOKE DESIGN
2-3%	325mm SUB BASE
3-5%	250mm SUB BASE
5-7%+	150mm SUB BASE



32. MIX ST1 CONCRETE KERB BEDDING TO CLAUSE 2602SR SHALL BE LAID ON SUBBASE AND SHALL BE EXCAVATED WHERE NECESSARY TO ACHIEVE 150 THICKNESS OF CONCRETE. RECOMPACT DISTURBED SUBBASE PRIOR TO CONSTRUCTION OF KERB BASE

P2	DETAIL 7 REMOVED	30.09.25	KW
P1	ISSUED FOR APPROVAL	08.09.25	KW
Status/Rev	Description	Date	By

IESISCIVILS

20 IRONMONGER LANE | LONDON | EC2V 8EP | UK
0207 600 2912
www.iesisgroup.com

Job Title
LAND AT WINNERSH FARM - PHASE 1
Client
TAYLOR WIMPEY WEST LONDON

PRIVATE
ROADS, PAVEMENTS AND
EXTERNAL WORKS DETAILS

drawn KW	date SEPT'25	scale @ A1 VARIES	C1 checked -	IESIS Project No. SE2326
-------------	-----------------	----------------------	-----------------	-----------------------------

Drg No.	22586-17-02	Suitability	D2	Status/Revision	P2
---------	-------------	-------------	----	-----------------	----