

Bat and GCN scoping survey: 14 Russley Green, Wokingham

Client Mr and Mrs Tuffee

Reference L1147.009

Issue One

Date 24 April 2025

Written by Miguel Canovas

Crossman Associates

Ecological Consultants
Fire Engine House
Oakhill, Bath BA3 5BJ
01761 233414
info@crossmanassociates.co.uk

www.crossmanassociates.co.uk



Non-technical Summary

Background

In April 2025, Crossman Associates was commissioned to undertake a bat survey of 14 Russley Green, RG40 3HT. Development proposals include an extension.

Methods

The scoping survey was undertaken by Miguel Canovas, an experienced ecologist and licenced bat worker. The building was inspected both externally and internally for any evidence of bat / bird presence, such as droppings, food remains, staining or actual bats / birds.

Results

The dwelling is located within a residential area. Overall, the dwelling remains in good condition and provide no features suitable for roosting bats or nesting birds. The garden is fenced and maintained. The dwelling has **negligible** suitability for roosting bats.

Recommendations

It is recommended that the following be undertaken as part of the development:

- A precautionary approach to development regarding bats, hedgehogs and newts.
- Install a bird nest box.
- Exterior lighting planned sensitive to nocturnal wildlife.

Contents

1. BACKGROUND	3
SITE DESCRIPTION	3
LEGISLATION	3
2. METHODOLOGY	5
DESKTOP STUDY	5
3. RESULTS	7
DESKTOP STUDY	7
FIELD SURVEY	9
EVALUATION	13
OTHER SPECIES OBSERVATIONS:	13
4. RECOMMENDATIONS	15
SPECIES RECOMMENDATIONS	15
BIODIVERSITY ENHANCEMENTS	18
5. LIMITATIONS	19
6. REFERENCES	20

1. Background

- 1.1. In April 2025, Crossman Associates was commissioned to undertake a bat survey of 14 Russley Green, RG40 3HT. Development proposals include an extension (Ordnance Survey grid reference: SU 80140 66263).
- 1.2. Figure 1 under Appendix II provides a site location map.
- 1.3. The objectives of the survey were to:
 - Assess the likely presence or absence of bats.
 - Identify any legislative or planning policy constraints relevant to the site.
 - Determine the need for further surveys, compensation, or mitigation.

Site Description

- 1.4. The site comprises a two-storey detached house which is in a residential area in Wokingham, Berkshire. The property has a maintained fenced garden.
- 1.5. The property is adjoined on all sides by similar detached/ semi-detached properties with maintained gardens.
- 1.6. The environs are predominately residential with a mix of medium/large properties. There is a nearby golf course and the wider landscape includes woodland.

Legislation

- 1.7. In the UK all species of bats are protected under the Wildlife and Countryside Act (1981) as amended and the Conservation of Habitats and Species (Amendment) Regulations. Under this legislation it is a strict liability offence to injure or destroy a bat or to disturb damage or destroy the resting place of a bat. Under this
-

legislation the UK is obliged to fully consider bats within the planning process and the level of bat activity on-site must be fully assessed prior to the assessment the planning application.

- 1.8. In Britain all wild birds are granted legal protection under the Wildlife & Countryside Act (1981) (as amended). This legislation protects the birds, their eggs and nests whilst being built or in use.

2. Methodology

Desktop Study

Data search

- 2.1. The MAGIC website was accessed to gain information on any statutory site designations within 4 km of the site that are designated for bats.

National Planning Policy

- 2.2. National Planning Policy has been reviewed for policies that relate to nature conservation relevant to the site.

Field Survey

Bat scoping survey

- 2.3. A bat scoping survey was carried out on the 16th April 2025 by Miguel Canovas, an experienced ecologist and licenced bat worker.
- 2.4. The building was methodically inspected internally and externally for any evidence of roosting bats, including actual bats, droppings, urine staining and evidence of feeding activity such as discarded insect wings and cases.
- 2.5. Ladder, binoculars and torch were used during the bat scoping survey.
- 2.6. The building was also assessed for its suitability to support roosting bats by considering several factors including whether bats can access internal and external voids within the building and whether these voids provide adequate protection and shelter for roosting bats. If the building is not confirmed as a roost, it is assessed from High to Negligible Suitability as follows;

- **High Suitability** – many roosting opportunities. Buildings tend to be old, large and rural
- **Moderate Suitability** – some roosting opportunities. Buildings tend to be old, rural with some recent maintenance
- **Low Suitability** – few roosting opportunities. Buildings tend to be modern, urban and well maintained
- **Negligible Suitability** – insignificant roosting opportunities. Buildings tend to be small, modern, urban and very well maintained.

Birds

- 2.7. The building was also inspected for the presence of birds including house sparrow *Passer domesticus*. The building was checked for field signs including nesting material, accumulations of droppings and/or pellets.

3. Results

Desktop Study

Data Search

- 3.1. The MAGIC website informed that there are no statutory sites within 4 km of the site designated for bats.

Planning Policy

- 3.2. National policy guidance is provided by National Planning Policy Framework (NPPF, December 2024), which sets out the Government's planning policies for England and how they should be applied to planning applications;

Conserving and enhancing the natural environment

- Planning decisions should contribute to and enhance the natural and local environment by:
 - a) protecting and enhancing valued landscapes, sites of biodiversity or geological value and soils (in a manner commensurate with their statutory status or identified quality in the development plan);
 - b) recognising the intrinsic character and beauty of the countryside, and the wider benefits from natural capital and ecosystem services – including the economic and other benefits of the best and most versatile agricultural land, and of trees and woodland;
 - c) maintaining the character of the undeveloped coast, while improving public access to it where appropriate;

- d) minimising impacts on and providing net gains for biodiversity, including by establishing coherent ecological networks that are more resilient to current and future pressures;
- e) preventing new and existing development from contributing to, being put at unacceptable risk from, or being adversely affected by, unacceptable levels of soil, air, water or noise pollution or land instability. Development should, wherever possible, help to improve local environmental conditions such as air and water quality, taking into account relevant information such as river basin management plans; and
- f) remediating and mitigating despoiled, degraded, derelict, contaminated and unstable land, where appropriate.

Habitats and Biodiversity

- To protect and enhance biodiversity and geodiversity, plans should:
 - a) Identify, map and safeguard components of local wildlife-rich habitats and wider ecological networks, including the hierarchy of international, national and locally designated sites of importance for biodiversity⁶⁸; wildlife corridors and stepping stones that connect them; and areas identified by national and local partnerships for habitat management, enhancement, restoration or creation; and
 - b) promote the conservation, restoration and enhancement of priority habitats, ecological networks and the protection and recovery of priority species; and identify and pursue opportunities for securing measurable net gains for biodiversity.
- When determining planning applications, local planning authorities should apply the following principles:

- a) if significant harm to biodiversity resulting from a development cannot be avoided (through locating on an alternative site with less harmful impacts), adequately mitigated, or, as a last resort, compensated for, then planning permission should be refused;
- b) development on land within or outside a Site of Special Scientific Interest, and which is likely to have an adverse effect on it (either individually or in combination with other developments), should not normally be permitted. The only exception is where the benefits of the development in the location proposed clearly outweigh both its likely impact on the features of the site that make it of special scientific interest, and any broader impacts on the national network of Sites of Special Scientific Interest;
- c) development resulting in the loss or deterioration of irreplaceable habitats (such as ancient woodland and ancient or veteran trees) should be refused, unless there are wholly exceptional reasons⁷⁰ and a suitable compensation strategy exists; and
- d) development whose primary objective is to conserve or enhance biodiversity should be supported; while opportunities to improve biodiversity in and around developments should be integrated as part of their design, especially where this can secure measurable net gains for biodiversity or enhance public access to nature where this is appropriate.

Field Survey

Bat scoping survey

- 3.3. The external and internal conditions of the buildings are described in the table below and photographs can be found in Appendix II.

- 3.4. A table within Appendix III; information sheets set out the criteria for the way a building is assessed for its potential to support roosting bats.

Building	Feature	Feature Description	Bat suitability
14 Russley Green, Wokingham	Overview	Detached two-storey house. The property is in good condition and is currently occupied. No bats or evidence of bats were found inside or outside of the property.	Negligible Suitability ☒
	Exterior	The brick walls are in good condition; no gaps or cracks were observed. The windows and doors are all well-sealed. The property has a maintained fenced garden of lawns. The garage is in good condition.	
	Interior	Areas of living accommodation are composed of well-sealed rooms with plaster and painted walls and ceilings. The roof void is insulated, compost of exposed timbers and type 1 bituminous sarking felt lining. No gaps were observed.	
	Roof	Tightly fitting concrete roof tiles with no gaps observed. All roof verges remain well-sealed, areas of soffit and where lead flashing is used to seal roof abutments remain tightly fitted in place.	

Building	Feature	Feature Description	Bat suitability
		The chimney brick work is in good condition and the flash/ concrete work which seals the chimney to the roof remains well fit in place.	

Birds

- 3.5. No birds or bird nesting activity was recorded in any aspect of the dwelling.

Evaluation

- 3.6. The property is located within a residential area, however, lies near to golf course and woodland with habitats likely to function as commuting and foraging resource for bats.
- 3.7. During the scoping survey, no droppings, staining, feeding remains or actual bats were observed. The building is in good condition and well-maintained. All verges and soffits are in good condition and fit tightly. All tiles and ridges are sealed. The property is constructed from modern and uniform material and lacks any abiotic roosting opportunities.
- 3.8. The property has **negligible suitability** for roosting bats.

Other species observations:

Newts

Great crested newt

- 3.9. In the UK, great crested newts *Triturus cristatus* (GCN) are fully protected under the Wildlife and Countryside Act (1981) as Amended and The Conservation of Habitats and Species Regulations 2010, making it an offence to deliberately capture, kill or disturb wild animals listed under Schedule 2 of the Regulations.
- 3.10. Magic Defra website informed of a Great crested newt licence issued in 2014 for the nearby golf course pond approximately 700m north of the site.

- 3.11. The garden has a small ornamental pond with concrete slates bank and is considered unsuitable for great crested newts.

Habitat Suitability Index (HSI) survey.

- 3.12. An HSI assessment is used to provide a quantitative analysis of the likelihood that a pond supports great crested newts.

- 3.13. The HSI score for the pond was low.

Natural England Rapid Risk Assessment Tool for great crested newt

- 3.14. The proposals are to construct a small extension The development area is mostly paved with surrounding well-maintained grassland. The development area provides no significant habitat for amphibians, including great crested newt.

- 3.15. The Natural England Rapid Risk Assessment Tool was consulted and after data was entered into the calculator it informed that even if the pond was to be used as a breeding site for great crested newt, the development is of a sufficiently small size / impact to result in no impact and the rapid risk assessment tool assessed that on offence is **highly unlikely**.

Conclusion

- 3.16. In conclusion, even if great crested newts were to be present in association with the pond it is sufficiently unlikely that the very small scale of the development would have any impact upon them and therefore no further survey effort for this species is deemed necessary.

4. Recommendations

- 4.1. The recommendations in the paragraphs below are provided to help ensure that wildlife and important ecological features are protected during the course of works. Recommendations also set out mitigation measures to minimise harm where this cannot be avoided and provide compensation measures to allow the proposals to meet current legislative and planning policy objectives.
- 4.2. The Natural Environment and Rural Communities (NERC) Act (2006) states that a public authority must 'in exercising its functions, have regard, so far as is consistent with the proper exercise of those functions, to the purpose of conserving biodiversity; Conserving biodiversity includes, in relation to a living organism or type of habitat, restoring or enhancing a population or habitat'.
- 4.3. The NPPF (2021) states that planning decisions should contribute to and enhance the natural and local environment by minimising impacts on and providing net gains for biodiversity, including by establishing coherent ecological networks that are more resilient to current and future pressures.

Species recommendations

Bats

- 4.4. Due to the lack of evidence of roosting bats within any aspect of the building on site, it is not considered necessary or beneficial to undertake any further survey work.
- 4.5. Due to the transitory nature of bats, there remains a very small possibility that bats could be encountered during the works; therefore, all works must proceed under a precautionary approach. Tiles and roof panels will be removed in a vertical rather than horizontal sliding motion. Soffits and masonry will be dismantled using

a 'soft' approach taking care with cavity walls where present. All site workers will be vigilant at all times and in the very unlikely event that a bat is found, then works must stop immediately and advice should be sought from a suitably qualified ecologist.

Lighting

- 4.6. The site lies near to a golf course and woodland, these habitats are likely to support a number of species of bat; typical species that would be likely to be present include common pipistrelle and soprano pipistrelle, therefore any exterior lighting that is to be employed should be of the modern LED-type and should take into account the presence of bats and avoid over illumination of the garden, trees and adjacent properties. This can be achieved by using directional lights and or cowl.

Great crested newt

- 4.7. The proposals are assessed to result in no significant effect to great crested newts (if they were to be present within the garden pond), however as an added precaution the following working methodology is recommended.

Reasonable Avoidance Measures.

- 4.8. The following methodology will minimise the risk of harm to great crested newts (if they were to be present).

Avoidance Measures / Working Practices

- Immediately prior to the start of works, a suitably experienced ecologist (the ECoW) should provide a Toolbox Talk to the site manager and the site owner. This will cover identification of protected and amphibian species and work through safe working practices.

- A newt photographic identification information sheet will be provided. The landowner / site manager will be responsible for laminating this and making it available for all site workers to see throughout the entire works.

Safe Working Practices

4.9. The homeowner/Site Manager will be responsible for performing a thorough site check each morning to assess the condition of the working practices listed below.

- All materials will be stored on pallets on areas of hard-standing. This will prevent places of refuge being created. Any aggregates delivered to site should be stored in bulk-bags and placed on pallets. Again, this will prevent places of refuge / hibernacula being created.
- Any excavations should contain an escape ramp, made from earth or wooden planks (or multiple ramps within large excavations – to be determined by the ECoW). The homeowner/site manager will check the excavations each morning. Should amphibians (non-great crested newt) be found, then these animals will be moved to safe habitat outside the construction zone (this habitat will be identified during the Toolbox Talk). If a great crested newt is found during works then work will stop in the vicinity, a suitably licensed ecologist will be contacted and discussions for future methods/works will take place.

Hedgehog

4.10. In the UK hedgehogs are listed on schedule 6 of the Wildlife and Countryside Act (1981) as Amended which makes it illegal to kill or capture wild hedgehogs. Hedgehogs are also listed as a species of 'principal importance' under the Natural Environmental and Rural Communities Act 2006, which is meant to confer a 'duty of responsibility' to public bodies.

- 4.11. Excavated holes and trenches on building sites have the potential to trap wildlife including hedgehogs leading to the potential suffering and death of the animal (s) particularly if they become filled with water.
- 4.12. If during the development excavated holes / trenches are likely to be left open, then timber builders' planks should be fitted as ramps to enable any wildlife including hedgehogs a means of escape.

Biodiversity enhancements

Birds

- 4.13. During the construction phase of the works, there is an opportunity to incorporate inexpensive ecological enhancements that aim to increase the biodiversity of the site.
- 4.14. Swifts (*Apus apus*) are a declining species in the UK, largely due to the loss of suitable nesting sites in modern and renovated buildings. To support local biodiversity, fulfil policy objectives and contribute to swift conservation efforts, it is recommended that
- 4.15. At least one swift nest box be installed on the new extension.
- 4.16. The nest box should be positioned at least 4 m above ground level, under the eaves or on an appropriate sheltered wall, with a clear flight path and minimal disturbance. Ideally, the box should face north or east to avoid excessive heat exposure.
- 4.17. For a long-term, low-maintenance solution, we recommend incorporating the Action for Swifts S Brick into the development. The S Brick is a discreet, integrated nest box designed to be built directly into the structure of the building, providing a secure and permanent nesting site without affecting aesthetics or maintenance requirements. Models can be found on www.actionforswifts.com.

5. Limitations

- 5.1. This report records wildlife found during the survey and anecdotal evidence of sightings. It does not record any plants or animals that may appear at other times of the year and were therefore not evident at the time of visit.
- 5.2. The advice contained in this report relate primarily to factual survey results and general guidance only. On all legal matters you are advised to take legal advice.

6. References

Bat Conservation Trust (BCT) *Bats and Lighting in the UK* BCT

HMSO (1981) *Wildlife and Countryside Act 1981 (and subsequent amendments)*. HMSO

HMSO (1995) *Biodiversity*. The UK Steering Group Report

Joint Nature Conservation Committee (JNCC) *Common Standards Monitoring Guidance for Reptiles and Amphibians* (2004) JNCC

Mitchell-Jones, A.J (2004) *Bat Mitigation Guidelines* English Nature

Mitchell-Jones, A.J, & McLeish A.P. (2012) *The Bat Worker's Manual* (4th Edition)

Multi-Agency Geographical Information for the Countryside (MAGIC)
Website at www.magic.gov.uk

Stace, C. (1997) *New Flora of the British Isles 2nd Edition*. Cambridge University Press

TSO (2021) *National Planning Policy Framework*. TSO

TSO (2006) *Natural Environment and Rural Communities Act* TSO

Appendix I – Site Figures



crossman
ASSOCIATES



01761 233414
info@crossmanassociates.co.uk
www.crossmanassociates.co.uk

● Site location



Client Lee Norris Design

Title Location plan

Site 14 Russley Green

Figure 1

Date 24 April 2025

Scale xxx



Appendix II – Site Photographs

Photographs 4 - 6



Photograph 4:

Roof void



Photograph 5:

Garage interior



Photograph 6:

Small ornamental pond

Photographs 1- 3



Photograph 1:

Southeastern elevation / no gaps



Photograph 2:

Western elevation/ no gaps on ridges or roof breather



Photograph 3:

Northwestern elevation/ no gaps





Appendix III– Information Sheets

Bat Habitat Suitably Criteria

Bat Roosting Suitability	Criteria	Survey requirement to prove likely absence
Negligible	Negligible habitat features on site likely to be used by roosting bats.	No further survey work required
Low	A building, structure or tree with one or more potential roosting sites that could be used by individual bats opportunistically; however, these possible roost sites do not provide enough space, shelter, protection and/or suitable surrounding habitat to be used by large numbers of bats and are unlikely to be suitable for maternity or hibernation roosts.	One activity survey
Medium	A building, structure or tree with one or more potential roost sites that could be used by bats due to the size, shelter, protection, conditions and surrounding habit, but is unlikely to support a roost of high conservation status.	Two activity surveys
High	A building, structure or tree with one or more potential roost sites that are obviously suitable for use by larger numbers of bats on a more regular basis and potentially for longer periods of time due to their size, shelter, protection, conditions and surrounding habitat.	Three activity surveys

Survey requirements are taken from Bat Surveys for Professional Ecologists: Good Practice Guidelines (2024), which is the recognised industry standard guidance used by local planning authorities and other statutory consultees.

Information sheet Artificial bird nesting boxes for Buildings: Swifts, house martins and house sparrows



Habibat house
sparrow nest box



Vivara woodstone sparrow
nest box; suitable for both
integral fitment or surface
mounting

Ibstock Swift boxes are also suitable for house sparrows. Can be customised to suit any exterior finish. Site boxes under eaves, away from windows and direct sunlight.

Sparrow boxes should be grouped together and be at least 2 m of the ground. The boxes can be also be sited on gable walls. At least 3 per averaged size house.

Swifts boxes should be at least 5 m above the ground with an clear un-obstructed flight path.

Schwegler house martin box model 9 b double is a suitable box for house martins and can be used to encourage the uptake of a building by this species. The boxes can be attached to the exterior walls in a sheltered position; ideally beneath the eaves. At least two sets should be placed on an averaged size house.

Ibstock Box



Schwegler model 9b