

2105_Sonning House

Window Schedule

Revision -A
File Ref:
31/08/2023

Window Number	Window type	Location	Condition	Finish	Comment
WG.01	WT1	Gnd Flr	Retained	White Painted Timber	
WG.02	WT1	Gnd Flr	Retained	White Painted Timber	
WG.03	WT1	Gnd Flr	Retained	White Painted Timber	
WG.04	WT1	Gnd Flr	Retained	White Painted Timber	
WG.05	WT1	Gnd Flr	Retained	White Painted Timber	
WG.06	WT1	Gnd Flr	Retained	White Painted Timber	
WG.07	WT1	Gnd Flr	Retained	White Painted Timber	
WG.08	WT1	Gnd Flr	Retained	White Painted Timber	
W1.01	WT1	1st Flr	Retained	White Painted Timber	
W1.02	WT1	1st Flr	Retained	White Painted Timber	
W1.03	WT1	1st Flr	Retained	White Painted Timber	
W1.04	WT1	1st Flr	Retained	White Painted Timber	
W1.05	WT3	1st Flr	New	White Painted Timber	White Painted Timber to Match Existing Windows
W1.06	WT2	1st Flr	New	White Painted Timber	Replacement White painted timber frame to match existing windows.
W1.07	WT2	1st Flr	New	White Painted Timber	Replacement White painted timber frame to match existing windows. Window Raised to match head height of W1.06
W1.08	WT1	1st Flr	New	White Painted Timber	Replacement Window, reuse existing structural opening with a raised cill level
W1.09	WT1	1st Flr	Retained	White Painted Timber	
W1.10	WT1	1st Flr	Retained	White Painted Timber	
W.2.01	WT1	2nd Flr	Retained	White Painted Timber	
W.2.02	WT1	2nd Flr	Retained	White Painted Timber	
W.2.03	WT1	2nd Flr	Retained	White Painted Timber	

Notes

All dimensions for pricing only and to be checked on site.

N=new R=retain, repair and redecorate

For new windows All new windows to have toughened glass, Low "E", K Glass

For retained sash Retain existing sash, ease and adjust, with sash weights to be put in good working order. Supply and fit Ventrolla (or similar) draught proofing to ensure airtightness